

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

M1. Percentage of students who were \geq 85th percentile but $<$ 95th percentile for body mass index, by age and sex

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	19.6	(16.1 - 23.1)	1,355	20.2	(14.6 - 25.9)	640	19.0	(16.1 - 22.0)	715
Age									
12 or younger	25.6	(18.0 - 33.1)	217	-	-	97	28.2	(17.8 - 38.7)	120
13-15	18.4	(15.0 - 21.9)	1,072	19.8	(14.2 - 25.3)	499	17.2	(14.8 - 19.5)	573
16 or older	-	-	66	-	-	44	-	-	22
Grade									
7° Primary	22.3	(14.8 - 29.8)	446	21.1	(11.8 - 30.5)	196	23.4	(13.7 - 33.2)	250
8° Primary	16.4	(12.9 - 19.8)	464	15.8	(10.5 - 21.2)	216	16.9	(12.0 - 21.8)	248
1° Secondary	20.4	(15.7 - 25.0)	436	23.4	(15.0 - 31.8)	226	17.3	(13.2 - 21.4)	210

Notes:

678 students did not provide usable data for M1.

N = Number of students.

- = Fewer than 100 students.

Students who were at or above the 85th percentile but below the 95th percentile for body mass index by age and sex based on reference data from Cole, Bellizzi, Flegal, and Dietz, *British Medical Journal*, May, 2000.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

M2. Percentage of students who were \geq 95th percentile for body mass index, by age and sex

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	3.7	(2.3 - 5.1)	1,355	4.8	(2.9 - 6.8)	640	2.6	(1.3 - 3.9)	715
Age									
12 or younger	4.4	(1.4 - 7.4)	217	-	-	97	0.0	(0.0 - 0.0)	120
13-15	3.4	(1.9 - 4.9)	1,072	3.6	(1.9 - 5.4)	499	3.2	(1.5 - 4.9)	573
16 or older	-	-	66	-	-	44	-	-	22
Grade									
7° Primary	3.5	(1.4 - 5.6)	446	5.9	(2.8 - 9.0)	196	1.4	(0.0 - 3.4)	250
8° Primary	4.2	(2.2 - 6.1)	464	4.2	(2.0 - 6.5)	216	4.1	(1.9 - 6.3)	248
1° Secondary	3.5	(1.1 - 6.0)	436	4.7	(0.5 - 8.9)	226	2.3	(0.0 - 4.7)	210

Notes:

678 students did not provide usable data for M2.

N = Number of students.

- = Fewer than 100 students.

Students who were at or above the 95th percentile for body mass index by age and sex based on reference data from Cole, Bellizzi, Flegal, and Dietz, *British Medical Journal*, May, 2000.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q6. Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	1.3	(0.7 - 1.9)	2,028	1.3	(0.7 - 1.8)	979	1.3	(0.7 - 2.0)	1,048
Age									
12 or younger	0.3	(0.0 - 0.9)	379	0.6	(0.0 - 1.7)	180	0.0	(0.0 - 0.0)	198
13-15	1.5	(0.9 - 2.2)	1,566	1.5	(0.8 - 2.3)	744	1.5	(0.8 - 2.3)	822
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	1.2	(0.4 - 1.9)	776	1.1	(0.3 - 1.9)	364	1.3	(0.1 - 2.5)	411
8° Primary	1.8	(0.9 - 2.8)	670	2.2	(0.7 - 3.7)	312	1.5	(0.7 - 2.2)	358
1° Secondary	0.7	(0.1 - 1.4)	567	0.6	(0.0 - 1.4)	297	0.9	(0.3 - 1.6)	270

Notes:

5 students did not provide usable data for Q6.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q7. Percentage of students who usually ate fruit, such as apples, oranges, or bananas one or more times per day during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	69.0	(67.3 - 70.8)	2,021	67.2	(63.8 - 70.6)	976	70.9	(68.7 - 73.0)	1,044
Age									
12 or younger	73.5	(67.9 - 79.2)	374	68.0	(59.5 - 76.5)	178	79.4	(72.7 - 86.1)	195
13-15	68.2	(65.3 - 71.0)	1,564	67.3	(62.7 - 71.8)	743	69.1	(66.1 - 72.1)	821
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	72.6	(69.1 - 76.0)	772	69.0	(63.3 - 74.7)	362	76.2	(73.1 - 79.3)	409
8° Primary	71.1	(66.2 - 76.1)	669	70.9	(65.2 - 76.5)	313	71.4	(65.4 - 77.4)	356
1° Secondary	63.5	(61.0 - 66.0)	565	62.2	(58.0 - 66.3)	295	64.9	(61.6 - 68.3)	270

Notes:

12 students did not provide usable data for Q7.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q8. Percentage of students who usually ate vegetables, such as tomatoes, lettuces, celery, carrots, or broccoli one or more times per day during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	87.2	(85.9 - 88.6)	2,009	84.8	(83.2 - 86.4)	965	89.8	(87.7 - 91.9)	1,043
Age									
12 or younger	86.7	(81.3 - 92.1)	372	81.2	(73.6 - 88.8)	175	93.0	(88.6 - 97.3)	196
13-15	86.9	(85.7 - 88.2)	1,555	85.0	(83.0 - 86.9)	735	88.8	(86.2 - 91.4)	820
16 or older	-	-	82	-	-	55	-	-	27
Grade									
7° Primary	86.3	(82.5 - 90.0)	767	83.0	(79.2 - 86.7)	358	89.9	(86.1 - 93.8)	408
8° Primary	87.7	(86.3 - 89.0)	665	85.7	(82.3 - 89.0)	308	89.8	(87.5 - 92.1)	357
1° Secondary	88.0	(86.6 - 89.4)	562	86.4	(82.1 - 90.6)	293	89.7	(86.4 - 93.0)	269

Notes:

24 students did not provide usable data for Q8.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

M4. Percentage of students who ate five or more fruits and vegetables per day during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	25.4	(23.1 - 27.7)	2,000	23.4	(20.8 - 26.0)	960	27.5	(24.5 - 30.6)	1,039
Age									
12 or younger	28.2	(22.9 - 33.4)	368	27.5	(20.9 - 34.1)	173	29.1	(23.2 - 35.0)	194
13-15	25.0	(21.9 - 28.0)	1,550	23.0	(19.5 - 26.5)	732	26.9	(23.2 - 30.6)	818
16 or older	-	-	82	-	-	55	-	-	27
Grade									
7° Primary	27.5	(23.2 - 31.9)	762	26.9	(20.8 - 33.0)	355	28.3	(23.9 - 32.6)	406
8° Primary	24.3	(20.6 - 27.9)	662	22.7	(17.1 - 28.3)	307	25.9	(20.6 - 31.2)	355
1° Secondary	24.8	(20.5 - 29.0)	561	20.9	(16.5 - 25.3)	292	28.7	(23.8 - 33.6)	269

Notes:

33 students did not provide usable data for M4.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q9. Percentage of students who drank milk or yogurt all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	36.8	(32.4 - 41.1)	2,020	37.7	(32.4 - 43.0)	975	35.8	(31.6 - 39.9)	1,044
Age									
12 or younger	38.9	(33.8 - 44.0)	377	38.6	(31.2 - 46.0)	179	39.4	(31.6 - 47.3)	197
13-15	37.1	(32.6 - 41.5)	1,560	39.5	(34.8 - 44.2)	741	34.7	(29.8 - 39.6)	819
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	39.3	(35.3 - 43.4)	773	40.5	(35.3 - 45.7)	363	38.2	(31.8 - 44.6)	409
8° Primary	37.1	(31.7 - 42.6)	668	39.2	(31.8 - 46.7)	312	35.0	(29.2 - 40.7)	356
1° Secondary	33.7	(25.7 - 41.7)	565	33.3	(23.0 - 43.6)	295	34.1	(25.8 - 42.4)	270

Notes:

13 students did not provide usable data for Q9.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q10. Percentage of students who ate fruits, such as apples, oranges, bananas, pears, kiwis, or any others all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	16.6	(14.5 - 18.8)	2,015	16.0	(13.1 - 19.0)	976	17.2	(14.4 - 19.9)	1,038
Age									
12 or younger	19.5	(16.4 - 22.7)	373	20.0	(14.0 - 26.1)	178	18.5	(14.5 - 22.6)	194
13-15	16.3	(14.1 - 18.4)	1,559	15.4	(12.5 - 18.3)	742	17.1	(14.0 - 20.2)	817
16 or older	-	-	83	-	-	56	-	-	27
Grade									
7° Primary	18.1	(15.8 - 20.3)	770	15.4	(10.2 - 20.6)	361	20.6	(16.2 - 24.9)	408
8° Primary	18.1	(15.1 - 21.1)	668	18.0	(13.5 - 22.6)	312	18.2	(14.3 - 22.1)	356
1° Secondary	13.9	(10.9 - 16.8)	562	14.7	(11.1 - 18.2)	297	13.0	(8.7 - 17.4)	265

Notes:

18 students did not provide usable data for Q10.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q11. Percentage of students who ate vegetables, such as lettuces, celery, tomatoes, cucumber, broccoli, cabbage, or any others all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	36.9	(33.5 - 40.3)	2,020	32.7	(28.6 - 36.9)	977	41.2	(37.3 - 45.1)	1,042
Age									
12 or younger	35.6	(30.9 - 40.4)	373	33.5	(26.5 - 40.5)	180	38.3	(32.6 - 43.9)	192
13-15	37.6	(34.3 - 40.9)	1,563	33.5	(29.4 - 37.6)	741	41.6	(37.4 - 45.9)	822
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	34.2	(30.8 - 37.6)	770	31.0	(26.6 - 35.5)	364	37.6	(31.8 - 43.4)	405
8° Primary	37.2	(33.7 - 40.6)	668	31.2	(26.3 - 36.0)	310	43.4	(39.4 - 47.5)	358
1° Secondary	39.7	(31.9 - 47.5)	567	35.8	(27.1 - 44.5)	297	43.8	(35.2 - 52.4)	270

Notes:

13 students did not provide usable data for Q11.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q12. Percentage of students who ate chips, hot dogs, "sopaipillas", or other snacks all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.7	(6.2 - 11.2)	2,030	7.6	(5.4 - 9.7)	981	9.9	(6.3 - 13.5)	1,049
Age									
12 or younger	6.1	(3.8 - 8.4)	378	9.4	(5.3 - 13.5)	180	2.5	(0.8 - 4.2)	198
13-15	9.1	(6.1 - 12.1)	1,569	6.8	(4.5 - 9.2)	746	11.3	(6.7 - 15.8)	823
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	9.4	(6.3 - 12.4)	776	10.3	(6.2 - 14.5)	364	8.4	(5.1 - 11.7)	412
8° Primary	6.5	(4.6 - 8.5)	672	5.7	(3.1 - 8.2)	314	7.4	(4.5 - 10.4)	358
1° Secondary	9.9	(4.8 - 15.1)	567	6.4	(3.9 - 8.9)	297	13.5	(5.1 - 22.0)	270

Notes:

3 students did not provide usable data for Q12.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q13. Percentage of students who ate Doblones, Negritas, Superocho, Tuyo, Prestigio, biscuits, or chocolates all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	12.2	(9.4 - 15.0)	2,026	11.8	(8.5 - 15.1)	979	12.5	(9.4 - 15.6)	1,046
Age									
12 or younger	9.8	(5.4 - 14.3)	377	10.9	(3.8 - 18.0)	178	8.3	(3.9 - 12.6)	198
13-15	12.4	(9.7 - 15.1)	1,566	11.4	(8.5 - 14.3)	746	13.3	(10.0 - 16.5)	820
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	11.5	(7.8 - 15.2)	776	11.7	(7.4 - 16.1)	363	11.0	(6.7 - 15.3)	412
8° Primary	12.0	(7.5 - 16.4)	669	12.3	(7.8 - 16.7)	313	11.7	(6.3 - 17.1)	356
1° Secondary	12.9	(9.2 - 16.5)	566	11.0	(5.4 - 16.6)	297	14.8	(11.5 - 18.1)	269

Notes:

7 students did not provide usable data for Q13.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q14. Percentage of students who drank juices or soft drinks with sugar all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	45.7	(43.1 - 48.3)	2,014	46.3	(43.2 - 49.3)	974	45.0	(41.1 - 48.9)	1,039
Age									
12 or younger	45.1	(40.9 - 49.4)	376	45.8	(40.8 - 50.7)	179	44.1	(38.8 - 49.4)	196
13-15	45.8	(42.6 - 48.9)	1,556	47.1	(43.5 - 50.7)	739	44.6	(40.1 - 49.0)	817
16 or older	-	-	82	-	-	56	-	-	26
Grade									
7° Primary	46.4	(43.8 - 49.0)	772	49.3	(44.2 - 54.3)	362	43.3	(39.9 - 46.7)	409
8° Primary	44.5	(38.5 - 50.5)	663	45.4	(41.0 - 49.7)	309	43.5	(34.3 - 52.8)	354
1° Secondary	45.9	(42.4 - 49.3)	564	43.7	(38.2 - 49.2)	297	48.1	(41.1 - 55.1)	267

Notes:

19 students did not provide usable data for Q14.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q15. Percentage of students who ate breakfast all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	64.4	(62.2 - 66.6)	2,024	67.9	(64.8 - 71.0)	980	60.8	(57.0 - 64.6)	1,043
Age									
12 or younger	71.0	(65.8 - 76.3)	376	73.3	(66.9 - 79.7)	180	69.0	(60.7 - 77.3)	195
13-15	63.8	(61.7 - 66.0)	1,564	68.5	(65.3 - 71.7)	744	59.3	(55.5 - 63.1)	820
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	68.4	(64.8 - 72.0)	774	72.0	(67.5 - 76.5)	364	64.8	(60.5 - 69.1)	409
8° Primary	65.2	(61.2 - 69.3)	668	69.7	(63.6 - 75.7)	312	60.6	(54.7 - 66.5)	356
1° Secondary	59.6	(56.1 - 63.1)	567	61.9	(57.3 - 66.4)	298	57.3	(50.7 - 63.8)	269

Notes:

9 students did not provide usable data for Q15.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q16. Percentage of students who ate too much and felt guilty about it one or more times during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	49.6	(46.8 - 52.4)	2,020	41.5	(37.4 - 45.6)	976	58.0	(55.3 - 60.7)	1,043
Age									
12 or younger	51.3	(44.4 - 58.3)	378	47.0	(36.4 - 57.6)	179	56.2	(49.7 - 62.8)	198
13-15	50.1	(46.9 - 53.2)	1,559	41.4	(36.8 - 46.1)	742	58.5	(55.8 - 61.3)	817
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	51.2	(47.1 - 55.4)	773	46.2	(39.7 - 52.6)	363	56.6	(52.4 - 60.8)	409
8° Primary	48.6	(45.0 - 52.1)	670	39.0	(34.1 - 43.9)	313	58.6	(53.9 - 63.4)	357
1° Secondary	49.0	(43.5 - 54.5)	562	39.7	(32.7 - 46.7)	294	58.6	(52.0 - 65.1)	268

Notes:

13 students did not provide usable data for Q16.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q17. Percentage of students who started a diet to look better one or more times during the past 3 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	45.4	(42.1 - 48.7)	2,009	30.1	(27.0 - 33.3)	969	61.3	(57.7 - 64.8)	1,039
Age									
12 or younger	49.1	(44.2 - 54.0)	373	37.3	(32.3 - 42.3)	177	62.0	(55.0 - 69.1)	195
13-15	45.6	(41.8 - 49.5)	1,553	29.0	(24.9 - 33.2)	736	61.8	(58.1 - 65.6)	817
16 or older	-	-	83	-	-	56	-	-	27
Grade									
7° Primary	48.0	(43.8 - 52.2)	765	33.4	(27.3 - 39.5)	358	63.1	(58.9 - 67.3)	406
8° Primary	45.8	(40.1 - 51.4)	665	29.5	(24.1 - 34.9)	308	62.6	(54.9 - 70.4)	357
1° Secondary	42.3	(37.5 - 47.1)	565	27.3	(22.8 - 31.7)	297	58.0	(54.0 - 62.0)	268

Notes:

24 students did not provide usable data for Q17.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q18. Percentage of students who did not clean or brush their teeth during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	1.3	(0.7 - 1.9)	2,030	1.9	(1.0 - 2.7)	983	0.7	(0.2 - 1.2)	1,046
Age									
12 or younger	2.2	(0.5 - 3.8)	377	2.8	(0.6 - 4.9)	180	1.5	(0.0 - 3.2)	196
13-15	1.1	(0.5 - 1.7)	1,569	1.8	(0.8 - 2.8)	747	0.4	(0.0 - 0.9)	822
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	2.4	(1.5 - 3.2)	776	3.3	(1.9 - 4.6)	365	1.4	(0.0 - 2.8)	410
8° Primary	0.3	(0.0 - 0.8)	671	0.6	(0.0 - 1.5)	314	0.0	(0.0 - 0.0)	357
1° Secondary	1.2	(0.2 - 2.1)	568	1.7	(0.0 - 3.4)	298	0.6	(0.0 - 1.5)	270

Notes:

3 students did not provide usable data for Q18.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q19. Percentage of students who never or rarely used tooth paste to brush their teeth during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	2.8	(1.7 - 3.9)	2,018	3.6	(2.2 - 5.0)	979	2.0	(1.0 - 2.9)	1,038
Age									
12 or younger	6.3	(3.4 - 9.2)	374	7.6	(3.1 - 12.1)	178	5.0	(2.0 - 7.9)	195
13-15	2.0	(1.1 - 2.9)	1,560	3.0	(1.4 - 4.5)	745	1.1	(0.3 - 1.9)	815
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	4.9	(3.3 - 6.5)	772	6.3	(3.5 - 9.0)	363	3.5	(1.5 - 5.6)	408
8° Primary	1.9	(0.8 - 3.1)	664	2.3	(0.9 - 3.8)	312	1.5	(0.1 - 2.9)	352
1° Secondary	1.5	(0.0 - 3.0)	567	2.2	(0.0 - 4.8)	298	0.8	(0.0 - 1.8)	269

Notes:

15 students did not provide usable data for Q19.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q20. Percentage of students who never or rarely used dental floss when they cleaned their teeth during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	71.6	(69.9 - 73.2)	2,004	74.1	(71.5 - 76.6)	969	68.9	(66.4 - 71.5)	1,034
Age									
12 or younger	66.4	(60.0 - 72.8)	368	65.3	(57.4 - 73.1)	174	67.4	(60.3 - 74.5)	193
13-15	72.4	(70.4 - 74.4)	1,553	75.7	(72.3 - 79.0)	740	69.1	(66.4 - 71.8)	813
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	68.5	(65.0 - 72.0)	757	69.7	(65.0 - 74.4)	355	67.1	(63.2 - 71.0)	401
8° Primary	72.8	(69.4 - 76.2)	669	77.0	(72.0 - 82.0)	314	68.3	(63.9 - 72.8)	355
1° Secondary	73.5	(70.2 - 76.7)	565	75.8	(70.7 - 80.8)	295	71.1	(67.4 - 74.8)	270

Notes:

29 students did not provide usable data for Q20.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q21. Percentage of students who never or rarely washed their hands before eating during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.0	(5.0 - 7.0)	2,030	6.6	(5.5 - 7.7)	982	5.4	(3.8 - 7.1)	1,047
Age									
12 or younger	6.0	(3.6 - 8.4)	378	5.1	(2.2 - 7.9)	179	7.1	(1.9 - 12.2)	198
13-15	6.0	(5.0 - 7.1)	1,568	6.9	(5.4 - 8.3)	747	5.2	(3.5 - 6.8)	821
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	6.4	(5.3 - 7.5)	777	8.2	(6.6 - 9.8)	364	4.5	(2.3 - 6.8)	412
8° Primary	5.6	(4.5 - 6.7)	671	5.1	(3.7 - 6.6)	314	6.1	(3.7 - 8.5)	357
1° Secondary	6.1	(3.6 - 8.6)	567	6.7	(4.2 - 9.2)	298	5.6	(1.8 - 9.3)	269

Notes:

3 students did not provide usable data for Q21.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q22. Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	1.4	(0.8 - 2.0)	2,018	1.8	(0.8 - 2.7)	977	1.0	(0.4 - 1.6)	1,040
Age									
12 or younger	1.6	(0.3 - 3.0)	375	2.2	(0.3 - 4.1)	178	1.0	(0.0 - 2.4)	196
13-15	1.3	(0.7 - 1.8)	1,559	1.7	(0.6 - 2.8)	743	0.9	(0.3 - 1.4)	816
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	1.7	(0.8 - 2.7)	772	2.4	(0.8 - 4.1)	363	1.0	(0.1 - 1.9)	408
8° Primary	0.8	(0.1 - 1.6)	667	0.3	(0.0 - 0.9)	312	1.4	(0.1 - 2.6)	355
1° Secondary	1.5	(0.2 - 2.8)	564	2.6	(0.3 - 4.9)	296	0.4	(0.0 - 1.1)	268

Notes:

15 students did not provide usable data for Q22.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q23. Percentage of students who never or rarely used soap when washing their hands during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	3.5	(2.4 - 4.6)	2,008	4.3	(2.8 - 5.9)	968	2.7	(1.2 - 4.1)	1,039
Age									
12 or younger	3.7	(1.8 - 5.6)	373	5.3	(2.3 - 8.3)	177	2.0	(0.0 - 4.3)	195
13-15	3.4	(2.3 - 4.6)	1,551	4.1	(2.1 - 6.2)	735	2.8	(1.2 - 4.4)	816
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	4.4	(2.7 - 6.1)	771	6.1	(3.7 - 8.4)	361	2.7	(0.1 - 5.2)	409
8° Primary	2.5	(0.8 - 4.2)	661	2.2	(0.0 - 4.8)	307	2.8	(1.2 - 4.4)	354
1° Secondary	3.6	(2.1 - 5.0)	561	4.7	(2.1 - 7.3)	294	2.4	(0.2 - 4.5)	267

Notes:

25 students did not provide usable data for Q23.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q24. Percentage of students who never or rarely find toilet paper in the school toilets

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	89.1	(84.8 - 93.5)	2,025	88.6	(84.4 - 92.8)	978	89.6	(84.2 - 95.0)	1,046
Age									
12 or younger	80.9	(72.4 - 89.4)	378	82.4	(76.6 - 88.2)	180	79.2	(66.7 - 91.7)	197
13-15	90.9	(87.0 - 94.8)	1,563	90.5	(86.4 - 94.6)	742	91.2	(86.9 - 95.6)	821
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	85.0	(78.2 - 91.7)	774	85.6	(79.4 - 91.8)	364	84.3	(75.1 - 93.6)	409
8° Primary	88.2	(81.4 - 95.0)	670	88.8	(82.6 - 95.0)	312	87.5	(78.2 - 96.9)	358
1° Secondary	94.3	(91.6 - 97.1)	566	91.7	(87.0 - 96.4)	296	97.0	(94.9 - 99.2)	270

Notes:

8 students did not provide usable data for Q24.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q25. Percentage of students who never or rarely find soap in the school toilets

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	95.3	(93.3 - 97.3)	2,026	95.0	(93.3 - 96.8)	980	95.6	(92.5 - 98.6)	1,045
Age									
12 or younger	94.4	(89.7 - 99.1)	379	94.6	(90.1 - 99.2)	180	94.1	(88.3 - 99.9)	198
13-15	95.4	(93.8 - 97.1)	1,563	95.1	(93.5 - 96.7)	744	95.8	(93.0 - 98.6)	819
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	93.9	(90.4 - 97.5)	776	94.2	(91.0 - 97.3)	364	93.7	(88.2 - 99.1)	411
8° Primary	95.9	(94.3 - 97.5)	670	94.5	(91.7 - 97.3)	313	97.4	(95.6 - 99.2)	357
1° Secondary	96.3	(93.4 - 99.2)	565	96.7	(94.7 - 98.6)	297	96.0	(91.7 -100.0)	268

Notes:

7 students did not provide usable data for Q25.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q27. Percentage of students who were physically attacked at school during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	10.3	(8.2 - 12.3)	2,018	13.4	(10.5 - 16.4)	976	7.0	(5.7 - 8.4)	1,041
Age									
12 or younger	12.1	(7.1 - 17.1)	378	15.8	(7.0 - 24.5)	179	8.3	(4.7 - 11.8)	198
13-15	10.0	(8.3 - 11.7)	1,558	13.2	(10.6 - 15.8)	743	6.8	(5.0 - 8.6)	815
16 or older	-	-	82	-	-	54	-	-	28
Grade									
7° Primary	10.7	(7.6 - 13.8)	773	15.2	(9.2 - 21.3)	362	6.0	(4.0 - 8.1)	410
8° Primary	12.3	(9.1 - 15.6)	668	16.2	(11.2 - 21.2)	312	8.2	(5.0 - 11.5)	356
1° Secondary	7.9	(5.2 - 10.6)	562	8.7	(5.8 - 11.7)	296	7.0	(3.6 - 10.5)	266

Notes:

15 students did not provide usable data for Q27.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q28. Percentage of students who were in a physical fight one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	36.2	(32.3 - 40.2)	2,019	47.8	(43.3 - 52.2)	975	24.3	(19.9 - 28.8)	1,043
Age									
12 or younger	36.3	(29.6 - 43.0)	378	47.9	(40.2 - 55.6)	179	24.1	(16.7 - 31.6)	198
13-15	35.2	(31.3 - 39.0)	1,557	46.7	(41.5 - 51.8)	740	23.8	(19.6 - 28.1)	817
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	41.1	(35.3 - 46.9)	770	54.7	(47.9 - 61.5)	358	27.4	(21.2 - 33.5)	411
8° Primary	35.8	(31.8 - 39.9)	669	47.1	(42.3 - 51.9)	313	23.9	(18.5 - 29.3)	356
1° Secondary	31.7	(27.4 - 36.0)	566	41.2	(35.2 - 47.2)	298	21.8	(17.0 - 26.5)	268

Notes:

14 students did not provide usable data for Q28.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q29. Percentage of students who were seriously injured one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	34.5	(31.5 - 37.4)	1,788	42.9	(39.6 - 46.1)	864	25.7	(22.0 - 29.4)	923
Age									
12 or younger	34.9	(29.1 - 40.6)	338	41.6	(31.7 - 51.6)	157	28.1	(22.6 - 33.6)	180
13-15	34.1	(30.7 - 37.4)	1,374	42.6	(38.6 - 46.5)	655	25.6	(21.8 - 29.3)	719
16 or older	-	-	76	-	-	52	-	-	24
Grade									
7° Primary	33.3	(30.4 - 36.1)	673	38.1	(33.9 - 42.3)	313	28.4	(24.2 - 32.7)	359
8° Primary	36.4	(32.1 - 40.6)	594	46.0	(41.1 - 50.9)	278	26.3	(20.7 - 31.8)	316
1° Secondary	34.0	(28.5 - 39.5)	509	45.1	(38.4 - 51.8)	269	22.0	(15.6 - 28.5)	240

Notes:

245 students did not provide usable data for Q29.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q30. Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.5	(6.4 - 10.7)	606	8.6	(5.6 - 11.5)	366	8.5	(6.7 - 10.3)	240
Age									
12 or younger	13.3	(6.0 - 20.7)	117	-	-	66	-	-	51
13-15	7.9	(5.2 - 10.7)	459	8.4	(5.3 - 11.6)	275	7.2	(4.6 - 9.8)	184
16 or older	-	-	30	-	-	25	-	-	5
Grade									
7° Primary	12.5	(9.1 - 15.9)	222	9.8	(3.6 - 16.1)	120	16.0	(11.3 - 20.7)	102
8° Primary	7.2	(3.6 - 10.9)	211	7.1	(2.6 - 11.7)	128	-	-	83
1° Secondary	6.1	(4.3 - 8.0)	170	8.9	(5.8 - 12.1)	118	-	-	52

Notes:

1427 students were excluded from this analysis or did not provide usable data for Q30.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q31. Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	2.9	(0.7 - 5.0)	603	2.4	(0.4 - 4.5)	364	3.7	(0.0 - 7.5)	239
Age									
12 or younger	3.5	(0.0 - 7.3)	116	-	-	66	-	-	50
13-15	2.5	(0.1 - 4.9)	456	1.8	(0.2 - 3.4)	272	3.7	(0.0 - 8.5)	184
16 or older	-	-	31	-	-	26	-	-	5
Grade									
7° Primary	5.2	(0.2 - 10.2)	220	3.4	(0.0 - 8.2)	120	7.6	(0.0 - 16.0)	100
8° Primary	2.0	(0.1 - 3.9)	210	1.7	(0.0 - 3.9)	127	-	-	83
1° Secondary	1.5	(0.0 - 3.2)	170	2.2	(0.0 - 4.7)	117	-	-	53

Notes:

1430 students were excluded from this analysis or did not provide usable data for Q31.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q32. Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	67.9	(64.1 - 71.7)	590	65.2	(60.5 - 69.9)	362	72.9	(68.1 - 77.6)	228
Age									
12 or younger	64.6	(53.8 - 75.5)	114	-	-	64	-	-	50
13-15	69.1	(65.2 - 72.9)	445	66.8	(62.8 - 70.7)	272	73.1	(66.4 - 79.7)	173
16 or older	-	-	31	-	-	26	-	-	5
Grade									
7° Primary	66.7	(61.3 - 72.1)	217	64.5	(53.9 - 75.0)	117	69.7	(61.0 - 78.5)	100
8° Primary	66.7	(61.6 - 71.7)	203	63.1	(58.0 - 68.2)	127	-	-	76
1° Secondary	70.0	(61.8 - 78.3)	167	67.9	(58.7 - 77.1)	118	-	-	49

Notes:

1443 students were excluded from this analysis or did not provide usable data for Q32.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q33. Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	38.1	(34.8 - 41.4)	601	40.4	(36.2 - 44.6)	360	34.2	(28.8 - 39.6)	241
Age									
12 or younger	39.4	(29.6 - 49.2)	112	-	-	61	-	-	51
13-15	38.2	(34.9 - 41.5)	459	41.2	(36.8 - 45.7)	274	33.2	(26.3 - 40.1)	185
16 or older	-	-	30	-	-	25	-	-	5
Grade									
7° Primary	38.8	(30.9 - 46.7)	217	40.9	(30.3 - 51.5)	115	36.1	(26.1 - 46.0)	102
8° Primary	33.7	(29.7 - 37.6)	210	35.0	(28.3 - 41.8)	127	-	-	83
1° Secondary	42.7	(37.0 - 48.4)	171	45.4	(37.3 - 53.5)	118	-	-	53

Notes:

1432 students were excluded from this analysis or did not provide usable data for Q33.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q34. Percentage of students who had a most serious injury which made them lose, loosen, or break a tooth during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	2.7	(2.0 - 3.3)	1,880	2.4	(1.6 - 3.2)	891	2.9	(2.1 - 3.8)	988
Age									
12 or younger	2.8	(1.1 - 4.6)	344	3.0	(0.4 - 5.7)	161	2.7	(0.6 - 4.7)	182
13-15	2.8	(2.0 - 3.5)	1,455	2.6	(1.5 - 3.6)	676	3.0	(2.1 - 3.8)	779
16 or older	-	-	81	-	-	54	-	-	27
Grade									
7° Primary	3.3	(2.1 - 4.5)	708	2.8	(1.3 - 4.2)	328	3.8	(2.0 - 5.7)	379
8° Primary	2.5	(1.4 - 3.7)	635	2.8	(0.7 - 4.9)	288	2.3	(0.6 - 3.9)	347
1° Secondary	2.3	(1.0 - 3.5)	524	1.7	(0.6 - 2.9)	269	2.8	(1.1 - 4.4)	255

Notes:

153 students did not provide usable data for Q34.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q35. Percentage of students who had the most serious injury at school during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.7	(7.2 - 10.3)	1,868	8.9	(6.6 - 11.2)	882	8.6	(6.7 - 10.5)	985
Age									
12 or younger	9.9	(6.6 - 13.3)	342	10.0	(4.9 - 15.1)	161	9.9	(4.0 - 15.9)	180
13-15	8.7	(6.9 - 10.5)	1,448	9.0	(6.2 - 11.7)	668	8.4	(6.8 - 10.1)	780
16 or older	-	-	78	-	-	53	-	-	25
Grade									
7° Primary	9.7	(8.1 - 11.3)	707	8.4	(5.3 - 11.5)	326	11.1	(8.0 - 14.2)	380
8° Primary	8.7	(6.4 - 11.1)	631	10.2	(6.4 - 14.0)	285	7.3	(5.5 - 9.0)	346
1° Secondary	7.7	(4.6 - 10.9)	517	8.3	(4.2 - 12.3)	265	7.2	(4.3 - 10.2)	252

Notes:

165 students did not provide usable data for Q35.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q36. Percentage of students who poisoned themselves with medicines, quimical products, or insecticides during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.1	(6.3 - 9.9)	2,020	8.1	(5.5 - 10.6)	975	8.1	(6.3 - 10.0)	1,044
Age									
12 or younger	8.1	(4.7 - 11.4)	374	8.7	(2.6 - 14.8)	175	7.4	(4.1 - 10.8)	198
13-15	8.2	(6.1 - 10.4)	1,562	8.3	(5.5 - 11.1)	744	8.2	(6.2 - 10.2)	818
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	8.2	(5.7 - 10.7)	771	9.2	(5.5 - 13.0)	359	7.1	(5.0 - 9.3)	411
8° Primary	9.7	(6.7 - 12.8)	666	10.1	(6.5 - 13.8)	312	9.3	(6.5 - 12.2)	354
1° Secondary	6.4	(5.0 - 7.9)	568	4.9	(2.5 - 7.3)	298	8.0	(5.8 - 10.3)	270

Notes:

13 students did not provide usable data for Q36.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q37. Percentage of students who were bullied on one or more days during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	46.0	(43.2 - 48.7)	1,905	48.1	(43.9 - 52.3)	909	43.9	(40.2 - 47.7)	995
Age									
12 or younger	46.6	(39.7 - 53.5)	352	56.7	(49.4 - 64.1)	161	36.8	(28.6 - 45.0)	190
13-15	46.7	(44.0 - 49.4)	1,475	47.5	(42.8 - 52.2)	698	45.9	(41.6 - 50.3)	777
16 or older	-	-	78	-	-	50	-	-	28
Grade									
7° Primary	45.9	(40.9 - 50.9)	720	51.3	(44.4 - 58.2)	332	40.6	(34.8 - 46.5)	387
8° Primary	51.6	(46.9 - 56.4)	627	54.2	(47.2 - 61.2)	289	49.0	(41.1 - 56.9)	338
1° Secondary	40.5	(34.8 - 46.2)	544	38.5	(30.3 - 46.8)	283	42.5	(35.2 - 49.9)	261

Notes:

128 students did not provide usable data for Q37.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q38. Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.2	(2.0 - 6.5)	854	5.9	(2.5 - 9.3)	431	2.4	(0.6 - 4.2)	423
Age									
12 or younger	8.0	(2.4 - 13.6)	154	-	-	90	-	-	64
13-15	3.7	(1.8 - 5.6)	674	5.5	(2.6 - 8.5)	324	1.9	(0.5 - 3.2)	350
16 or older	-	-	26	-	-	17	-	-	9
Grade									
7° Primary	7.7	(2.9 - 12.5)	317	9.5	(2.5 - 16.5)	166	5.5	(0.9 - 10.1)	151
8° Primary	2.0	(0.2 - 3.8)	313	3.2	(0.4 - 6.0)	152	0.6	(0.0 - 1.7)	161
1° Secondary	3.2	(1.4 - 5.1)	218	5.0	(1.5 - 8.4)	110	1.6	(0.0 - 3.7)	108

Notes:

1179 students were excluded from this analysis or did not provide usable data for Q38.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q39. Percentage of students who had a member of their family punish them physically never or rarely during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	89.4	(87.9 - 91.0)	2,018	90.5	(89.1 - 91.9)	972	88.3	(86.0 - 90.7)	1,045
Age									
12 or younger	84.5	(79.2 - 89.9)	376	86.0	(78.5 - 93.5)	178	82.9	(77.0 - 88.9)	197
13-15	90.2	(88.9 - 91.6)	1,558	91.2	(89.8 - 92.7)	738	89.3	(87.3 - 91.3)	820
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	86.5	(82.7 - 90.4)	771	85.2	(80.6 - 89.9)	361	87.9	(83.7 - 92.1)	409
8° Primary	89.5	(87.3 - 91.6)	669	90.8	(87.1 - 94.5)	311	88.1	(85.4 - 90.8)	358
1° Secondary	92.5	(90.1 - 95.0)	564	95.5	(93.8 - 97.3)	295	89.4	(85.1 - 93.8)	269

Notes:

15 students did not provide usable data for Q39.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q40. Percentage of students who felt lonely most of the time or always during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	14.1	(12.3 - 15.9)	2,021	7.9	(6.1 - 9.6)	978	20.6	(17.6 - 23.5)	1,042
Age									
12 or younger	13.4	(9.9 - 16.8)	377	9.4	(6.7 - 12.0)	180	17.8	(12.5 - 23.1)	196
13-15	14.2	(12.3 - 16.2)	1,560	7.1	(5.1 - 9.2)	742	21.2	(18.2 - 24.2)	818
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	15.3	(12.2 - 18.4)	775	9.2	(6.4 - 12.0)	364	21.6	(17.1 - 26.2)	410
8° Primary	13.8	(11.0 - 16.7)	666	7.0	(4.0 - 9.9)	311	21.0	(15.6 - 26.5)	355
1° Secondary	13.2	(9.8 - 16.6)	565	7.5	(4.8 - 10.2)	297	19.2	(13.9 - 24.5)	268

Notes:

12 students did not provide usable data for Q40.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q41. Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.4	(7.5 - 11.2)	2,026	8.2	(6.3 - 10.0)	981	10.6	(7.7 - 13.5)	1,044
Age									
12 or younger	8.1	(4.4 - 11.7)	377	8.7	(3.9 - 13.5)	180	7.4	(2.1 - 12.7)	196
13-15	9.7	(7.7 - 11.6)	1,565	7.8	(5.8 - 9.8)	745	11.5	(8.6 - 14.3)	820
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	11.2	(8.0 - 14.3)	775	11.2	(7.5 - 15.0)	365	11.1	(7.7 - 14.5)	409
8° Primary	7.9	(6.0 - 9.8)	669	6.5	(4.7 - 8.4)	313	9.3	(6.2 - 12.5)	356
1° Secondary	8.9	(5.9 - 11.9)	567	6.8	(3.6 - 10.1)	297	11.1	(5.6 - 16.6)	270

Notes:

7 students did not provide usable data for Q41.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q42. Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	31.2	(28.5 - 33.9)	2,024	23.3	(20.3 - 26.3)	979	39.4	(35.6 - 43.2)	1,044
Age									
12 or younger	24.8	(20.9 - 28.7)	377	21.6	(15.5 - 27.7)	179	28.3	(24.1 - 32.6)	197
13-15	31.9	(29.1 - 34.7)	1,563	23.1	(20.1 - 26.1)	744	40.7	(36.4 - 45.0)	819
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	29.7	(25.3 - 34.1)	774	24.3	(18.5 - 30.1)	364	35.4	(31.7 - 39.0)	409
8° Primary	29.9	(25.5 - 34.4)	670	24.4	(20.6 - 28.2)	313	35.7	(28.3 - 43.1)	357
1° Secondary	34.1	(29.6 - 38.6)	565	21.7	(17.9 - 25.4)	296	47.1	(39.1 - 55.1)	269

Notes:

9 students did not provide usable data for Q42.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q43. Percentage of students who seriously considered attempting suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	20.0	(17.9 - 22.1)	2,013	13.3	(11.4 - 15.3)	970	26.9	(23.0 - 30.7)	1,042
Age									
12 or younger	14.0	(10.4 - 17.6)	373	9.2	(4.0 - 14.5)	176	19.2	(12.7 - 25.7)	196
13-15	20.6	(18.4 - 22.8)	1,556	13.2	(10.7 - 15.7)	738	27.9	(23.3 - 32.4)	818
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	17.9	(14.4 - 21.4)	766	13.9	(11.1 - 16.7)	357	22.0	(16.4 - 27.7)	408
8° Primary	20.2	(17.1 - 23.4)	668	14.1	(11.0 - 17.2)	312	26.7	(21.6 - 31.8)	356
1° Secondary	22.2	(18.8 - 25.6)	564	12.2	(8.4 - 16.1)	295	32.5	(26.7 - 38.4)	269

Notes:

20 students did not provide usable data for Q43.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q44. Percentage of students who made a plan about how they would attempt suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	15.3	(13.3 - 17.2)	1,977	10.6	(8.7 - 12.5)	953	20.1	(16.5 - 23.8)	1,023
Age									
12 or younger	10.5	(7.0 - 14.0)	368	8.0	(4.0 - 12.1)	175	13.2	(6.4 - 20.0)	192
13-15	15.8	(13.8 - 17.9)	1,527	10.2	(7.9 - 12.4)	723	21.4	(17.4 - 25.4)	804
16 or older	-	-	82	-	-	55	-	-	27
Grade									
7° Primary	11.9	(8.8 - 15.0)	753	10.0	(7.4 - 12.6)	352	13.9	(9.0 - 18.7)	400
8° Primary	15.1	(12.1 - 18.2)	652	12.2	(9.1 - 15.3)	303	18.2	(13.7 - 22.7)	349
1° Secondary	18.9	(15.7 - 22.2)	558	9.5	(4.8 - 14.1)	292	28.7	(22.2 - 35.2)	266

Notes:

56 students did not provide usable data for Q44.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q45. Percentage of students who have no close friends

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	7.7	(6.1 - 9.3)	2,018	8.1	(5.8 - 10.4)	976	7.4	(5.3 - 9.5)	1,041
Age									
12 or younger	10.5	(7.1 - 14.0)	375	9.6	(6.2 - 13.0)	179	11.7	(6.8 - 16.5)	195
13-15	7.3	(5.7 - 9.0)	1,559	7.9	(5.2 - 10.7)	741	6.8	(4.7 - 8.8)	818
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	8.6	(6.0 - 11.2)	772	8.6	(5.1 - 12.1)	364	8.6	(5.4 - 11.7)	407
8° Primary	8.3	(6.4 - 10.2)	667	8.0	(5.6 - 10.4)	312	8.6	(4.8 - 12.4)	355
1° Secondary	6.3	(4.9 - 7.7)	564	7.4	(4.3 - 10.6)	294	5.2	(3.5 - 6.9)	270

Notes:

15 students did not provide usable data for Q45.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q46. Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	13.7	(9.9 - 17.4)	355	17.9	(11.9 - 24.0)	160	10.0	(7.5 - 12.4)	195
Age									
12 or younger	-	-	34	-	-	13	-	-	21
13-15	12.4	(7.7 - 17.1)	273	17.0	(8.7 - 25.3)	117	8.9	(6.3 - 11.4)	156
16 or older	-	-	48	-	-	30	-	-	18
Grade									
7° Primary	-	-	78	-	-	34	-	-	44
8° Primary	12.6	(5.3 - 19.9)	106	-	-	46	-	-	60
1° Secondary	9.9	(6.1 - 13.7)	168	-	-	79	-	-	89

Notes:

1678 students did not provide usable data for Q46.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q47. Percentage of students who smoked cigarettes on one or more days during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	20.9	(16.2 - 25.5)	1,896	19.0	(14.5 - 23.5)	923	22.8	(17.1 - 28.5)	972
Age									
12 or younger	9.3	(5.9 - 12.7)	361	7.5	(2.7 - 12.2)	173	11.4	(7.2 - 15.5)	187
13-15	20.2	(16.3 - 24.1)	1,458	17.7	(13.5 - 21.8)	699	22.7	(17.6 - 27.7)	759
16 or older	-	-	77	-	-	51	-	-	26
Grade									
7° Primary	11.0	(7.6 - 14.5)	730	10.5	(5.9 - 15.2)	346	11.5	(8.0 - 15.1)	383
8° Primary	17.1	(13.4 - 20.8)	618	15.8	(10.9 - 20.7)	290	18.5	(14.9 - 22.1)	328
1° Secondary	34.8	(23.7 - 46.0)	536	31.3	(18.8 - 43.8)	281	38.5	(26.4 - 50.6)	255

Notes:

137 students did not provide usable data for Q47.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q48. Percentage of students who used any other form of tobacco, such as chewing tobacco, snuff, cigars, or pipes on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.7	(2.7 - 6.7)	2,029	4.9	(3.5 - 6.3)	979	4.5	(1.8 - 7.2)	1,049
Age									
12 or younger	1.7	(0.5 - 2.8)	378	2.3	(0.6 - 4.0)	179	1.0	(0.0 - 2.5)	198
13-15	4.7	(3.0 - 6.4)	1,567	4.5	(3.3 - 5.7)	744	4.9	(2.1 - 7.8)	823
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	2.1	(1.1 - 3.0)	776	3.6	(1.8 - 5.5)	363	0.5	(0.0 - 1.2)	412
8° Primary	4.3	(2.2 - 6.5)	670	4.6	(1.4 - 7.8)	312	4.1	(1.7 - 6.5)	358
1° Secondary	8.0	(3.3 - 12.6)	568	6.7	(2.3 - 11.1)	298	9.2	(2.9 - 15.6)	270

Notes:

4 students did not provide usable data for Q48.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

M5. Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more days during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	21.3	(16.5 - 26.1)	1,893	19.5	(14.8 - 24.2)	920	23.2	(17.4 - 29.0)	972
Age									
12 or younger	9.4	(6.1 - 12.7)	360	7.6	(3.3 - 11.9)	172	11.4	(7.2 - 15.5)	187
13-15	20.7	(16.7 - 24.6)	1,456	18.1	(13.9 - 22.4)	697	23.2	(18.0 - 28.4)	759
16 or older	-	-	77	-	-	51	-	-	26
Grade									
7° Primary	11.2	(7.7 - 14.7)	728	11.0	(6.2 - 15.7)	344	11.5	(8.0 - 15.1)	383
8° Primary	17.6	(13.6 - 21.5)	617	15.9	(11.0 - 20.7)	289	19.4	(15.2 - 23.6)	328
1° Secondary	35.5	(24.3 - 46.6)	536	32.2	(19.7 - 44.8)	281	38.8	(26.7 - 50.9)	255

Notes:

140 students were excluded from this analysis or did not provide usable data for M5.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q49. Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	69.8	(65.7 - 73.9)	449	67.4	(59.1 - 75.6)	201	71.9	(68.1 - 75.7)	248
Age									
12 or younger	-	-	45	-	-	15	-	-	30
13-15	70.0	(65.9 - 74.0)	355	68.5	(61.7 - 75.2)	155	71.2	(66.8 - 75.5)	200
16 or older	-	-	49	-	-	31	-	-	18
Grade									
7° Primary	72.4	(68.6 - 76.2)	108	-	-	44	-	-	64
8° Primary	69.9	(63.8 - 75.9)	130	-	-	55	-	-	75
1° Secondary	68.7	(62.9 - 74.5)	207	64.6	(50.8 - 78.5)	101	72.3	(66.6 - 77.9)	106

Notes:

1584 students were excluded from this analysis or did not provide usable data for Q49.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q50. Percentage of students who reported people smoking in their presence on one or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	76.5	(73.9 - 79.1)	2,016	75.5	(71.8 - 79.3)	972	77.5	(74.6 - 80.3)	1,043
Age									
12 or younger	72.7	(68.3 - 77.0)	376	72.0	(66.3 - 77.8)	178	73.2	(67.2 - 79.2)	197
13-15	76.1	(73.5 - 78.8)	1,557	74.5	(70.7 - 78.2)	739	77.8	(74.9 - 80.6)	818
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	73.0	(69.1 - 76.9)	772	73.9	(69.5 - 78.3)	361	72.0	(66.8 - 77.2)	410
8° Primary	72.8	(68.9 - 76.7)	667	71.3	(65.4 - 77.2)	312	74.4	(68.9 - 79.9)	355
1° Secondary	83.9	(80.2 - 87.7)	562	81.7	(75.5 - 87.9)	293	86.2	(82.4 - 90.0)	269

Notes:

17 students did not provide usable data for Q50.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q51. Percentage of students who have a parent or guardian who uses any form of tobacco

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	46.0	(43.1 - 48.8)	2,018	45.5	(41.3 - 49.8)	978	46.4	(42.9 - 49.9)	1,039
Age									
12 or younger	45.8	(40.6 - 51.1)	378	44.8	(37.4 - 52.3)	179	46.6	(38.8 - 54.3)	198
13-15	45.2	(42.3 - 48.2)	1,556	45.0	(40.4 - 49.6)	743	45.5	(41.9 - 49.1)	813
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	44.2	(39.0 - 49.5)	773	44.6	(39.7 - 49.5)	362	43.7	(37.2 - 50.3)	410
8° Primary	44.1	(39.8 - 48.4)	666	42.0	(36.1 - 47.9)	313	46.4	(39.8 - 53.0)	353
1° Secondary	49.3	(45.2 - 53.4)	564	50.0	(45.7 - 54.3)	297	48.5	(41.1 - 55.9)	267

Notes:

15 students did not provide usable data for Q51.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q52. Percentage of students who have adults smoke at their school

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	43.2	(35.8 - 50.7)	1,415	40.9	(32.4 - 49.4)	717	45.9	(36.8 - 55.0)	697
Age									
12 or younger	36.9	(30.2 - 43.7)	257	38.6	(29.0 - 48.2)	126	34.5	(25.8 - 43.2)	130
13-15	44.0	(35.6 - 52.4)	1,093	41.1	(31.4 - 50.7)	546	47.3	(37.8 - 56.8)	547
16 or older	-	-	65	-	-	45	-	-	20
Grade									
7° Primary	39.9	(32.4 - 47.5)	543	39.5	(31.1 - 48.0)	269	40.2	(28.5 - 51.8)	273
8° Primary	41.0	(30.3 - 51.8)	473	38.9	(25.7 - 52.1)	236	43.6	(31.7 - 55.5)	237
1° Secondary	49.2	(36.0 - 62.5)	388	44.2	(30.2 - 58.2)	207	54.7	(39.5 - 69.8)	181

Notes:

618 students did not provide usable data for Q52.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q53. Percentage of students who had someone smoke in their classroom during the past week

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	7.5	(3.0 - 12.0)	1,994	8.1	(3.7 - 12.5)	960	6.9	(1.9 - 11.8)	1,034
Age									
12 or younger	4.8	(2.7 - 6.9)	372	5.8	(3.0 - 8.5)	178	3.7	(0.8 - 6.7)	194
13-15	7.0	(2.9 - 11.2)	1,539	7.0	(3.7 - 10.3)	727	7.1	(1.8 - 12.5)	812
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	4.2	(2.6 - 5.8)	762	4.8	(2.8 - 6.8)	358	3.6	(1.8 - 5.4)	404
8° Primary	4.4	(2.4 - 6.4)	659	5.1	(2.3 - 8.0)	304	3.7	(1.2 - 6.1)	355
1° Secondary	14.2	(1.4 - 27.0)	558	14.7	(2.8 - 26.6)	292	13.7	(0.0 - 27.6)	266

Notes:

39 students did not provide usable data for Q53.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q54. Percentage of students who drank alcohol on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	25.0	(21.9 - 28.1)	1,956	24.5	(20.8 - 28.1)	931	25.5	(22.1 - 28.9)	1,024
Age									
12 or younger	10.7	(6.4 - 14.9)	369	11.2	(5.1 - 17.3)	174	10.1	(5.4 - 14.8)	194
13-15	25.6	(23.5 - 27.7)	1,505	23.3	(20.3 - 26.3)	703	27.7	(24.7 - 30.7)	802
16 or older	-	-	82	-	-	54	-	-	28
Grade									
7° Primary	14.0	(10.7 - 17.3)	747	13.8	(9.1 - 18.4)	343	14.2	(10.3 - 18.2)	403
8° Primary	23.9	(20.0 - 27.8)	644	22.9	(16.8 - 29.1)	297	24.9	(20.5 - 29.3)	347
1° Secondary	37.4	(31.1 - 43.7)	551	37.2	(28.1 - 46.4)	285	37.6	(30.1 - 45.0)	266

Notes:

77 students did not provide usable data for Q54.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q55. Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	14.3	(11.3 - 17.3)	1,952	15.5	(12.1 - 19.0)	929	13.1	(9.7 - 16.5)	1,022
Age									
12 or younger	5.0	(2.4 - 7.7)	365	7.5	(3.5 - 11.4)	171	2.5	(0.0 - 5.4)	193
13-15	13.9	(11.9 - 16.0)	1,506	13.5	(10.8 - 16.2)	705	14.3	(11.1 - 17.6)	801
16 or older	-	-	81	-	-	53	-	-	28
Grade									
7° Primary	5.3	(3.6 - 6.9)	746	6.9	(4.3 - 9.4)	343	3.6	(1.7 - 5.6)	402
8° Primary	11.9	(9.2 - 14.6)	642	11.6	(7.0 - 16.1)	295	12.2	(9.3 - 15.1)	347
1° Secondary	26.0	(19.3 - 32.6)	550	28.4	(19.2 - 37.6)	285	23.5	(15.8 - 31.2)	265

Notes:

81 students did not provide usable data for Q55.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q56. Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.0	(4.9 - 7.1)	1,922	7.7	(5.5 - 9.9)	911	4.3	(3.0 - 5.5)	1,010
Age									
12 or younger	0.9	(0.0 - 1.8)	362	1.2	(0.0 - 2.7)	170	0.5	(0.0 - 1.6)	191
13-15	5.5	(3.3 - 7.7)	1,482	6.7	(3.7 - 9.6)	690	4.4	(2.5 - 6.3)	792
16 or older	-	-	78	-	-	51	-	-	27
Grade									
7° Primary	1.5	(0.8 - 2.3)	732	2.4	(0.7 - 4.0)	334	0.7	(0.0 - 1.5)	397
8° Primary	4.4	(2.8 - 6.0)	636	4.9	(2.3 - 7.4)	292	3.9	(1.5 - 6.3)	344
1° Secondary	12.0	(9.7 - 14.3)	540	15.9	(10.1 - 21.8)	279	8.1	(5.2 - 10.9)	261

Notes:

111 students did not provide usable data for Q56.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q57. Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	18.5	(14.2 - 22.8)	2,026	19.8	(15.9 - 23.7)	978	17.2	(11.9 - 22.5)	1,047
Age									
12 or younger	7.2	(3.8 - 10.6)	376	8.8	(4.4 - 13.2)	178	5.6	(1.5 - 9.7)	197
13-15	17.9	(15.0 - 20.8)	1,566	17.5	(13.9 - 21.0)	744	18.3	(13.7 - 22.8)	822
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	9.9	(7.1 - 12.7)	774	11.5	(7.4 - 15.6)	363	8.2	(4.6 - 11.8)	410
8° Primary	14.6	(11.6 - 17.6)	670	15.2	(10.8 - 19.7)	312	13.9	(10.7 - 17.1)	358
1° Secondary	31.5	(22.3 - 40.6)	567	33.1	(24.5 - 41.6)	297	29.9	(18.4 - 41.3)	270

Notes:

7 students did not provide usable data for Q57.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q58. Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	10.3	(8.3 - 12.3)	2,026	10.6	(8.5 - 12.7)	978	10.1	(6.9 - 13.2)	1,047
Age									
12 or younger	2.9	(0.9 - 4.9)	375	2.3	(0.0 - 5.0)	178	3.6	(2.0 - 5.1)	196
13-15	10.2	(8.6 - 11.7)	1,567	10.0	(7.8 - 12.3)	744	10.3	(7.5 - 13.0)	823
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	5.9	(3.4 - 8.4)	774	6.2	(2.8 - 9.7)	363	5.6	(3.1 - 8.0)	410
8° Primary	7.2	(6.0 - 8.4)	670	7.7	(5.4 - 9.9)	312	6.7	(4.6 - 8.8)	358
1° Secondary	17.9	(13.4 - 22.5)	567	18.4	(13.5 - 23.2)	297	17.5	(10.0 - 24.9)	270

Notes:

7 students did not provide usable data for Q58.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q59. Percentage of students who used drugs, such as marijuana or cocaine one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.6	(6.0 - 13.2)	2,012	10.8	(7.4 - 14.2)	970	8.3	(4.0 - 12.5)	1,041
Age									
12 or younger	2.1	(0.9 - 3.4)	377	2.3	(0.8 - 3.9)	179	1.9	(0.0 - 4.2)	197
13-15	9.0	(6.1 - 12.0)	1,553	9.5	(7.1 - 12.0)	737	8.5	(4.3 - 12.8)	816
16 or older	-	-	82	-	-	54	-	-	28
Grade									
7° Primary	3.6	(2.2 - 5.1)	773	4.8	(2.5 - 7.1)	362	2.5	(0.8 - 4.2)	410
8° Primary	7.5	(4.5 - 10.5)	663	9.5	(5.4 - 13.6)	308	5.4	(1.8 - 9.1)	355
1° Secondary	17.9	(9.7 - 26.2)	562	18.7	(11.4 - 26.0)	294	17.2	(7.1 - 27.2)	268

Notes:

21 students did not provide usable data for Q59.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q60. Percentage of students who took tranquilizers, such as diazepam, clonazepam, lorazepam, or bromazepam during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.6	(7.7 - 11.5)	2,016	10.0	(8.1 - 11.8)	972	9.3	(6.8 - 11.8)	1,043
Age									
12 or younger	7.4	(3.8 - 11.0)	375	8.9	(4.0 - 13.8)	178	5.9	(2.1 - 9.8)	196
13-15	9.6	(7.9 - 11.2)	1,557	9.3	(8.0 - 10.5)	738	9.9	(7.1 - 12.7)	819
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	8.8	(6.2 - 11.5)	768	9.7	(6.1 - 13.3)	359	8.0	(4.9 - 11.0)	408
8° Primary	8.3	(6.1 - 10.5)	668	8.7	(6.2 - 11.2)	312	7.8	(5.0 - 10.6)	356
1° Secondary	12.0	(8.1 - 15.9)	565	11.6	(7.8 - 15.5)	295	12.4	(7.4 - 17.4)	270

Notes:

17 students did not provide usable data for Q60.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q61. Percentage of students who took Ritalin (medicine for hyperactive children) during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.1	(3.1 - 5.0)	2,017	5.7	(4.4 - 6.9)	971	2.4	(1.7 - 3.2)	1,045
Age									
12 or younger	4.9	(3.1 - 6.6)	377	6.1	(3.1 - 9.2)	178	3.6	(2.2 - 4.9)	198
13-15	3.7	(2.8 - 4.5)	1,556	5.2	(4.0 - 6.3)	737	2.2	(1.5 - 2.8)	819
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	5.1	(3.6 - 6.5)	772	6.7	(4.6 - 8.8)	360	3.4	(2.3 - 4.5)	411
8° Primary	3.4	(2.5 - 4.4)	664	4.5	(2.7 - 6.4)	308	2.3	(1.1 - 3.5)	356
1° Secondary	3.6	(1.6 - 5.6)	566	5.8	(2.5 - 9.0)	297	1.4	(0.0 - 3.2)	269

Notes:

16 students did not provide usable data for Q61.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q62. Percentage of students who have ever had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	13.7	(10.1 - 17.4)	1,763	16.8	(12.3 - 21.2)	816	10.8	(7.3 - 14.2)	946
Age									
12 or younger	2.2	(0.5 - 4.0)	321	2.2	(0.0 - 4.8)	137	1.7	(0.4 - 3.0)	183
13-15	13.3	(9.9 - 16.7)	1,368	16.3	(12.1 - 20.5)	630	10.6	(7.2 - 14.0)	738
16 or older	-	-	74	-	-	49	-	-	25
Grade									
7° Primary	6.1	(4.3 - 8.0)	664	8.7	(5.4 - 12.0)	295	3.5	(1.7 - 5.3)	368
8° Primary	11.6	(8.9 - 14.2)	582	15.7	(12.9 - 18.5)	260	7.5	(4.1 - 11.0)	322
1° Secondary	23.4	(15.2 - 31.7)	505	25.8	(15.8 - 35.9)	256	21.2	(13.4 - 28.9)	249

Notes:

270 students did not provide usable data for Q62.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q63. Percentage of students who had sexual intercourse for the first time before age 13

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.4	(3.3 - 5.6)	1,777	6.7	(4.6 - 8.7)	827	2.2	(1.4 - 3.0)	949
Age									
12 or younger	2.6	(0.8 - 4.3)	324	2.9	(0.1 - 5.8)	139	1.7	(0.4 - 2.9)	184
13-15	4.4	(3.1 - 5.8)	1,378	6.6	(4.1 - 9.2)	638	2.4	(1.3 - 3.5)	740
16 or older	-	-	75	-	-	50	-	-	25
Grade									
7° Primary	4.6	(2.9 - 6.4)	668	6.1	(2.9 - 9.4)	297	2.9	(1.9 - 4.0)	370
8° Primary	4.3	(2.5 - 6.1)	588	7.5	(4.6 - 10.4)	265	1.2	(0.0 - 2.5)	323
1° Secondary	4.4	(2.0 - 6.9)	509	6.5	(2.7 - 10.2)	260	2.5	(0.0 - 5.0)	249

Notes:

256 students did not provide usable data for Q63.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q64. Percentage of students who used a condom the first time they had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.1	(4.1 - 8.1)	2,029	7.5	(4.9 - 10.1)	980	4.6	(2.8 - 6.5)	1,048
Age									
12 or younger	2.1	(0.8 - 3.5)	379	2.2	(0.0 - 4.7)	180	2.1	(0.6 - 3.6)	198
13-15	5.8	(4.1 - 7.6)	1,566	7.4	(5.1 - 9.8)	744	4.2	(2.5 - 6.0)	822
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	3.6	(2.3 - 4.9)	778	5.4	(2.5 - 8.3)	365	1.7	(0.6 - 2.7)	412
8° Primary	5.8	(4.2 - 7.3)	670	7.5	(5.3 - 9.6)	312	4.0	(2.0 - 6.0)	358
1° Secondary	8.9	(3.8 - 14.1)	566	9.6	(3.8 - 15.4)	297	8.2	(3.2 - 13.2)	269

Notes:

4 students did not provide usable data for Q64.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q65. Percentage of students who have had sexual intercourse with two or more people during their life time

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	5.3	(4.1 - 6.5)	1,804	7.9	(6.1 - 9.7)	842	2.8	(1.9 - 3.7)	961
Age									
12 or younger	0.7	(0.0 - 1.7)	330	1.5	(0.0 - 3.6)	142	0.0	(0.0 - 0.0)	187
13-15	4.9	(3.8 - 6.0)	1,398	7.6	(5.7 - 9.5)	649	2.4	(1.5 - 3.2)	749
16 or older	-	-	76	-	-	51	-	-	25
Grade									
7° Primary	3.2	(1.9 - 4.5)	679	5.2	(3.0 - 7.4)	304	1.4	(0.2 - 2.6)	374
8° Primary	4.0	(2.4 - 5.5)	596	6.7	(4.1 - 9.4)	269	1.2	(0.0 - 2.7)	327
1° Secondary	8.7	(5.8 - 11.6)	517	12.0	(7.1 - 16.9)	264	5.5	(2.8 - 8.3)	253

Notes:

229 students did not provide usable data for Q65.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q66. Percentage of students who had sexual intercourse during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.3	(6.1 - 10.5)	1,885	8.4	(6.3 - 10.4)	893	8.2	(5.2 - 11.1)	991
Age									
12 or younger	0.8	(0.0 - 1.8)	348	0.0	(0.0 - 0.0)	155	1.0	(0.0 - 2.4)	192
13-15	8.0	(5.9 - 10.1)	1,459	8.4	(6.4 - 10.3)	687	7.7	(4.8 - 10.6)	772
16 or older	-	-	78	-	-	51	-	-	27
Grade									
7° Primary	3.1	(2.2 - 4.1)	716	4.3	(2.7 - 5.9)	327	1.8	(0.6 - 2.9)	388
8° Primary	6.2	(4.4 - 8.0)	626	7.7	(5.2 - 10.1)	286	4.8	(2.5 - 7.1)	340
1° Secondary	15.8	(10.2 - 21.5)	529	13.5	(8.5 - 18.4)	274	18.2	(11.2 - 25.3)	255

Notes:

148 students did not provide usable data for Q66.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q67. Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	54.0	(42.4 - 65.7)	134	-	-	70	-	-	63
Age									
12 or younger	-	-	3	-	-	0	-	-	2
13-15	55.5	(44.5 - 66.5)	104	-	-	55	-	-	49
16 or older	-	-	27	-	-	15	-	-	12
Grade									
7° Primary	-	-	21	-	-	13	-	-	7
8° Primary	-	-	38	-	-	22	-	-	16
1° Secondary	-	-	74	-	-	35	-	-	39

Notes:

1899 students were excluded from this analysis or did not provide usable data for Q67.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q68. Percentage of students who think they can avoid AIDS by having just a unique healthy partner and wearing condom

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	71.2	(66.5 - 75.9)	2,005	67.9	(62.6 - 73.1)	966	74.6	(69.7 - 79.5)	1,038
Age									
12 or younger	64.5	(54.3 - 74.7)	376	60.8	(48.8 - 72.8)	179	68.3	(58.7 - 78.0)	196
13-15	72.5	(67.8 - 77.2)	1,548	68.9	(63.6 - 74.2)	734	76.0	(70.8 - 81.2)	814
16 or older	-	-	81	-	-	53	-	-	28
Grade									
7° Primary	62.3	(55.3 - 69.2)	770	62.2	(53.9 - 70.5)	362	62.2	(55.7 - 68.7)	407
8° Primary	73.0	(66.8 - 79.1)	662	67.4	(59.9 - 75.0)	307	78.7	(72.4 - 85.1)	355
1° Secondary	79.1	(73.4 - 84.9)	561	74.4	(69.4 - 79.4)	293	84.0	(77.0 - 91.1)	268

Notes:

28 students did not provide usable data for Q68.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q69. Percentage of students who practiced physical activity out of school on one or more days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	76.0	(74.0 - 78.0)	2,019	81.9	(79.3 - 84.6)	972	70.0	(66.8 - 73.1)	1,046
Age									
12 or younger	75.5	(70.7 - 80.2)	377	77.9	(71.5 - 84.3)	178	73.3	(66.7 - 79.9)	198
13-15	76.0	(73.8 - 78.3)	1,558	82.7	(80.0 - 85.3)	738	69.6	(65.5 - 73.6)	820
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	72.4	(67.9 - 76.8)	774	75.8	(69.8 - 81.8)	361	69.0	(63.8 - 74.3)	412
8° Primary	78.7	(76.0 - 81.4)	666	83.8	(80.0 - 87.7)	309	73.4	(68.1 - 78.7)	357
1° Secondary	76.9	(73.9 - 79.9)	565	86.3	(82.7 - 89.9)	296	67.1	(63.1 - 71.1)	269

Notes:

14 students did not provide usable data for Q69.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q70. Percentage of students who were physically active all seven days for a total of at least 60 minutes per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	13.0	(10.8 - 15.1)	2,015	18.3	(14.9 - 21.8)	970	7.4	(5.6 - 9.2)	1,044
Age									
12 or younger	11.6	(9.3 - 13.9)	376	17.4	(12.8 - 22.0)	179	5.4	(3.8 - 7.1)	196
13-15	13.4	(11.1 - 15.6)	1,555	18.6	(15.0 - 22.3)	735	8.2	(6.1 - 10.3)	820
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	12.3	(9.5 - 15.2)	771	16.8	(12.1 - 21.5)	362	7.7	(5.9 - 9.5)	408
8° Primary	16.9	(14.2 - 19.6)	666	25.2	(20.2 - 30.1)	308	8.3	(4.3 - 12.3)	358
1° Secondary	9.7	(6.2 - 13.1)	563	13.1	(6.5 - 19.8)	294	6.2	(4.1 - 8.2)	269

Notes:

18 students did not provide usable data for Q70.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q71. Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	12.8	(10.2 - 15.4)	2,023	18.8	(14.1 - 23.6)	975	6.6	(4.9 - 8.3)	1,047
Age									
12 or younger	10.2	(6.4 - 14.0)	375	13.0	(6.4 - 19.6)	177	7.4	(4.2 - 10.6)	197
13-15	13.2	(10.8 - 15.6)	1,564	19.8	(15.4 - 24.1)	742	6.7	(5.0 - 8.5)	822
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	11.5	(8.6 - 14.5)	771	14.9	(10.5 - 19.3)	360	8.1	(5.6 - 10.6)	410
8° Primary	16.1	(13.3 - 19.0)	669	24.5	(18.6 - 30.3)	311	7.4	(5.1 - 9.8)	358
1° Secondary	10.8	(4.7 - 16.9)	568	17.0	(5.8 - 28.2)	298	4.4	(1.8 - 6.9)	270

Notes:

10 students did not provide usable data for Q71.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

M6. Percentage of students who participated in an insufficient amount of physical activity

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	81.3	(77.2 - 85.3)	2,006	74.1	(68.4 - 79.9)	963	88.6	(85.5 - 91.6)	1,042
Age									
12 or younger	85.0	(81.1 - 88.9)	372	79.7	(72.1 - 87.3)	176	90.5	(86.6 - 94.4)	195
13-15	80.4	(76.5 - 84.2)	1,550	72.6	(67.0 - 78.2)	731	87.9	(84.7 - 91.2)	819
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	84.2	(79.9 - 88.4)	764	78.6	(71.3 - 85.9)	357	89.9	(87.9 - 91.8)	406
8° Primary	76.7	(73.5 - 80.0)	664	67.0	(60.6 - 73.4)	306	86.8	(82.6 - 90.9)	358
1° Secondary	83.0	(75.4 - 90.5)	563	77.1	(66.6 - 87.6)	294	89.0	(82.6 - 95.4)	269

Notes:

27 students did not provide usable data for M6.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q72. Percentage of students who spent most of their time doing physical activity at home

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	15.9	(13.2 - 18.5)	1,443	9.5	(6.4 - 12.7)	686	22.3	(19.0 - 25.7)	756
Age									
12 or younger	18.4	(13.9 - 22.9)	250	10.5	(5.8 - 15.2)	111	26.0	(19.7 - 32.3)	138
13-15	15.2	(12.5 - 17.9)	1,139	9.3	(5.9 - 12.6)	538	21.0	(16.5 - 25.5)	601
16 or older	-	-	54	-	-	37	-	-	17
Grade									
7° Primary	15.6	(11.3 - 20.0)	552	10.0	(5.5 - 14.4)	249	21.1	(16.3 - 26.0)	302
8° Primary	17.9	(15.2 - 20.6)	479	12.8	(8.5 - 17.0)	231	23.6	(20.4 - 26.8)	248
1° Secondary	13.8	(10.1 - 17.5)	402	5.6	(1.6 - 9.6)	203	21.9	(15.0 - 28.8)	199

Notes:

590 students did not provide usable data for Q72.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q73. Percentage of students whose main reason for not practicing physical activity out of school was they had no time

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.6	(7.0 - 10.2)	1,431	5.8	(3.9 - 7.8)	683	11.4	(9.2 - 13.6)	747
Age									
12 or younger	12.2	(8.3 - 16.1)	245	8.3	(4.2 - 12.5)	109	15.9	(8.6 - 23.3)	135
13-15	7.9	(6.4 - 9.3)	1,131	5.3	(3.9 - 6.7)	536	10.4	(8.0 - 12.7)	595
16 or older	-	-	55	-	-	38	-	-	17
Grade									
7° Primary	12.7	(9.8 - 15.5)	544	8.5	(5.0 - 12.0)	246	16.7	(12.6 - 20.9)	297
8° Primary	6.0	(4.2 - 7.7)	479	3.9	(1.9 - 5.9)	231	8.2	(5.6 - 10.8)	248
1° Secondary	7.0	(4.3 - 9.6)	398	5.2	(1.0 - 9.5)	203	8.7	(4.1 - 13.3)	195

Notes:

602 students did not provide usable data for Q73.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q74. Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities during a typical or usual day

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	47.3	(43.6 - 51.0)	2,013	43.7	(39.5 - 47.8)	970	51.0	(45.8 - 56.3)	1,042
Age									
12 or younger	42.8	(37.7 - 47.8)	372	41.0	(36.1 - 45.9)	175	44.3	(35.0 - 53.5)	196
13-15	48.6	(44.0 - 53.2)	1,560	44.3	(38.7 - 49.9)	741	52.7	(47.2 - 58.2)	819
16 or older	-	-	81	-	-	54	-	-	27
Grade									
7° Primary	42.3	(38.2 - 46.4)	769	41.4	(38.5 - 44.4)	359	43.0	(35.9 - 50.2)	409
8° Primary	47.7	(43.5 - 51.8)	667	39.2	(31.7 - 46.7)	311	56.5	(48.9 - 64.2)	356
1° Secondary	52.3	(44.7 - 59.9)	563	51.3	(40.4 - 62.1)	295	53.4	(45.8 - 61.1)	268

Notes:

20 students did not provide usable data for Q74.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q75. Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	41.2	(33.8 - 48.5)	2,029	38.0	(32.0 - 44.1)	983	44.4	(34.8 - 54.1)	1,045
Age									
12 or younger	39.1	(27.5 - 50.7)	379	35.9	(26.9 - 45.0)	180	42.7	(27.1 - 58.4)	198
13-15	41.6	(34.4 - 48.8)	1,566	38.2	(30.9 - 45.4)	747	45.0	(36.4 - 53.7)	819
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	38.4	(29.0 - 47.8)	778	36.1	(28.2 - 44.0)	365	40.8	(27.9 - 53.7)	412
8° Primary	38.7	(29.8 - 47.5)	669	35.4	(27.6 - 43.2)	314	42.1	(29.7 - 54.5)	355
1° Secondary	47.0	(40.0 - 54.0)	567	43.4	(37.2 - 49.7)	298	50.7	(40.4 - 61.0)	269

Notes:

4 students did not provide usable data for Q75.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q76. Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	77.0	(73.7 - 80.4)	2,014	77.3	(73.4 - 81.3)	975	76.7	(73.0 - 80.4)	1,038
Age									
12 or younger	82.4	(79.6 - 85.3)	377	82.2	(77.4 - 87.0)	179	82.6	(77.0 - 88.2)	197
13-15	76.5	(72.4 - 80.5)	1,553	77.2	(72.0 - 82.5)	740	75.7	(71.7 - 79.7)	813
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	83.8	(80.7 - 87.0)	768	82.7	(78.2 - 87.2)	360	85.0	(81.1 - 88.9)	407
8° Primary	79.4	(75.0 - 83.8)	666	81.2	(75.7 - 86.8)	311	77.4	(72.4 - 82.5)	355
1° Secondary	67.6	(63.7 - 71.4)	565	67.4	(61.6 - 73.2)	298	67.8	(62.4 - 73.1)	267

Notes:

19 students did not provide usable data for Q76.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

M7. Percentage of students who walked or bicycled to and from school for a total of 150 minutes or more during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	87.5	(85.4 - 89.6)	2,010	86.2	(83.2 - 89.3)	975	88.9	(86.3 - 91.5)	1,034
Age									
12 or younger	90.0	(87.2 - 92.9)	377	91.0	(86.9 - 95.1)	179	88.9	(84.9 - 92.8)	197
13-15	87.5	(85.4 - 89.5)	1,549	85.5	(81.9 - 89.0)	740	89.5	(87.2 - 91.7)	809
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	89.7	(88.2 - 91.3)	768	90.6	(88.1 - 93.1)	360	88.9	(86.1 - 91.7)	407
8° Primary	86.3	(82.5 - 90.1)	663	84.6	(80.0 - 89.2)	311	88.1	(83.6 - 92.6)	352
1° Secondary	86.7	(83.1 - 90.2)	564	83.2	(76.9 - 89.5)	298	90.4	(86.8 - 94.0)	266

Notes:

23 students were excluded from this analysis or did not provide usable data for M7.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q77. Percentage of students who practiced physical activity out of school, like running, riding a bicycle, rolling, playing football, volleyball, basketball, jumping, skipping, dancing, or any other for 30 minutes or more

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	34.5	(31.8 - 37.3)	2,013	45.8	(41.1 - 50.4)	972	22.9	(20.0 - 25.8)	1,040
Age									
12 or younger	33.0	(27.3 - 38.7)	376	40.5	(32.9 - 48.0)	179	25.2	(18.5 - 31.9)	196
13-15	35.4	(32.8 - 37.9)	1,554	48.2	(43.2 - 53.2)	738	22.8	(19.9 - 25.8)	816
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	32.8	(28.5 - 37.1)	766	41.9	(34.8 - 49.0)	357	23.5	(18.0 - 29.1)	408
8° Primary	38.3	(34.9 - 41.8)	669	49.6	(44.1 - 55.1)	314	26.4	(20.9 - 32.0)	355
1° Secondary	32.6	(26.2 - 38.9)	563	46.0	(37.3 - 54.8)	295	18.6	(15.1 - 22.1)	268

Notes:

20 students did not provide usable data for Q77.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q78. Percentage of students who thought about TV programmes they saw yesterday (such as TV serial, Mekano, Rojo, news, movies, cartoons, or others) and estimated they watched TV for one hour or more

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	59.4	(56.2 - 62.6)	2,021	53.7	(49.6 - 57.8)	978	65.5	(62.2 - 68.7)	1,042
Age									
12 or younger	59.6	(56.0 - 63.3)	376	56.5	(51.2 - 61.7)	178	63.3	(57.6 - 69.1)	197
13-15	58.8	(55.3 - 62.4)	1,562	51.8	(47.4 - 56.1)	745	65.8	(61.4 - 70.2)	817
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	60.1	(55.8 - 64.4)	770	55.3	(51.6 - 59.1)	362	65.2	(58.9 - 71.5)	407
8° Primary	57.8	(52.9 - 62.7)	669	49.6	(41.7 - 57.5)	313	66.5	(61.5 - 71.5)	356
1° Secondary	60.5	(54.6 - 66.5)	567	56.6	(49.8 - 63.4)	297	64.6	(58.2 - 71.1)	270

Notes:

12 students did not provide usable data for Q78.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q79. Percentage of students who spent one hour or more listening to music, playing cards, playing chess or similar games, painting, drawing, or playing Nintendo yesterday

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	29.5	(26.9 - 32.1)	2,020	32.3	(27.5 - 37.0)	975	26.6	(24.3 - 28.9)	1,044
Age									
12 or younger	25.4	(21.2 - 29.5)	378	25.7	(21.4 - 30.0)	180	24.6	(19.8 - 29.5)	197
13-15	29.9	(27.4 - 32.4)	1,559	32.8	(27.2 - 38.4)	740	27.1	(24.3 - 30.0)	819
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	26.7	(22.7 - 30.7)	773	26.4	(22.0 - 30.9)	362	26.8	(21.7 - 32.0)	410
8° Primary	30.9	(27.0 - 34.8)	667	35.0	(28.6 - 41.3)	310	26.7	(22.3 - 31.2)	357
1° Secondary	31.1	(28.5 - 33.7)	565	36.3	(29.8 - 42.8)	297	25.7	(21.2 - 30.3)	268

Notes:

13 students did not provide usable data for Q79.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q80. Percentage of students who spent one hour or more at the computer

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	19.4	(16.2 - 22.6)	2,019	21.7	(17.9 - 25.4)	975	17.1	(13.1 - 21.1)	1,043
Age									
12 or younger	11.6	(7.7 - 15.5)	378	12.9	(8.9 - 16.9)	180	10.2	(3.9 - 16.5)	197
13-15	21.0	(17.1 - 25.0)	1,558	23.6	(18.6 - 28.5)	740	18.5	(13.9 - 23.1)	818
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	14.1	(10.6 - 17.5)	775	16.2	(11.5 - 20.9)	364	11.9	(7.5 - 16.2)	410
8° Primary	22.0	(17.5 - 26.6)	664	22.9	(17.5 - 28.4)	309	21.1	(14.8 - 27.4)	355
1° Secondary	22.4	(14.5 - 30.2)	565	26.2	(16.2 - 36.2)	296	18.4	(10.7 - 26.1)	269

Notes:

14 students did not provide usable data for Q80.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q81. Percentage of students who missed classes or school without permission on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	19.5	(15.4 - 23.6)	2,027	20.6	(14.8 - 26.4)	979	18.4	(14.5 - 22.3)	1,047
Age									
12 or younger	13.8	(9.8 - 17.9)	379	15.8	(9.2 - 22.4)	180	11.9	(8.5 - 15.3)	198
13-15	18.9	(15.4 - 22.4)	1,564	19.0	(13.9 - 24.2)	743	18.8	(14.6 - 23.0)	821
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	17.4	(13.7 - 21.1)	776	19.1	(13.3 - 24.8)	364	15.7	(12.6 - 18.8)	411
8° Primary	15.3	(12.5 - 18.0)	669	18.3	(12.9 - 23.7)	312	12.1	(8.2 - 16.0)	357
1° Secondary	25.7	(15.8 - 35.6)	567	24.7	(12.2 - 37.1)	297	26.8	(17.3 - 36.3)	270

Notes:

6 students did not provide usable data for Q81.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q82. Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	46.0	(41.5 - 50.5)	2,023	40.9	(35.7 - 46.0)	978	51.3	(45.9 - 56.7)	1,044
Age									
12 or younger	42.2	(35.7 - 48.7)	375	35.7	(28.5 - 43.0)	179	49.5	(41.2 - 57.7)	195
13-15	46.8	(41.7 - 51.9)	1,564	42.3	(36.4 - 48.1)	743	51.3	(45.4 - 57.1)	821
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	42.0	(35.8 - 48.2)	773	36.3	(29.0 - 43.7)	363	48.0	(41.1 - 54.9)	409
8° Primary	46.6	(40.7 - 52.6)	670	43.0	(35.4 - 50.6)	312	50.4	(43.0 - 57.9)	358
1° Secondary	49.5	(46.3 - 52.6)	565	43.9	(39.0 - 48.9)	297	55.3	(48.0 - 62.6)	268

Notes:

10 students did not provide usable data for Q82.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q83. Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	45.7	(43.3 - 48.1)	2,006	49.2	(45.8 - 52.7)	966	42.1	(38.8 - 45.5)	1,039
Age									
12 or younger	56.5	(51.8 - 61.2)	376	56.6	(50.3 - 62.9)	179	56.7	(50.1 - 63.3)	196
13-15	43.7	(41.1 - 46.3)	1,547	48.4	(44.6 - 52.2)	732	39.0	(35.1 - 42.9)	815
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	50.9	(47.4 - 54.4)	769	51.6	(46.3 - 57.0)	360	50.2	(45.3 - 55.1)	408
8° Primary	44.7	(41.5 - 47.9)	658	47.1	(42.3 - 51.9)	304	42.2	(37.8 - 46.6)	354
1° Secondary	42.0	(36.5 - 47.5)	564	49.3	(41.8 - 56.9)	296	34.4	(28.4 - 40.4)	268

Notes:

27 students did not provide usable data for Q83.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q84. Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	47.9	(45.2 - 50.5)	2,020	47.2	(43.2 - 51.1)	979	48.6	(44.0 - 53.3)	1,040
Age									
12 or younger	56.8	(50.3 - 63.3)	375	57.3	(48.6 - 66.0)	180	56.6	(47.7 - 65.4)	194
13-15	46.1	(43.4 - 48.9)	1,563	46.1	(41.7 - 50.4)	744	46.2	(41.5 - 50.8)	819
16 or older	-	-	82	-	-	55	-	-	27
Grade									
7° Primary	49.2	(43.6 - 54.8)	773	47.6	(40.2 - 55.0)	365	51.0	(43.9 - 58.1)	407
8° Primary	48.2	(43.9 - 52.6)	667	49.7	(42.4 - 57.1)	312	46.6	(39.7 - 53.6)	355
1° Secondary	46.2	(43.4 - 49.1)	565	44.3	(39.2 - 49.5)	296	48.2	(43.1 - 53.4)	269

Notes:

13 students did not provide usable data for Q84.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q85. Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	60.2	(57.3 - 63.2)	2,014	59.3	(55.5 - 63.1)	974	61.1	(57.3 - 64.9)	1,039
Age									
12 or younger	58.6	(51.1 - 66.0)	373	55.8	(47.1 - 64.6)	176	61.2	(51.8 - 70.7)	196
13-15	60.1	(57.6 - 62.7)	1,557	59.8	(55.9 - 63.7)	742	60.4	(56.9 - 63.8)	815
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	57.1	(51.0 - 63.2)	768	52.9	(45.2 - 60.6)	360	61.2	(54.1 - 68.4)	407
8° Primary	61.7	(59.6 - 63.8)	670	61.0	(56.7 - 65.2)	314	62.5	(58.1 - 66.9)	356
1° Secondary	62.4	(57.0 - 67.7)	562	64.5	(57.6 - 71.4)	294	60.1	(53.9 - 66.3)	268

Notes:

19 students did not provide usable data for Q85.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q86. Percentage of students who participated or attended activities about healthy nutrition or eating healthy snacks, like lectures, workshops, competitions, murals, or healthy kiosks during the current school year

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	44.0	(39.9 - 48.2)	1,959	42.7	(38.6 - 46.8)	938	45.3	(39.6 - 51.0)	1,020
Age									
12 or younger	54.0	(46.9 - 61.0)	365	50.4	(43.5 - 57.3)	171	57.5	(48.3 - 66.7)	193
13-15	42.4	(38.1 - 46.6)	1,516	41.8	(37.1 - 46.4)	715	42.9	(37.0 - 48.8)	801
16 or older	-	-	78	-	-	52	-	-	26
Grade									
7° Primary	53.1	(48.2 - 58.0)	745	51.2	(45.9 - 56.5)	343	54.8	(48.8 - 60.9)	401
8° Primary	41.4	(36.0 - 46.8)	653	42.3	(34.9 - 49.6)	304	40.5	(34.1 - 46.9)	349
1° Secondary	37.1	(32.2 - 41.9)	548	33.8	(28.2 - 39.4)	285	40.4	(32.5 - 48.3)	263

Notes:

74 students did not provide usable data for Q86.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q87. Percentage of students who participated or attended activities about self care, self image, personal relationships or drug use prevention during the current school year

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	32.8	(29.9 - 35.6)	1,998	31.3	(27.7 - 35.0)	958	34.2	(31.1 - 37.3)	1,039
Age									
12 or younger	34.0	(28.6 - 39.5)	375	34.6	(27.7 - 41.5)	178	33.6	(27.0 - 40.2)	196
13-15	33.0	(29.5 - 36.5)	1,542	31.3	(27.3 - 35.3)	727	34.6	(30.8 - 38.4)	815
16 or older	-	-	81	-	-	53	-	-	28
Grade									
7° Primary	34.9	(30.2 - 39.5)	765	34.5	(29.9 - 39.2)	357	35.3	(29.8 - 40.8)	407
8° Primary	31.2	(26.6 - 35.8)	662	30.6	(26.5 - 34.8)	307	31.8	(25.8 - 37.8)	355
1° Secondary	32.1	(24.7 - 39.5)	556	28.6	(20.0 - 37.3)	288	35.6	(26.0 - 45.1)	268

Notes:

35 students did not provide usable data for Q87.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q88. Percentage of students who do not belong to any organization

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	53.9	(49.4 - 58.5)	2,013	50.6	(44.6 - 56.6)	971	57.3	(52.0 - 62.7)	1,041
Age									
12 or younger	51.7	(46.4 - 57.1)	373	50.2	(43.4 - 57.1)	178	53.1	(46.9 - 59.2)	194
13-15	54.0	(49.7 - 58.3)	1,557	50.2	(44.3 - 56.1)	738	57.7	(51.9 - 63.4)	819
16 or older	-	-	83	-	-	55	-	-	28
Grade									
7° Primary	54.4	(49.5 - 59.2)	769	50.0	(43.7 - 56.4)	360	58.7	(53.1 - 64.3)	408
8° Primary	52.8	(47.5 - 58.1)	665	53.6	(46.6 - 60.6)	309	52.0	(45.0 - 59.0)	356
1° Secondary	54.4	(46.6 - 62.1)	564	48.5	(40.4 - 56.7)	296	60.4	(51.2 - 69.6)	268

Notes:

20 students did not provide usable data for Q88.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q89. Percentage of students whose mother most often takes them to the doctor when they feel sick

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	80.9	(78.6 - 83.2)	1,986	79.1	(76.3 - 81.9)	958	82.9	(80.1 - 85.7)	1,027
Age									
12 or younger	82.6	(78.3 - 86.9)	366	82.9	(77.2 - 88.6)	175	82.7	(78.3 - 87.1)	190
13-15	80.9	(77.6 - 84.1)	1,540	78.5	(74.2 - 82.8)	730	83.2	(79.6 - 86.8)	810
16 or older	-	-	80	-	-	53	-	-	27
Grade									
7° Primary	80.5	(77.3 - 83.8)	756	80.5	(76.6 - 84.5)	355	80.7	(77.0 - 84.4)	400
8° Primary	81.2	(78.7 - 83.7)	660	78.4	(73.1 - 83.8)	308	84.2	(79.5 - 88.8)	352
1° Secondary	81.2	(76.8 - 85.6)	556	78.5	(72.9 - 84.1)	289	84.0	(79.0 - 89.1)	267

Notes:

47 students did not provide usable data for Q89.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q90. Percentage of students who missed school because of being sick four or more days during the past 3 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	20.2	(18.5 - 22.0)	2,027	18.4	(16.6 - 20.2)	980	22.2	(18.9 - 25.5)	1,046
Age									
12 or younger	18.1	(14.0 - 22.1)	378	19.9	(15.2 - 24.6)	180	16.2	(11.7 - 20.7)	197
13-15	20.7	(18.7 - 22.6)	1,565	17.6	(15.6 - 19.7)	744	23.6	(20.0 - 27.3)	821
16 or older	-	-	84	-	-	56	-	-	28
Grade									
7° Primary	19.2	(16.3 - 22.1)	775	18.3	(14.7 - 21.9)	363	20.1	(16.8 - 23.4)	411
8° Primary	19.7	(16.5 - 22.9)	671	15.1	(10.5 - 19.8)	313	24.5	(20.3 - 28.7)	358
1° Secondary	21.3	(18.0 - 24.5)	567	20.8	(17.8 - 23.8)	298	21.8	(16.2 - 27.3)	269

Notes:

6 students did not provide usable data for Q90.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Region I) Survey
Summary Table - Weighted Data

Q91. Percentage of students who needed health professional assistance by a doctor, nurse, midwife, dentist, psychologist, or psychiatrist one or more times during the past 3 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	48.4	(45.9 - 50.9)	1,990	42.1	(40.3 - 43.9)	965	54.9	(50.8 - 59.0)	1,024
Age									
12 or younger	46.3	(40.3 - 52.3)	373	42.2	(32.2 - 52.1)	177	50.4	(44.1 - 56.7)	195
13-15	48.4	(45.6 - 51.3)	1,535	41.4	(38.4 - 44.3)	734	55.5	(50.6 - 60.3)	801
16 or older	-	-	82	-	-	54	-	-	28
Grade									
7° Primary	44.6	(40.9 - 48.2)	761	41.6	(36.8 - 46.4)	356	47.5	(43.6 - 51.4)	404
8° Primary	48.1	(43.7 - 52.4)	662	42.3	(38.7 - 45.9)	310	54.2	(45.7 - 62.6)	352
1° Secondary	52.7	(49.6 - 55.8)	554	42.4	(37.2 - 47.6)	294	63.6	(58.6 - 68.7)	260

Notes:

43 students did not provide usable data for Q91.

N = Number of students.

- = Fewer than 100 students.