

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

M1. Percentage of students who were \geq 85th percentile but $<$ 95th percentile for body mass index, by age and sex

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	17.6	(15.0 - 20.2)	1,339	21.7	(17.1 - 26.3)	603	13.6	(11.1 - 16.1)	736
Age									
12 or younger	22.7	(18.6 - 26.8)	133	-	-	51	-	-	82
13-15	17.4	(14.8 - 19.9)	1,125	21.0	(16.6 - 25.3)	505	13.8	(11.4 - 16.3)	620
16 or older	-	-	81	-	-	47	-	-	34
Grade									
7° Primary	20.5	(16.4 - 24.6)	340	24.9	(16.2 - 33.5)	153	16.4	(13.6 - 19.2)	187
8° Primary	15.8	(12.2 - 19.4)	445	20.4	(14.7 - 26.0)	216	11.1	(4.9 - 17.3)	229
1° Secondary	16.3	(12.1 - 20.5)	545	20.1	(13.8 - 26.4)	229	12.5	(9.2 - 15.8)	316

Notes:

772 students did not provide usable data for M1.

N = Number of students.

- = Fewer than 100 students.

Students who were at or above the 85th percentile but below the 95th percentile for body mass index by age and sex based on reference data from Cole, Bellizzi, Flegal, and Dietz, *British Medical Journal*, May, 2000.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

M2. Percentage of students who were \geq 95th percentile for body mass index, by age and sex

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	2.5	(1.4 - 3.5)	1,339	2.7	(1.6 - 3.8)	603	2.2	(0.7 - 3.7)	736
Age									
12 or younger	2.7	(0.5 - 4.8)	133	-	-	51	-	-	82
13-15	2.4	(1.2 - 3.6)	1,125	2.2	(0.8 - 3.6)	505	2.6	(0.7 - 4.4)	620
16 or older	-	-	81	-	-	47	-	-	34
Grade									
7° Primary	2.5	(0.6 - 4.4)	340	4.6	(1.2 - 8.1)	153	0.5	(0.0 - 1.4)	187
8° Primary	3.3	(0.7 - 5.9)	445	2.8	(1.1 - 4.5)	216	3.8	(0.0 - 8.1)	229
1° Secondary	1.8	(0.7 - 3.0)	545	1.0	(0.0 - 2.2)	229	2.6	(1.2 - 4.0)	316

Notes:

772 students did not provide usable data for M2.

N = Number of students.

- = Fewer than 100 students.

Students who were at or above the 95th percentile for body mass index by age and sex based on reference data from Cole, Bellizzi, Flegal, and Dietz, *British Medical Journal*, May, 2000.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q6. Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	1.8	(1.3 - 2.3)	2,102	1.8	(1.1 - 2.5)	978	1.8	(1.0 - 2.7)	1,119
Age									
12 or younger	1.6	(0.0 - 3.4)	206	-	-	89	2.0	(0.0 - 5.0)	117
13-15	1.8	(1.3 - 2.3)	1,760	1.7	(0.9 - 2.4)	811	1.9	(0.9 - 2.9)	946
16 or older	2.8	(0.4 - 5.1)	131	-	-	75	-	-	55
Grade									
7° Primary	2.8	(1.3 - 4.4)	552	2.3	(0.5 - 4.1)	265	3.4	(0.8 - 6.0)	286
8° Primary	1.5	(0.6 - 2.3)	781	1.1	(0.4 - 1.7)	380	1.8	(0.4 - 3.2)	400
1° Secondary	1.2	(0.4 - 2.0)	752	2.1	(0.6 - 3.5)	327	0.3	(0.0 - 0.8)	425

Notes:

9 students did not provide usable data for Q6.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q7. Percentage of students who usually ate fruit, such as apples, oranges, or bananas one or more times per day during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	75.1	(72.9 - 77.4)	2,098	75.2	(72.6 - 77.8)	974	75.1	(72.3 - 77.9)	1,119
Age									
12 or younger	81.1	(75.9 - 86.2)	206	-	-	89	82.2	(75.3 - 89.1)	117
13-15	74.7	(72.4 - 77.0)	1,758	75.6	(72.7 - 78.6)	809	73.7	(71.0 - 76.4)	946
16 or older	70.9	(64.5 - 77.3)	129	-	-	73	-	-	55
Grade									
7° Primary	78.6	(75.0 - 82.3)	550	80.3	(75.3 - 85.3)	263	76.8	(72.7 - 80.9)	286
8° Primary	73.3	(69.0 - 77.7)	783	72.3	(66.0 - 78.6)	381	74.6	(70.6 - 78.6)	401
1° Secondary	73.5	(70.0 - 77.0)	748	73.3	(70.7 - 75.9)	324	73.7	(67.4 - 80.1)	424

Notes:

13 students did not provide usable data for Q7.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q8. Percentage of students who usually ate vegetables, such as tomatoes, lettuces, celery, carrots, or broccoli one or more times per day during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	84.1	(81.8 - 86.3)	2,084	80.8	(77.6 - 84.0)	966	87.5	(84.8 - 90.2)	1,113
Age									
12 or younger	82.8	(75.7 - 89.9)	204	-	-	88	82.8	(74.3 - 91.2)	116
13-15	84.4	(82.6 - 86.1)	1,747	80.5	(77.9 - 83.2)	802	88.3	(85.7 - 90.8)	942
16 or older	83.7	(74.0 - 93.4)	128	-	-	73	-	-	54
Grade									
7° Primary	82.3	(77.2 - 87.3)	544	79.3	(72.0 - 86.5)	260	85.3	(80.7 - 90.0)	283
8° Primary	86.1	(83.0 - 89.2)	777	84.6	(79.5 - 89.6)	376	87.7	(84.7 - 90.6)	400
1° Secondary	84.0	(81.1 - 86.8)	746	79.0	(75.5 - 82.6)	324	89.2	(85.1 - 93.4)	422

Notes:

27 students did not provide usable data for Q8.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

M4. Percentage of students who ate five or more fruits and vegetables per day during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	23.5	(21.6 - 25.4)	2,077	23.1	(20.8 - 25.4)	963	23.9	(21.4 - 26.4)	1,109
Age									
12 or younger	24.6	(20.1 - 29.1)	204	-	-	88	23.8	(17.1 - 30.4)	116
13-15	23.2	(21.0 - 25.4)	1,741	23.1	(20.1 - 26.1)	800	23.2	(20.8 - 25.7)	938
16 or older	25.4	(19.7 - 31.0)	127	-	-	72	-	-	54
Grade									
7° Primary	25.7	(23.4 - 28.1)	543	26.1	(20.8 - 31.3)	259	25.5	(21.6 - 29.4)	283
8° Primary	22.5	(19.6 - 25.3)	774	21.8	(17.1 - 26.5)	376	23.2	(19.4 - 27.0)	397
1° Secondary	22.3	(19.1 - 25.5)	743	21.4	(16.4 - 26.5)	322	23.1	(17.7 - 28.6)	421

Notes:

34 students did not provide usable data for M4.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q9. Percentage of students who drank milk or yogurt all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	38.8	(34.7 - 42.8)	2,096	41.5	(37.3 - 45.7)	969	36.1	(31.3 - 41.0)	1,122
Age									
12 or younger	41.6	(33.7 - 49.6)	207	-	-	89	47.1	(37.4 - 56.8)	118
13-15	39.3	(34.9 - 43.8)	1,753	43.8	(39.5 - 48.2)	803	34.8	(29.0 - 40.6)	947
16 or older	26.4	(17.6 - 35.2)	131	-	-	74	-	-	56
Grade									
7° Primary	41.9	(35.9 - 47.8)	551	43.2	(37.1 - 49.3)	262	40.6	(31.4 - 49.7)	288
8° Primary	36.7	(31.6 - 41.8)	781	40.6	(34.7 - 46.4)	376	32.9	(26.8 - 38.9)	404
1° Secondary	38.0	(30.8 - 45.2)	747	40.4	(31.4 - 49.4)	325	35.5	(29.0 - 42.0)	422

Notes:

15 students did not provide usable data for Q9.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q10. Percentage of students who ate fruits, such as apples, oranges, bananas, pears, kiwis, or any others all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	21.5	(19.2 - 23.9)	2,084	21.5	(17.7 - 25.3)	967	21.5	(18.6 - 24.5)	1,112
Age									
12 or younger	22.4	(17.8 - 26.9)	205	-	-	88	23.5	(16.5 - 30.4)	117
13-15	21.8	(19.3 - 24.2)	1,744	22.1	(18.4 - 25.9)	802	21.4	(18.6 - 24.1)	939
16 or older	18.0	(12.0 - 23.9)	130	-	-	74	-	-	55
Grade									
7° Primary	23.3	(18.2 - 28.5)	545	23.8	(17.3 - 30.3)	260	22.9	(17.7 - 28.1)	284
8° Primary	18.6	(16.6 - 20.7)	781	17.8	(14.5 - 21.2)	377	19.5	(15.7 - 23.3)	403
1° Secondary	22.6	(19.1 - 26.2)	742	22.6	(15.6 - 29.7)	325	22.6	(19.3 - 26.0)	417

Notes:

27 students did not provide usable data for Q10.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q11. Percentage of students who ate vegetables, such as lettuces, celery, tomatoes, cucumber, broccoli, cabbage, or any others all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	32.8	(31.0 - 34.6)	2,101	29.2	(27.0 - 31.5)	971	36.6	(33.6 - 39.5)	1,125
Age									
12 or younger	30.2	(22.1 - 38.2)	207	-	-	89	34.6	(25.6 - 43.6)	118
13-15	34.0	(31.7 - 36.3)	1,757	31.0	(27.6 - 34.3)	804	37.1	(33.9 - 40.2)	950
16 or older	24.6	(18.6 - 30.6)	132	-	-	75	-	-	56
Grade									
7° Primary	31.4	(25.3 - 37.5)	549	28.9	(22.4 - 35.5)	261	34.2	(26.0 - 42.4)	287
8° Primary	31.8	(27.3 - 36.3)	787	29.3	(23.9 - 34.7)	381	34.5	(29.4 - 39.7)	405
1° Secondary	35.4	(31.1 - 39.6)	748	29.4	(24.1 - 34.7)	323	41.6	(36.3 - 46.8)	425

Notes:

10 students did not provide usable data for Q11.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q12. Percentage of students who ate chips, hot dogs, "sopaipillas", or other snacks all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.7	(8.2 - 11.2)	2,108	9.7	(8.1 - 11.4)	977	9.6	(7.7 - 11.5)	1,125
Age									
12 or younger	6.9	(3.0 - 10.9)	207	-	-	89	7.2	(2.0 - 12.5)	118
13-15	9.6	(8.1 - 11.2)	1,763	9.5	(7.7 - 11.3)	810	9.7	(7.9 - 11.5)	950
16 or older	15.8	(11.4 - 20.2)	132	-	-	75	-	-	56
Grade									
7° Primary	7.7	(5.2 - 10.2)	553	9.6	(7.0 - 12.1)	264	5.8	(2.9 - 8.6)	288
8° Primary	9.6	(8.3 - 10.9)	787	7.8	(4.7 - 10.9)	381	11.2	(9.6 - 12.7)	405
1° Secondary	12.1	(9.7 - 14.5)	750	12.0	(8.9 - 15.1)	326	12.2	(8.0 - 16.3)	424

Notes:

3 students did not provide usable data for Q12.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q13. Percentage of students who ate Doblones, Negritas, Superocho, Tuyo, Prestigio, biscuits, or chocolates all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	13.6	(11.0 - 16.2)	2,105	13.2	(9.9 - 16.4)	978	13.9	(11.2 - 16.6)	1,121
Age									
12 or younger	8.6	(5.2 - 12.1)	206	-	-	89	11.3	(5.5 - 17.0)	117
13-15	14.3	(11.3 - 17.3)	1,762	14.1	(10.2 - 18.0)	811	14.3	(11.5 - 17.1)	948
16 or older	14.6	(10.7 - 18.6)	131	-	-	75	-	-	55
Grade									
7° Primary	11.9	(8.9 - 15.0)	552	10.8	(7.1 - 14.4)	265	13.2	(8.6 - 17.9)	286
8° Primary	15.0	(11.7 - 18.3)	786	14.8	(10.0 - 19.6)	381	15.0	(11.6 - 18.3)	404
1° Secondary	14.0	(9.7 - 18.3)	749	14.3	(9.0 - 19.5)	326	13.8	(8.6 - 18.9)	423

Notes:

6 students did not provide usable data for Q13.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q14. Percentage of students who drank juices or soft drinks with sugar all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	41.5	(38.7 - 44.2)	2,094	41.9	(37.8 - 46.0)	975	41.1	(37.9 - 44.3)	1,113
Age									
12 or younger	39.6	(30.8 - 48.4)	204	-	-	89	39.6	(29.1 - 50.1)	115
13-15	41.0	(38.6 - 43.4)	1,754	40.9	(36.8 - 45.1)	808	41.0	(38.3 - 43.8)	943
16 or older	53.1	(44.1 - 62.1)	130	-	-	75	-	-	54
Grade									
7° Primary	35.7	(29.7 - 41.7)	548	36.0	(28.4 - 43.7)	263	35.4	(28.8 - 42.1)	284
8° Primary	43.1	(36.4 - 49.7)	782	41.8	(33.9 - 49.8)	380	44.2	(37.3 - 51.0)	401
1° Secondary	46.1	(42.6 - 49.5)	747	47.7	(43.1 - 52.3)	326	44.3	(40.4 - 48.2)	421

Notes:

17 students did not provide usable data for Q14.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q15. Percentage of students who ate breakfast all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	63.1	(59.8 - 66.4)	2,105	67.9	(64.3 - 71.4)	976	58.3	(53.7 - 62.9)	1,123
Age									
12 or younger	70.2	(63.2 - 77.1)	206	-	-	89	67.1	(61.1 - 73.0)	117
13-15	63.5	(60.2 - 66.8)	1,761	69.1	(66.1 - 72.2)	809	57.7	(52.2 - 63.1)	949
16 or older	46.8	(40.6 - 52.9)	132	-	-	75	-	-	56
Grade									
7° Primary	68.3	(63.2 - 73.4)	550	71.5	(66.3 - 76.7)	262	64.8	(58.2 - 71.4)	287
8° Primary	65.4	(61.3 - 69.5)	786	72.6	(67.6 - 77.7)	381	58.2	(52.2 - 64.2)	404
1° Secondary	55.8	(51.5 - 60.0)	751	59.2	(53.7 - 64.7)	327	52.2	(46.6 - 57.7)	424

Notes:

6 students did not provide usable data for Q15.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q16. Percentage of students who ate too much and felt guilty about it one or more times during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	52.8	(49.2 - 56.3)	2,100	46.2	(41.2 - 51.1)	973	59.6	(56.0 - 63.3)	1,121
Age									
12 or younger	53.9	(47.7 - 60.1)	206	-	-	89	61.2	(53.5 - 69.0)	117
13-15	51.9	(48.4 - 55.4)	1,756	45.4	(40.5 - 50.3)	806	58.6	(54.7 - 62.5)	947
16 or older	62.0	(52.2 - 71.7)	132	-	-	75	-	-	56
Grade									
7° Primary	55.4	(49.2 - 61.5)	550	49.8	(40.7 - 58.8)	263	61.4	(54.8 - 68.0)	286
8° Primary	50.1	(47.8 - 52.4)	783	44.5	(41.1 - 48.0)	379	55.7	(52.5 - 58.9)	403
1° Secondary	52.2	(46.0 - 58.3)	749	43.7	(36.0 - 51.4)	325	61.2	(55.2 - 67.1)	424

Notes:

11 students did not provide usable data for Q16.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q17. Percentage of students who started a diet to look better one or more times during the past 3 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	45.8	(43.4 - 48.2)	2,099	33.6	(30.4 - 36.8)	970	58.5	(55.0 - 62.1)	1,124
Age									
12 or younger	48.9	(41.9 - 55.8)	206	-	-	88	53.5	(43.3 - 63.8)	118
13-15	45.2	(42.5 - 47.9)	1,757	32.4	(28.9 - 35.9)	805	58.6	(54.6 - 62.5)	949
16 or older	46.5	(39.5 - 53.6)	131	-	-	74	-	-	56
Grade									
7° Primary	49.0	(44.6 - 53.3)	552	41.7	(36.2 - 47.2)	263	56.7	(50.0 - 63.4)	288
8° Primary	43.5	(39.6 - 47.3)	782	30.3	(25.5 - 35.1)	378	57.1	(50.9 - 63.3)	403
1° Secondary	44.4	(40.9 - 48.0)	748	28.0	(25.0 - 31.1)	323	61.6	(55.5 - 67.7)	425

Notes:

12 students did not provide usable data for Q17.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q18. Percentage of students who did not clean or brush their teeth during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	2.6	(1.9 - 3.2)	2,103	3.4	(2.6 - 4.1)	973	1.6	(0.8 - 2.3)	1,124
Age									
12 or younger	2.2	(0.8 - 3.7)	206	-	-	89	3.3	(1.4 - 5.3)	117
13-15	2.4	(1.6 - 3.2)	1,759	3.3	(1.9 - 4.7)	806	1.3	(0.5 - 2.1)	950
16 or older	5.4	(2.0 - 8.8)	132	-	-	75	-	-	56
Grade									
7° Primary	3.1	(1.5 - 4.7)	550	3.8	(1.4 - 6.3)	262	2.0	(0.7 - 3.3)	287
8° Primary	2.1	(0.7 - 3.4)	785	3.0	(1.2 - 4.8)	379	1.1	(0.0 - 2.3)	405
1° Secondary	2.4	(0.9 - 3.9)	750	3.4	(1.4 - 5.4)	326	1.4	(0.3 - 2.5)	424

Notes:

8 students did not provide usable data for Q18.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q19. Percentage of students who never or rarely used tooth paste to brush their teeth during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.5	(3.0 - 6.0)	2,090	6.4	(4.2 - 8.7)	965	2.3	(1.4 - 3.2)	1,119
Age									
12 or younger	5.4	(1.6 - 9.2)	206	-	-	89	2.6	(0.5 - 4.6)	117
13-15	3.9	(2.6 - 5.1)	1,746	5.6	(3.4 - 7.8)	798	2.1	(1.1 - 3.1)	945
16 or older	9.4	(3.7 - 15.0)	132	-	-	75	-	-	56
Grade									
7° Primary	4.9	(2.2 - 7.7)	548	8.3	(3.7 - 12.8)	261	1.4	(0.2 - 2.6)	286
8° Primary	5.0	(3.1 - 6.8)	775	6.8	(3.5 - 10.1)	371	3.1	(1.6 - 4.7)	403
1° Secondary	3.5	(1.8 - 5.1)	749	4.3	(1.5 - 7.2)	327	2.5	(1.4 - 3.7)	422

Notes:

21 students did not provide usable data for Q19.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q20. Percentage of students who never or rarely used dental floss when they cleaned their teeth during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	71.9	(69.3 - 74.5)	2,077	72.9	(70.3 - 75.4)	963	71.0	(67.6 - 74.4)	1,108
Age									
12 or younger	67.3	(60.2 - 74.4)	204	-	-	87	66.8	(58.9 - 74.6)	117
13-15	72.4	(70.1 - 74.6)	1,739	73.0	(71.0 - 75.1)	801	71.7	(68.4 - 75.0)	935
16 or older	74.1	(66.6 - 81.7)	128	-	-	72	-	-	55
Grade									
7° Primary	69.4	(65.2 - 73.7)	542	69.7	(64.3 - 75.1)	259	69.0	(62.8 - 75.2)	282
8° Primary	69.4	(67.4 - 71.5)	776	70.5	(66.8 - 74.3)	375	68.3	(63.6 - 72.9)	400
1° Secondary	77.1	(74.2 - 79.9)	741	78.3	(75.5 - 81.1)	323	75.7	(70.5 - 80.9)	418

Notes:

34 students did not provide usable data for Q20.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q21. Percentage of students who never or rarely washed their hands before eating during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	5.0	(4.0 - 6.1)	2,102	4.6	(2.7 - 6.5)	973	5.5	(3.9 - 7.0)	1,123
Age									
12 or younger	3.8	(2.1 - 5.5)	205	-	-	88	4.1	(1.8 - 6.5)	117
13-15	5.3	(3.9 - 6.7)	1,760	4.9	(2.5 - 7.3)	808	5.7	(3.9 - 7.6)	949
16 or older	4.2	(2.2 - 6.1)	132	-	-	75	-	-	56
Grade									
7° Primary	5.7	(3.2 - 8.2)	547	4.7	(0.4 - 9.0)	261	6.7	(3.5 - 10.0)	285
8° Primary	4.2	(2.8 - 5.7)	786	4.4	(2.3 - 6.5)	380	4.1	(1.9 - 6.2)	405
1° Secondary	5.2	(3.2 - 7.3)	751	4.8	(1.6 - 8.0)	326	5.7	(3.9 - 7.5)	425

Notes:

9 students did not provide usable data for Q21.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q22. Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	1.0	(0.5 - 1.6)	2,091	1.3	(0.5 - 2.1)	968	0.8	(0.2 - 1.4)	1,117
Age									
12 or younger	1.0	(0.0 - 2.6)	205	-	-	89	2.0	(0.0 - 4.9)	116
13-15	1.1	(0.6 - 1.6)	1,748	1.6	(0.7 - 2.6)	801	0.5	(0.0 - 1.1)	944
16 or older	0.5	(0.0 - 1.6)	132	-	-	75	-	-	56
Grade									
7° Primary	1.5	(0.2 - 2.8)	544	1.6	(0.2 - 3.0)	259	1.3	(0.0 - 3.0)	284
8° Primary	1.0	(0.2 - 1.8)	778	1.5	(0.0 - 3.0)	377	0.5	(0.0 - 1.3)	400
1° Secondary	0.5	(0.0 - 1.1)	751	0.6	(0.0 - 1.6)	326	0.4	(0.3 - 0.6)	425

Notes:

20 students did not provide usable data for Q22.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q23. Percentage of students who never or rarely used soap when washing their hands during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.0	(2.9 - 5.2)	2,088	5.0	(2.9 - 7.0)	967	3.1	(1.9 - 4.3)	1,115
Age									
12 or younger	2.9	(0.5 - 5.2)	202	-	-	88	1.6	(0.0 - 3.8)	114
13-15	4.2	(2.9 - 5.5)	1,749	5.0	(2.5 - 7.6)	801	3.3	(2.0 - 4.7)	945
16 or older	4.4	(1.4 - 7.3)	131	-	-	75	-	-	55
Grade									
7° Primary	4.1	(1.9 - 6.3)	544	5.9	(2.4 - 9.4)	259	2.2	(0.6 - 3.9)	284
8° Primary	4.7	(3.5 - 5.8)	781	5.3	(2.9 - 7.7)	379	4.0	(1.6 - 6.5)	401
1° Secondary	3.3	(1.9 - 4.6)	747	3.7	(1.4 - 5.9)	324	2.9	(2.1 - 3.7)	423

Notes:

23 students did not provide usable data for Q23.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q24. Percentage of students who never or rarely find toilet paper in the school toilets

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	93.2	(89.2 - 97.2)	2,103	93.2	(89.7 - 96.6)	976	93.2	(86.9 - 99.5)	1,121
Age									
12 or younger	88.5	(80.3 - 96.6)	203	-	-	89	87.2	(73.5 -100.0)	114
13-15	93.8	(90.1 - 97.6)	1,762	93.7	(90.3 - 97.0)	809	94.0	(88.6 - 99.4)	950
16 or older	93.7	(89.2 - 98.2)	132	-	-	75	-	-	56
Grade									
7° Primary	88.5	(80.9 - 96.0)	548	89.6	(84.2 - 95.0)	264	87.2	(74.5 - 99.9)	283
8° Primary	93.9	(90.0 - 97.7)	786	93.9	(89.8 - 98.1)	380	93.8	(88.3 - 99.2)	405
1° Secondary	97.3	(95.4 - 99.1)	751	95.9	(93.1 - 98.7)	326	98.7	(97.6 - 99.7)	425

Notes:

8 students did not provide usable data for Q24.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q25. Percentage of students who never or rarely find soap in the school toilets

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	95.7	(93.7 - 97.7)	2,104	94.4	(91.2 - 97.6)	974	97.0	(95.6 - 98.4)	1,124
Age									
12 or younger	94.8	(90.8 - 98.8)	204	-	-	87	97.5	(95.1 -100.0)	117
13-15	95.6	(93.4 - 97.8)	1,762	94.5	(91.1 - 97.9)	809	96.8	(95.2 - 98.3)	950
16 or older	98.4	(96.9 - 99.8)	132	-	-	75	-	-	56
Grade									
7° Primary	94.4	(91.0 - 97.8)	549	92.4	(86.2 - 98.6)	261	96.5	(94.5 - 98.4)	287
8° Primary	95.8	(93.2 - 98.4)	787	93.8	(89.7 - 98.0)	381	97.9	(96.2 - 99.6)	405
1° Secondary	96.8	(94.7 - 99.0)	750	97.0	(95.8 - 98.2)	326	96.7	(92.3 -100.0)	424

Notes:

7 students did not provide usable data for Q25.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q27. Percentage of students who were physically attacked at school during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	13.7	(11.0 - 16.5)	2,083	19.3	(15.9 - 22.7)	965	8.0	(5.3 - 10.7)	1,112
Age									
12 or younger	16.5	(8.7 - 24.2)	202	-	-	87	12.3	(3.1 - 21.5)	115
13-15	13.6	(11.0 - 16.1)	1,744	19.9	(16.5 - 23.2)	800	7.1	(4.7 - 9.6)	941
16 or older	10.6	(6.4 - 14.9)	131	-	-	75	-	-	55
Grade									
7° Primary	17.5	(11.8 - 23.1)	546	22.5	(15.1 - 29.8)	262	12.3	(6.6 - 17.9)	283
8° Primary	14.7	(12.6 - 16.9)	776	22.8	(19.7 - 26.0)	373	6.5	(4.1 - 8.9)	402
1° Secondary	8.5	(5.7 - 11.3)	743	11.5	(8.2 - 14.9)	324	5.3	(2.7 - 7.8)	419

Notes:

28 students did not provide usable data for Q27.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q28. Percentage of students who were in a physical fight one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	40.8	(37.2 - 44.5)	2,088	54.3	(49.9 - 58.8)	965	26.6	(22.8 - 30.5)	1,117
Age									
12 or younger	40.2	(31.7 - 48.7)	207	-	-	89	25.8	(18.9 - 32.7)	118
13-15	40.6	(36.4 - 44.7)	1,744	54.6	(49.8 - 59.5)	799	26.1	(21.8 - 30.4)	942
16 or older	43.5	(37.4 - 49.7)	132	-	-	75	-	-	56
Grade									
7° Primary	45.3	(40.9 - 49.7)	546	59.6	(50.9 - 68.2)	260	30.6	(25.2 - 35.9)	285
8° Primary	44.2	(38.8 - 49.7)	777	59.3	(53.1 - 65.5)	377	28.8	(21.9 - 35.6)	399
1° Secondary	32.5	(26.0 - 38.9)	747	43.7	(36.2 - 51.2)	322	20.7	(15.5 - 25.9)	425

Notes:

23 students did not provide usable data for Q28.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q29. Percentage of students who were seriously injured one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	36.2	(33.6 - 38.7)	1,864	43.4	(40.1 - 46.8)	844	28.6	(25.4 - 31.9)	1,015
Age									
12 or younger	33.7	(25.0 - 42.5)	178	-	-	74	30.5	(21.0 - 39.9)	104
13-15	36.4	(33.9 - 38.9)	1,568	44.4	(41.1 - 47.8)	707	28.2	(24.8 - 31.7)	858
16 or older	36.8	(27.6 - 46.1)	115	-	-	62	-	-	52
Grade									
7° Primary	37.5	(32.7 - 42.2)	474	42.5	(37.8 - 47.2)	224	32.0	(25.4 - 38.5)	249
8° Primary	38.9	(35.0 - 42.8)	694	46.1	(39.5 - 52.6)	333	31.7	(28.0 - 35.5)	360
1° Secondary	31.8	(27.6 - 35.9)	681	41.2	(34.7 - 47.7)	283	22.5	(18.0 - 27.1)	398

Notes:

247 students did not provide usable data for Q29.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q30. Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	10.3	(7.4 - 13.1)	646	10.8	(7.0 - 14.5)	361	9.7	(6.9 - 12.6)	281
Age									
12 or younger	-	-	58	-	-	28	-	-	30
13-15	10.3	(7.0 - 13.7)	547	10.8	(7.2 - 14.5)	310	9.7	(5.9 - 13.4)	235
16 or older	-	-	39	-	-	23	-	-	15
Grade									
7° Primary	10.5	(5.6 - 15.5)	175	-	-	96	-	-	78
8° Primary	9.4	(6.6 - 12.2)	263	10.2	(6.5 - 13.8)	150	8.3	(4.6 - 12.0)	113
1° Secondary	11.0	(6.1 - 16.0)	200	11.9	(6.2 - 17.7)	112	-	-	88

Notes:

1465 students were excluded from this analysis or did not provide usable data for Q30.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q31. Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	3.1	(1.9 - 4.3)	648	3.0	(1.3 - 4.6)	363	3.1	(1.3 - 4.9)	281
Age									
12 or younger	-	-	59	-	-	28	-	-	31
13-15	3.3	(1.8 - 4.8)	546	3.2	(1.3 - 5.2)	310	3.4	(1.2 - 5.6)	234
16 or older	-	-	41	-	-	25	-	-	15
Grade									
7° Primary	3.6	(2.4 - 4.9)	174	-	-	94	-	-	79
8° Primary	2.4	(0.3 - 4.5)	264	3.4	(0.5 - 6.4)	152	0.9	(0.0 - 2.7)	112
1° Secondary	3.1	(0.1 - 6.0)	202	2.1	(0.0 - 5.1)	114	-	-	88

Notes:

1463 students were excluded from this analysis or did not provide usable data for Q31.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q32. Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	64.7	(61.2 - 68.3)	637	64.0	(60.2 - 67.8)	358	66.8	(60.0 - 73.6)	276
Age									
12 or younger	-	-	57	-	-	27	-	-	30
13-15	64.8	(61.1 - 68.4)	540	63.8	(60.0 - 67.7)	307	66.9	(59.2 - 74.5)	231
16 or older	-	-	38	-	-	24	-	-	14
Grade									
7° Primary	69.5	(64.2 - 74.8)	172	-	-	94	-	-	77
8° Primary	63.6	(59.6 - 67.7)	258	62.5	(56.9 - 68.1)	150	65.4	(57.5 - 73.3)	108
1° Secondary	61.4	(53.5 - 69.2)	200	58.0	(48.8 - 67.2)	111	-	-	89

Notes:

1474 students were excluded from this analysis or did not provide usable data for Q32.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q33. Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	46.9	(42.2 - 51.7)	649	47.8	(42.6 - 53.1)	363	45.4	(35.9 - 54.9)	282
Age									
12 or younger	-	-	59	-	-	28	-	-	31
13-15	44.6	(38.9 - 50.4)	548	47.4	(42.1 - 52.6)	311	40.3	(30.2 - 50.5)	235
16 or older	-	-	40	-	-	24	-	-	15
Grade									
7° Primary	48.7	(40.5 - 56.8)	175	-	-	95	-	-	79
8° Primary	46.0	(39.9 - 52.1)	263	45.5	(40.3 - 50.8)	152	46.7	(32.7 - 60.7)	111
1° Secondary	46.1	(35.6 - 56.5)	203	50.8	(39.8 - 61.7)	113	-	-	90

Notes:

1462 students were excluded from this analysis or did not provide usable data for Q33.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q34. Percentage of students who had a most serious injury which made them lose, loosen, or break a tooth during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	3.5	(2.6 - 4.5)	1,956	4.1	(2.4 - 5.8)	887	3.0	(2.0 - 4.0)	1,066
Age									
12 or younger	3.1	(1.5 - 4.8)	191	-	-	80	4.6	(2.2 - 6.9)	111
13-15	3.4	(2.2 - 4.6)	1,646	4.4	(2.2 - 6.5)	743	2.4	(1.4 - 3.5)	901
16 or older	6.5	(3.0 - 10.0)	114	-	-	61	-	-	53
Grade									
7° Primary	4.9	(2.9 - 6.9)	505	6.4	(2.4 - 10.3)	238	3.3	(1.2 - 5.5)	266
8° Primary	4.3	(2.4 - 6.3)	742	4.3	(1.1 - 7.5)	355	4.3	(2.7 - 6.0)	386
1° Secondary	1.2	(0.5 - 2.0)	696	1.1	(0.0 - 2.3)	290	1.3	(0.1 - 2.6)	406

Notes:

155 students did not provide usable data for Q34.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q35. Percentage of students who had the most serious injury at school during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	12.0	(9.9 - 14.2)	1,938	11.5	(9.0 - 14.0)	882	12.6	(10.2 - 14.9)	1,053
Age									
12 or younger	16.1	(11.1 - 21.1)	188	-	-	79	19.7	(11.5 - 27.8)	109
13-15	11.6	(9.2 - 13.9)	1,633	12.0	(9.1 - 14.8)	739	11.2	(8.4 - 14.0)	892
16 or older	9.5	(4.2 - 14.8)	113	-	-	62	-	-	51
Grade									
7° Primary	13.7	(11.0 - 16.4)	496	10.8	(8.1 - 13.6)	235	16.8	(11.2 - 22.3)	260
8° Primary	14.1	(10.0 - 18.2)	734	15.3	(9.3 - 21.4)	353	12.9	(9.7 - 16.2)	380
1° Secondary	8.5	(6.5 - 10.5)	695	8.6	(6.8 - 10.3)	290	8.4	(5.1 - 11.6)	405

Notes:

173 students did not provide usable data for Q35.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q36. Percentage of students who poisoned themselves with medicines, quimical products, or insecticides during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.9	(7.6 - 10.2)	2,093	8.5	(6.1 - 10.9)	972	9.5	(8.2 - 10.8)	1,115
Age									
12 or younger	6.0	(3.1 - 8.8)	203	-	-	88	7.8	(3.2 - 12.4)	115
13-15	9.1	(7.3 - 10.8)	1,753	8.7	(5.7 - 11.8)	806	9.4	(7.9 - 11.0)	944
16 or older	13.6	(7.9 - 19.3)	131	-	-	75	-	-	55
Grade									
7° Primary	10.9	(8.5 - 13.2)	545	11.2	(6.9 - 15.6)	261	10.5	(8.2 - 12.8)	283
8° Primary	7.7	(6.1 - 9.4)	785	5.5	(3.2 - 7.8)	379	10.1	(7.8 - 12.4)	405
1° Secondary	8.4	(6.4 - 10.4)	745	8.8	(5.4 - 12.2)	326	8.0	(4.5 - 11.4)	419

Notes:

18 students did not provide usable data for Q36.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q37. Percentage of students who were bullied on one or more days during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	45.4	(41.3 - 49.5)	1,950	48.0	(43.6 - 52.3)	887	42.7	(37.1 - 48.2)	1,059
Age									
12 or younger	46.3	(37.2 - 55.4)	189	-	-	81	45.0	(34.2 - 55.9)	108
13-15	45.8	(41.6 - 50.1)	1,645	49.9	(45.5 - 54.3)	738	41.6	(35.8 - 47.4)	904
16 or older	38.8	(31.6 - 46.1)	113	-	-	66	-	-	46
Grade									
7° Primary	51.5	(46.4 - 56.6)	494	56.7	(52.9 - 60.5)	230	46.2	(37.7 - 54.7)	263
8° Primary	47.7	(41.9 - 53.5)	734	50.2	(43.5 - 56.9)	348	45.1	(36.6 - 53.5)	385
1° Secondary	37.2	(31.4 - 43.0)	707	37.3	(29.9 - 44.7)	304	37.1	(30.0 - 44.2)	403

Notes:

161 students did not provide usable data for Q37.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q38. Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	5.9	(4.4 - 7.5)	857	8.0	(4.5 - 11.4)	411	3.7	(1.4 - 6.1)	442
Age									
12 or younger	-	-	87	-	-	38	-	-	49
13-15	5.8	(3.9 - 7.8)	726	7.7	(3.4 - 12.0)	353	3.7	(1.1 - 6.3)	370
16 or older	-	-	43	-	-	20	-	-	22
Grade									
7° Primary	8.4	(4.0 - 12.8)	248	10.4	(3.6 - 17.2)	125	6.1	(0.3 - 11.9)	122
8° Primary	5.2	(2.7 - 7.7)	344	7.0	(3.1 - 10.8)	172	3.4	(1.3 - 5.5)	171
1° Secondary	3.6	(1.7 - 5.6)	258	5.9	(1.9 - 9.9)	111	1.3	(0.0 - 2.8)	147

Notes:

1254 students were excluded from this analysis or did not provide usable data for Q38.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q39. Percentage of students who had a member of their family punish them physically never or rarely during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	89.7	(88.6 - 90.7)	2,094	90.1	(88.7 - 91.5)	971	89.5	(87.4 - 91.5)	1,117
Age									
12 or younger	94.1	(90.5 - 97.7)	207	-	-	89	94.8	(90.3 - 99.2)	118
13-15	88.7	(87.3 - 90.0)	1,750	89.0	(87.3 - 90.7)	804	88.4	(85.8 - 90.9)	943
16 or older	95.1	(92.6 - 97.7)	131	-	-	75	-	-	55
Grade									
7° Primary	87.8	(85.4 - 90.2)	550	88.8	(86.1 - 91.5)	263	87.0	(82.6 - 91.5)	286
8° Primary	88.1	(85.6 - 90.7)	780	86.4	(83.2 - 89.6)	378	89.9	(86.3 - 93.4)	401
1° Secondary	93.2	(90.8 - 95.6)	746	94.8	(92.5 - 97.1)	324	91.6	(88.1 - 95.0)	422

Notes:

17 students did not provide usable data for Q39.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q40. Percentage of students who felt lonely most of the time or always during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	17.4	(16.0 - 18.8)	2,094	9.9	(8.6 - 11.2)	974	25.2	(22.8 - 27.7)	1,114
Age									
12 or younger	16.0	(12.5 - 19.4)	207	-	-	89	25.2	(19.9 - 30.5)	118
13-15	17.7	(15.9 - 19.4)	1,750	10.6	(9.2 - 11.9)	807	25.0	(22.2 - 27.8)	940
16 or older	16.5	(13.2 - 19.8)	131	-	-	75	-	-	55
Grade									
7° Primary	20.0	(16.8 - 23.1)	551	10.1	(6.5 - 13.7)	264	30.1	(25.3 - 34.8)	286
8° Primary	17.3	(14.6 - 20.1)	781	10.4	(7.6 - 13.3)	379	24.5	(20.4 - 28.7)	401
1° Secondary	14.6	(12.0 - 17.3)	745	9.2	(6.5 - 11.9)	325	20.4	(16.0 - 24.8)	420

Notes:

17 students did not provide usable data for Q40.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q41. Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.5	(8.4 - 10.6)	2,105	6.4	(4.9 - 8.0)	977	12.7	(10.7 - 14.7)	1,122
Age									
12 or younger	8.6	(5.1 - 12.1)	205	-	-	89	11.9	(8.2 - 15.6)	116
13-15	9.3	(7.8 - 10.8)	1,762	6.4	(4.6 - 8.1)	810	12.4	(9.8 - 15.0)	949
16 or older	12.3	(8.1 - 16.5)	132	-	-	75	-	-	56
Grade									
7° Primary	11.4	(9.8 - 13.0)	551	7.4	(5.2 - 9.6)	264	15.7	(12.6 - 18.8)	286
8° Primary	7.9	(5.9 - 10.0)	785	4.8	(2.5 - 7.1)	380	11.2	(7.9 - 14.5)	404
1° Secondary	8.9	(7.0 - 10.8)	751	7.1	(4.8 - 9.4)	327	10.8	(7.4 - 14.2)	424

Notes:

6 students did not provide usable data for Q41.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q42. Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	31.2	(27.8 - 34.7)	2,101	21.6	(18.8 - 24.5)	975	41.3	(36.1 - 46.4)	1,121
Age									
12 or younger	26.0	(17.4 - 34.7)	206	-	-	89	31.5	(21.7 - 41.3)	117
13-15	31.6	(28.1 - 35.0)	1,758	21.4	(18.7 - 24.1)	808	42.0	(36.9 - 47.1)	947
16 or older	37.4	(27.7 - 47.2)	132	-	-	75	-	-	56
Grade									
7° Primary	34.7	(28.9 - 40.5)	550	25.8	(22.8 - 28.8)	264	43.8	(33.2 - 54.5)	285
8° Primary	31.7	(27.6 - 35.9)	784	20.9	(17.0 - 24.8)	379	42.7	(36.1 - 49.3)	404
1° Secondary	27.3	(22.6 - 32.0)	750	18.4	(12.9 - 23.9)	326	36.8	(31.0 - 42.5)	424

Notes:

10 students did not provide usable data for Q42.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q43. Percentage of students who seriously considered attempting suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	21.7	(19.2 - 24.1)	2,095	12.3	(9.3 - 15.2)	969	31.5	(28.0 - 35.0)	1,120
Age									
12 or younger	17.1	(8.4 - 25.7)	207	-	-	89	22.1	(12.8 - 31.4)	118
13-15	21.9	(19.3 - 24.5)	1,751	12.1	(9.3 - 15.0)	803	31.9	(28.1 - 35.8)	945
16 or older	27.9	(23.3 - 32.4)	131	-	-	74	-	-	56
Grade									
7° Primary	20.7	(15.3 - 26.1)	550	12.6	(6.2 - 19.1)	262	29.2	(23.4 - 35.0)	287
8° Primary	23.0	(20.0 - 26.0)	782	13.7	(10.2 - 17.3)	378	32.3	(27.9 - 36.7)	403
1° Secondary	21.4	(17.6 - 25.3)	745	10.6	(8.2 - 13.0)	323	32.8	(26.6 - 39.0)	422

Notes:

16 students did not provide usable data for Q43.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q44. Percentage of students who made a plan about how they would attempt suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	16.4	(14.8 - 18.0)	2,056	9.3	(6.8 - 11.9)	956	23.8	(21.1 - 26.6)	1,096
Age									
12 or younger	11.5	(6.1 - 16.9)	201	-	-	86	19.1	(11.1 - 27.1)	115
13-15	16.8	(14.9 - 18.6)	1,723	9.8	(7.0 - 12.6)	794	24.0	(21.0 - 27.0)	926
16 or older	21.0	(16.1 - 26.0)	127	-	-	73	-	-	54
Grade									
7° Primary	15.9	(11.3 - 20.5)	542	11.1	(5.2 - 16.9)	261	21.1	(16.2 - 26.1)	280
8° Primary	17.6	(14.8 - 20.3)	772	9.2	(6.1 - 12.2)	374	26.0	(21.1 - 30.8)	397
1° Secondary	16.1	(12.7 - 19.5)	728	7.8	(4.1 - 11.6)	315	24.8	(21.1 - 28.5)	413

Notes:

55 students did not provide usable data for Q44.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q45. Percentage of students who have no close friends

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	7.4	(5.9 - 8.9)	2,090	7.0	(5.0 - 9.0)	967	7.9	(6.0 - 9.8)	1,118
Age									
12 or younger	6.2	(2.5 - 10.0)	205	-	-	87	6.1	(1.6 - 10.6)	118
13-15	8.0	(6.5 - 9.4)	1,749	7.7	(5.6 - 9.7)	802	8.3	(6.4 - 10.2)	944
16 or older	3.3	(1.4 - 5.2)	131	-	-	75	-	-	55
Grade									
7° Primary	8.1	(5.4 - 10.8)	544	7.7	(4.6 - 10.7)	257	8.5	(5.0 - 12.1)	286
8° Primary	8.4	(6.3 - 10.4)	782	8.6	(5.5 - 11.6)	378	8.2	(5.7 - 10.7)	403
1° Secondary	5.8	(4.4 - 7.2)	747	4.9	(2.6 - 7.2)	326	6.8	(5.0 - 8.6)	421

Notes:

21 students did not provide usable data for Q45.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q46. Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	19.1	(15.5 - 22.7)	607	17.8	(12.2 - 23.4)	245	20.0	(15.6 - 24.4)	359
Age									
12 or younger	-	-	15	-	-	4	-	-	11
13-15	19.8	(15.7 - 23.9)	503	18.6	(12.2 - 25.0)	195	20.8	(15.3 - 26.3)	306
16 or older	-	-	86	-	-	45	-	-	41
Grade									
7° Primary	-	-	88	-	-	36	-	-	52
8° Primary	19.9	(15.8 - 23.9)	223	-	-	96	21.4	(15.3 - 27.4)	126
1° Secondary	15.9	(9.0 - 22.7)	289	16.3	(5.4 - 27.1)	111	15.5	(8.9 - 22.2)	178

Notes:

1504 students did not provide usable data for Q46.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q47. Percentage of students who smoked cigarettes on one or more days during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	29.9	(24.8 - 35.1)	1,967	26.7	(20.7 - 32.8)	905	33.0	(27.3 - 38.7)	1,058
Age									
12 or younger	8.3	(4.0 - 12.6)	186	-	-	78	10.8	(3.9 - 17.8)	108
13-15	29.8	(26.5 - 33.1)	1,656	25.7	(21.5 - 29.8)	755	33.9	(29.7 - 38.0)	898
16 or older	70.5	(63.3 - 77.8)	120	-	-	69	-	-	51
Grade									
7° Primary	17.9	(13.2 - 22.5)	503	15.6	(11.6 - 19.6)	237	20.3	(13.5 - 27.0)	265
8° Primary	30.4	(24.8 - 35.9)	737	26.9	(18.9 - 34.9)	357	33.8	(26.6 - 40.9)	379
1° Secondary	41.1	(34.2 - 48.1)	712	37.4	(28.6 - 46.1)	306	45.0	(36.9 - 53.2)	406

Notes:

144 students did not provide usable data for Q47.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q48. Percentage of students who used any other form of tobacco, such as chewing tobacco, snuff, cigars, or pipes on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.1	(3.8 - 8.5)	2,108	7.4	(4.4 - 10.3)	977	4.6	(2.7 - 6.5)	1,125
Age									
12 or younger	3.4	(0.3 - 6.6)	206	-	-	88	1.8	(0.0 - 5.3)	118
13-15	5.1	(3.8 - 6.5)	1,764	6.0	(4.3 - 7.6)	811	4.3	(2.9 - 5.7)	950
16 or older	21.7	(10.9 - 32.6)	132	-	-	75	-	-	56
Grade									
7° Primary	4.1	(2.1 - 6.0)	552	5.6	(3.1 - 8.0)	263	2.5	(0.0 - 5.1)	288
8° Primary	4.9	(3.2 - 6.7)	786	6.2	(3.9 - 8.6)	381	3.6	(2.3 - 4.9)	404
1° Secondary	9.1	(4.0 - 14.1)	752	10.2	(3.9 - 16.5)	327	7.9	(4.0 - 11.7)	425

Notes:

3 students did not provide usable data for Q48.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

M5. Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more days during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	30.5	(25.4 - 35.6)	1,965	27.7	(21.7 - 33.6)	904	33.3	(27.7 - 38.9)	1,057
Age									
12 or younger	8.8	(4.1 - 13.5)	186	-	-	78	10.8	(3.9 - 17.8)	108
13-15	30.4	(27.2 - 33.7)	1,654	26.7	(22.4 - 30.9)	754	34.2	(30.2 - 38.2)	897
16 or older	70.5	(63.3 - 77.8)	120	-	-	69	-	-	51
Grade									
7° Primary	18.5	(14.0 - 23.0)	502	16.9	(13.3 - 20.5)	236	20.3	(13.5 - 27.0)	265
8° Primary	30.8	(25.3 - 36.2)	736	27.1	(19.2 - 35.1)	357	34.3	(27.3 - 41.3)	378
1° Secondary	41.7	(34.6 - 48.7)	712	38.3	(29.6 - 47.0)	306	45.2	(37.4 - 53.1)	406

Notes:

146 students were excluded from this analysis or did not provide usable data for M5.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q49. Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	61.7	(57.8 - 65.6)	719	59.9	(53.5 - 66.4)	297	63.3	(57.7 - 68.9)	418
Age									
12 or younger	-	-	21	-	-	6	-	-	15
13-15	60.2	(55.2 - 65.2)	605	58.2	(51.0 - 65.5)	242	62.0	(54.7 - 69.3)	360
16 or older	-	-	90	-	-	48	-	-	42
Grade									
7° Primary	60.6	(49.9 - 71.3)	123	-	-	53	-	-	69
8° Primary	62.1	(56.8 - 67.5)	260	60.1	(52.3 - 68.0)	113	64.3	(57.6 - 71.1)	146
1° Secondary	61.9	(54.5 - 69.3)	327	60.0	(49.7 - 70.4)	128	63.6	(52.0 - 75.1)	199

Notes:

1392 students were excluded from this analysis or did not provide usable data for Q49.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q50. Percentage of students who reported people smoking in their presence on one or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	83.3	(81.0 - 85.7)	2,096	83.0	(79.8 - 86.3)	968	83.7	(80.8 - 86.5)	1,122
Age									
12 or younger	73.1	(64.6 - 81.6)	205	-	-	87	71.8	(62.7 - 81.0)	118
13-15	84.2	(82.2 - 86.2)	1,754	83.1	(79.8 - 86.5)	804	85.2	(83.0 - 87.4)	947
16 or older	92.1	(88.2 - 95.9)	131	-	-	74	-	-	56
Grade									
7° Primary	77.0	(71.4 - 82.5)	551	76.9	(69.0 - 84.7)	262	77.0	(71.9 - 82.1)	288
8° Primary	83.1	(81.1 - 85.1)	781	81.4	(78.0 - 84.7)	377	84.9	(81.7 - 88.1)	403
1° Secondary	90.0	(87.3 - 92.7)	746	90.8	(88.6 - 93.1)	323	89.1	(85.5 - 92.8)	423

Notes:

15 students did not provide usable data for Q50.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q51. Percentage of students who have a parent or guardian who uses any form of tobacco

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	53.3	(50.9 - 55.7)	2,098	50.6	(46.7 - 54.6)	972	56.0	(53.2 - 58.8)	1,120
Age									
12 or younger	43.7	(37.2 - 50.3)	206	-	-	88	45.0	(36.7 - 53.4)	118
13-15	54.3	(51.6 - 57.0)	1,756	51.1	(46.8 - 55.5)	807	57.6	(54.1 - 61.2)	946
16 or older	58.0	(49.9 - 66.2)	130	-	-	74	-	-	55
Grade									
7° Primary	49.3	(44.8 - 53.8)	551	47.6	(39.3 - 55.9)	263	51.0	(46.3 - 55.6)	287
8° Primary	55.6	(52.4 - 58.8)	782	52.6	(46.1 - 59.1)	377	58.8	(54.7 - 62.9)	404
1° Secondary	54.9	(50.3 - 59.5)	747	51.6	(44.1 - 59.1)	326	58.5	(52.0 - 64.9)	421

Notes:

13 students did not provide usable data for Q51.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q52. Percentage of students who have adults smoke at their school

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	69.1	(62.4 - 75.8)	1,618	68.0	(58.8 - 77.3)	759	70.2	(64.4 - 75.9)	854
Age									
12 or younger	71.6	(61.1 - 82.0)	164	-	-	70	-	-	94
13-15	68.1	(61.0 - 75.3)	1,343	66.8	(56.7 - 76.8)	625	69.5	(63.0 - 76.0)	716
16 or older	75.8	(64.1 - 87.5)	105	-	-	61	-	-	43
Grade									
7° Primary	66.8	(55.8 - 77.7)	431	66.2	(52.5 - 79.8)	207	67.3	(55.8 - 78.8)	223
8° Primary	71.5	(63.8 - 79.2)	630	68.6	(59.4 - 77.7)	298	74.4	(66.2 - 82.6)	332
1° Secondary	69.1	(58.3 - 79.9)	546	69.6	(56.9 - 82.2)	252	68.4	(58.9 - 77.9)	294

Notes:

493 students did not provide usable data for Q52.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q53. Percentage of students who had someone smoke in their classroom during the past week

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.1	(5.0 - 17.2)	2,072	11.7	(3.2 - 20.2)	962	10.4	(6.6 - 14.2)	1,105
Age									
12 or younger	6.9	(2.8 - 11.0)	207	-	-	89	8.2	(2.7 - 13.7)	118
13-15	9.6	(5.4 - 13.8)	1,729	10.0	(3.8 - 16.3)	796	9.1	(6.1 - 12.2)	931
16 or older	36.3	(12.4 - 60.1)	130	-	-	74	-	-	55
Grade									
7° Primary	6.6	(3.5 - 9.7)	544	4.2	(1.2 - 7.2)	260	9.1	(5.1 - 13.1)	284
8° Primary	9.8	(5.6 - 14.0)	773	10.3	(5.6 - 15.1)	378	9.3	(5.3 - 13.3)	394
1° Secondary	16.8	(2.9 - 30.8)	737	20.5	(1.5 - 39.4)	318	13.0	(4.5 - 21.6)	419

Notes:

39 students did not provide usable data for Q53.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q54. Percentage of students who drank alcohol on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	33.0	(29.1 - 37.0)	1,993	31.6	(26.9 - 36.3)	912	34.6	(30.5 - 38.6)	1,075
Age									
12 or younger	13.5	(8.8 - 18.2)	195	-	-	82	13.8	(7.1 - 20.5)	113
13-15	34.0	(30.2 - 37.8)	1,671	31.1	(26.0 - 36.1)	756	37.0	(33.2 - 40.7)	912
16 or older	58.4	(46.3 - 70.5)	121	-	-	71	-	-	49
Grade									
7° Primary	21.0	(15.6 - 26.4)	506	20.0	(13.8 - 26.2)	237	22.1	(16.8 - 27.5)	268
8° Primary	33.1	(29.6 - 36.6)	749	31.4	(26.4 - 36.5)	357	34.6	(29.8 - 39.3)	391
1° Secondary	44.6	(37.9 - 51.4)	720	42.9	(33.8 - 52.0)	312	46.4	(41.2 - 51.7)	408

Notes:

118 students did not provide usable data for Q54.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q55. Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	18.8	(14.9 - 22.6)	1,997	18.7	(14.1 - 23.3)	912	18.9	(14.9 - 22.9)	1,079
Age									
12 or younger	4.5	(1.9 - 7.0)	196	-	-	83	4.0	(1.0 - 7.0)	113
13-15	18.9	(15.8 - 22.0)	1,671	18.0	(13.6 - 22.3)	755	20.0	(16.5 - 23.5)	913
16 or older	44.8	(36.8 - 52.8)	124	-	-	71	-	-	52
Grade									
7° Primary	9.5	(6.4 - 12.6)	510	8.8	(3.2 - 14.4)	237	10.2	(7.0 - 13.5)	272
8° Primary	18.6	(14.7 - 22.4)	747	18.4	(14.5 - 22.4)	359	18.8	(13.2 - 24.4)	387
1° Secondary	28.1	(21.8 - 34.3)	722	28.8	(21.1 - 36.6)	310	27.3	(20.7 - 33.8)	412

Notes:

114 students did not provide usable data for Q55.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q56. Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.9	(6.2 - 11.7)	1,964	11.6	(8.0 - 15.2)	894	6.3	(4.3 - 8.2)	1,065
Age									
12 or younger	2.3	(0.8 - 3.8)	192	-	-	81	1.0	(0.0 - 2.8)	111
13-15	8.2	(6.0 - 10.4)	1,650	9.8	(7.2 - 12.5)	742	6.6	(4.6 - 8.6)	905
16 or older	30.6	(21.6 - 39.7)	116	-	-	68	-	-	48
Grade									
7° Primary	2.3	(1.3 - 3.4)	505	3.5	(1.1 - 5.8)	236	1.2	(0.0 - 2.5)	268
8° Primary	8.9	(6.7 - 11.1)	733	10.6	(7.5 - 13.7)	347	7.3	(4.1 - 10.5)	385
1° Secondary	15.6	(10.9 - 20.4)	709	20.8	(14.8 - 26.8)	305	10.2	(6.5 - 14.0)	404

Notes:

147 students did not provide usable data for Q56.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q57. Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	26.2	(22.0 - 30.3)	2,095	26.8	(22.2 - 31.5)	971	25.1	(21.0 - 29.2)	1,118
Age									
12 or younger	8.6	(4.6 - 12.5)	206	-	-	89	9.5	(4.3 - 14.7)	117
13-15	25.7	(22.9 - 28.4)	1,752	25.5	(22.2 - 28.7)	805	25.8	(22.7 - 28.8)	944
16 or older	64.0	(56.1 - 71.9)	131	-	-	74	-	-	56
Grade									
7° Primary	15.1	(12.4 - 17.7)	553	13.9	(10.7 - 17.0)	264	16.4	(12.8 - 20.0)	288
8° Primary	27.6	(23.9 - 31.4)	778	29.3	(25.0 - 33.7)	377	25.6	(20.4 - 30.8)	400
1° Secondary	35.7	(29.4 - 41.9)	746	38.0	(32.0 - 43.9)	324	33.2	(26.2 - 40.2)	422

Notes:

16 students did not provide usable data for Q57.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q58. Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	17.9	(15.2 - 20.5)	2,095	17.6	(14.1 - 21.1)	973	18.2	(15.8 - 20.6)	1,117
Age									
12 or younger	3.9	(0.9 - 6.8)	205	-	-	87	3.4	(1.0 - 5.8)	118
13-15	17.8	(16.0 - 19.6)	1,755	16.6	(13.6 - 19.5)	808	19.1	(17.0 - 21.3)	944
16 or older	44.1	(40.1 - 48.1)	129	-	-	75	-	-	54
Grade									
7° Primary	12.4	(9.4 - 15.4)	547	10.9	(5.9 - 16.0)	260	14.0	(10.8 - 17.1)	286
8° Primary	16.9	(14.4 - 19.3)	783	15.3	(11.9 - 18.7)	380	18.5	(15.5 - 21.4)	402
1° Secondary	24.5	(19.9 - 29.1)	748	26.6	(20.2 - 33.1)	327	22.3	(19.3 - 25.3)	421

Notes:

16 students did not provide usable data for Q58.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q59. Percentage of students who used drugs, such as marijuana or cocaine one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.1	(7.4 - 14.8)	2,085	12.4	(8.8 - 15.9)	964	9.8	(5.8 - 13.7)	1,116
Age									
12 or younger	2.0	(0.0 - 4.3)	207	-	-	89	2.6	(0.0 - 6.2)	118
13-15	10.1	(7.6 - 12.5)	1,743	10.7	(8.7 - 12.7)	798	9.5	(6.0 - 12.9)	942
16 or older	39.1	(29.4 - 48.8)	129	-	-	74	-	-	55
Grade									
7° Primary	4.7	(2.4 - 7.0)	547	4.1	(1.7 - 6.6)	259	5.3	(0.9 - 9.7)	287
8° Primary	9.1	(6.4 - 11.8)	778	11.2	(7.5 - 14.9)	376	7.0	(4.4 - 9.6)	401
1° Secondary	19.4	(13.3 - 25.4)	744	21.5	(15.9 - 27.1)	323	17.2	(10.3 - 24.0)	421

Notes:

26 students did not provide usable data for Q59.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q60. Percentage of students who took tranquilizers, such as diazepam, clonazepam, lorazepam, or bromazepam during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.1	(7.7 - 10.4)	2,090	8.3	(7.0 - 9.6)	968	9.8	(7.6 - 11.9)	1,116
Age									
12 or younger	7.9	(4.4 - 11.3)	204	-	-	87	8.0	(3.0 - 13.0)	117
13-15	8.7	(7.1 - 10.3)	1,752	7.5	(5.8 - 9.3)	805	9.8	(7.2 - 12.5)	944
16 or older	15.9	(10.0 - 21.9)	128	-	-	73	-	-	54
Grade									
7° Primary	10.0	(8.3 - 11.7)	547	9.3	(6.3 - 12.3)	260	10.8	(7.9 - 13.7)	286
8° Primary	7.2	(4.7 - 9.7)	780	6.7	(3.5 - 9.9)	377	7.7	(4.0 - 11.3)	402
1° Secondary	9.6	(6.9 - 12.3)	745	8.5	(6.2 - 10.8)	325	10.7	(6.5 - 15.0)	420

Notes:

21 students did not provide usable data for Q60.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q61. Percentage of students who took Ritalin (medicine for hyperactive children) during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.6	(3.1 - 6.1)	2,100	4.9	(3.3 - 6.5)	973	4.0	(2.2 - 5.8)	1,121
Age									
12 or younger	8.3	(4.5 - 12.1)	207	-	-	89	7.1	(0.9 - 13.3)	118
13-15	3.9	(2.7 - 5.2)	1,755	3.9	(2.3 - 5.6)	806	3.6	(2.3 - 5.0)	946
16 or older	5.3	(1.1 - 9.5)	132	-	-	75	-	-	56
Grade									
7° Primary	7.3	(4.0 - 10.7)	553	7.6	(4.2 - 11.0)	264	6.7	(1.6 - 11.8)	288
8° Primary	2.7	(1.6 - 3.8)	781	2.6	(1.0 - 4.1)	377	2.9	(1.7 - 4.1)	403
1° Secondary	3.2	(1.8 - 4.7)	748	4.1	(2.5 - 5.7)	326	2.3	(0.9 - 3.8)	422

Notes:

11 students did not provide usable data for Q61.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q62. Percentage of students who have ever had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	17.3	(12.1 - 22.5)	1,847	24.4	(18.3 - 30.6)	828	10.4	(6.7 - 14.1)	1,015
Age									
12 or younger	5.3	(2.9 - 7.6)	184	-	-	76	3.0	(0.0 - 6.3)	108
13-15	16.2	(12.5 - 20.0)	1,547	23.1	(18.6 - 27.6)	689	9.6	(7.1 - 12.2)	855
16 or older	54.5	(42.5 - 66.5)	113	-	-	61	-	-	51
Grade									
7° Primary	11.2	(6.6 - 15.8)	459	15.6	(8.2 - 23.0)	208	7.0	(2.7 - 11.3)	250
8° Primary	13.8	(10.2 - 17.4)	704	20.6	(15.2 - 26.1)	333	7.2	(4.0 - 10.3)	370
1° Secondary	26.8	(16.8 - 36.9)	670	36.6	(25.1 - 48.1)	283	17.1	(9.4 - 24.8)	387

Notes:

264 students did not provide usable data for Q62.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q63. Percentage of students who had sexual intercourse for the first time before age 13

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.3	(4.5 - 8.0)	1,863	10.4	(7.7 - 13.0)	835	2.2	(1.0 - 3.5)	1,023
Age									
12 or younger	5.9	(3.5 - 8.4)	183	-	-	77	3.0	(0.0 - 6.5)	106
13-15	6.2	(4.5 - 8.0)	1,564	10.4	(7.8 - 13.1)	696	2.2	(0.9 - 3.4)	865
16 or older	7.6	(3.7 - 11.5)	112	-	-	60	-	-	51
Grade									
7° Primary	7.8	(4.7 - 11.0)	465	13.4	(7.6 - 19.2)	212	2.5	(0.0 - 5.5)	252
8° Primary	5.1	(2.5 - 7.7)	707	7.8	(3.3 - 12.3)	333	2.5	(1.0 - 4.0)	373
1° Secondary	6.0	(3.4 - 8.7)	676	10.2	(6.0 - 14.5)	286	1.8	(0.6 - 3.1)	390

Notes:

248 students did not provide usable data for Q63.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q64. Percentage of students who used a condom the first time they had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.5	(4.8 - 8.1)	2,094	9.1	(7.3 - 10.8)	970	3.8	(2.2 - 5.3)	1,118
Age									
12 or younger	2.2	(0.3 - 4.1)	206	-	-	88	1.9	(0.0 - 4.4)	118
13-15	6.0	(4.4 - 7.7)	1,755	8.4	(6.6 - 10.2)	807	3.6	(2.1 - 5.2)	945
16 or older	19.4	(12.8 - 26.0)	128	-	-	73	-	-	54
Grade									
7° Primary	4.8	(2.1 - 7.5)	551	6.5	(3.9 - 9.1)	262	3.1	(0.0 - 6.4)	288
8° Primary	4.8	(3.2 - 6.4)	782	7.1	(4.4 - 9.8)	378	2.5	(0.6 - 4.3)	403
1° Secondary	9.7	(6.7 - 12.8)	743	13.5	(10.3 - 16.7)	324	5.7	(3.0 - 8.4)	419

Notes:

17 students did not provide usable data for Q64.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q65. Percentage of students who have had sexual intercourse with two or more people during their life time

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	7.3	(4.8 - 9.7)	1,864	12.1	(7.9 - 16.2)	834	2.6	(1.5 - 3.7)	1,025
Age									
12 or younger	1.3	(0.8 - 1.7)	184	-	-	76	1.1	(0.0 - 3.2)	108
13-15	6.8	(4.9 - 8.6)	1,564	11.2	(8.1 - 14.3)	696	2.4	(1.2 - 3.7)	865
16 or older	24.9	(15.8 - 34.0)	112	-	-	60	-	-	51
Grade									
7° Primary	4.2	(2.0 - 6.4)	468	6.6	(2.2 - 10.9)	211	2.0	(0.0 - 4.2)	256
8° Primary	6.4	(4.3 - 8.6)	707	10.5	(6.1 - 15.0)	335	2.4	(0.8 - 4.0)	371
1° Secondary	11.1	(5.8 - 16.5)	674	19.1	(10.4 - 27.8)	284	3.2	(1.3 - 5.1)	390

Notes:

247 students did not provide usable data for Q65.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q66. Percentage of students who had sexual intercourse during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.1	(7.7 - 14.5)	1,964	14.6	(10.4 - 18.7)	897	7.7	(5.1 - 10.4)	1,062
Age									
12 or younger	1.7	(0.9 - 2.6)	187	-	-	76	1.1	(0.0 - 3.1)	111
13-15	10.2	(7.7 - 12.7)	1,653	13.5	(9.9 - 17.1)	754	6.8	(5.1 - 8.6)	896
16 or older	40.3	(29.5 - 51.2)	120	-	-	65	-	-	54
Grade									
7° Primary	5.5	(3.7 - 7.3)	498	5.9	(2.4 - 9.4)	231	5.1	(2.3 - 7.9)	266
8° Primary	8.4	(6.0 - 10.7)	743	12.2	(8.2 - 16.3)	357	4.4	(2.6 - 6.3)	385
1° Secondary	19.6	(11.9 - 27.2)	706	25.3	(16.2 - 34.5)	303	13.6	(7.1 - 20.1)	403

Notes:

147 students did not provide usable data for Q66.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q67. Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	49.1	(39.0 - 59.2)	212	52.8	(42.2 - 63.5)	131	-	-	81
Age									
12 or younger	-	-	3	-	-	2	-	-	1
13-15	46.4	(36.4 - 56.4)	161	50.3	(38.9 - 61.7)	102	-	-	59
16 or older	-	-	47	-	-	26	-	-	21
Grade									
7° Primary	-	-	26	-	-	13	-	-	13
8° Primary	-	-	60	-	-	44	-	-	16
1° Secondary	50.4	(39.9 - 60.8)	124	-	-	73	-	-	51

Notes:

1899 students were excluded from this analysis or did not provide usable data for Q67.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q68. Percentage of students who think they can avoid AIDS by having just a unique healthy partner and wearing condom

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	67.9	(64.7 - 71.1)	2,074	63.9	(60.1 - 67.7)	963	72.2	(68.6 - 75.7)	1,105
Age									
12 or younger	63.6	(55.3 - 71.9)	202	-	-	86	65.9	(55.6 - 76.2)	116
13-15	69.2	(66.1 - 72.3)	1,737	64.5	(60.4 - 68.6)	800	74.0	(71.0 - 77.0)	934
16 or older	61.2	(54.5 - 68.0)	129	-	-	74	-	-	54
Grade									
7° Primary	61.7	(55.6 - 67.9)	542	56.0	(49.1 - 63.0)	259	67.6	(60.7 - 74.5)	282
8° Primary	70.5	(66.8 - 74.3)	770	66.7	(61.8 - 71.7)	374	74.4	(70.2 - 78.5)	395
1° Secondary	71.8	(67.9 - 75.6)	744	68.9	(64.2 - 73.6)	324	74.8	(70.7 - 78.9)	420

Notes:

37 students did not provide usable data for Q68.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q69. Percentage of students who practiced physical activity out of school on one or more days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	78.3	(75.2 - 81.3)	2,095	83.8	(80.4 - 87.2)	968	72.5	(68.7 - 76.3)	1,121
Age									
12 or younger	81.2	(76.2 - 86.3)	203	-	-	85	77.4	(71.5 - 83.2)	118
13-15	77.3	(74.0 - 80.6)	1,754	82.8	(78.7 - 86.9)	805	71.6	(67.8 - 75.5)	946
16 or older	85.2	(80.8 - 89.5)	132	-	-	75	-	-	56
Grade									
7° Primary	75.7	(70.2 - 81.2)	546	79.7	(71.3 - 88.0)	259	71.8	(64.6 - 79.1)	286
8° Primary	78.5	(75.2 - 81.8)	784	84.9	(81.8 - 88.1)	379	71.9	(67.3 - 76.4)	404
1° Secondary	80.5	(75.9 - 85.2)	747	87.0	(83.8 - 90.2)	324	73.7	(68.1 - 79.4)	423

Notes:

16 students did not provide usable data for Q69.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q70. Percentage of students who were physically active all seven days for a total of at least 60 minutes per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.8	(10.4 - 13.2)	2,093	15.8	(14.0 - 17.6)	971	7.8	(5.9 - 9.6)	1,116
Age									
12 or younger	15.0	(10.9 - 19.0)	205	-	-	88	12.3	(7.4 - 17.3)	117
13-15	11.3	(9.6 - 12.9)	1,750	15.4	(13.3 - 17.5)	805	7.0	(5.1 - 8.9)	942
16 or older	13.4	(7.3 - 19.6)	132	-	-	75	-	-	56
Grade									
7° Primary	11.6	(9.2 - 13.9)	548	15.6	(11.4 - 19.9)	262	7.3	(4.9 - 9.7)	285
8° Primary	14.6	(12.6 - 16.6)	780	19.3	(14.9 - 23.6)	377	9.9	(5.8 - 14.0)	402
1° Secondary	9.4	(6.8 - 12.0)	747	12.5	(8.1 - 17.0)	326	6.0	(4.4 - 7.6)	421

Notes:

18 students did not provide usable data for Q70.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q71. Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.2	(9.9 - 12.4)	2,095	15.0	(13.3 - 16.7)	971	7.2	(5.4 - 9.0)	1,118
Age									
12 or younger	15.0	(10.1 - 19.8)	203	-	-	86	12.4	(7.5 - 17.4)	117
13-15	10.5	(9.0 - 12.0)	1,754	14.6	(12.4 - 16.8)	807	6.3	(4.4 - 8.1)	944
16 or older	12.9	(7.3 - 18.5)	132	-	-	75	-	-	56
Grade									
7° Primary	11.4	(9.3 - 13.5)	546	15.0	(10.8 - 19.3)	260	7.7	(5.3 - 10.1)	285
8° Primary	14.1	(12.0 - 16.3)	782	19.4	(15.2 - 23.5)	378	8.8	(5.5 - 12.0)	403
1° Secondary	8.1	(5.9 - 10.3)	749	10.7	(7.8 - 13.6)	327	5.3	(3.3 - 7.2)	422

Notes:

16 students did not provide usable data for Q71.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

M6. Percentage of students who participated in an insufficient amount of physical activity

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	82.3	(80.6 - 84.1)	2,084	76.1	(73.5 - 78.7)	966	88.8	(86.6 - 91.0)	1,112
Age									
12 or younger	79.6	(74.6 - 84.7)	202	-	-	86	83.5	(77.7 - 89.4)	116
13-15	82.7	(80.7 - 84.8)	1,744	76.0	(72.8 - 79.3)	802	89.6	(87.2 - 91.9)	939
16 or older	81.9	(75.7 - 88.1)	132	-	-	75	-	-	56
Grade									
7° Primary	81.9	(79.4 - 84.4)	543	75.4	(71.2 - 79.6)	259	88.7	(85.9 - 91.4)	283
8° Primary	79.0	(76.4 - 81.6)	777	72.2	(67.7 - 76.6)	375	85.9	(81.3 - 90.4)	401
1° Secondary	86.0	(82.6 - 89.3)	746	80.7	(75.4 - 86.1)	326	91.6	(89.3 - 93.9)	420

Notes:

27 students did not provide usable data for M6.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q72. Percentage of students who spent most of their time doing physical activity at home

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	18.1	(15.5 - 20.8)	1,535	11.2	(8.5 - 13.9)	697	25.0	(21.8 - 28.2)	832
Age									
12 or younger	22.6	(13.2 - 32.0)	146	-	-	54	-	-	92
13-15	17.8	(15.1 - 20.6)	1,290	11.7	(8.6 - 14.7)	590	24.2	(21.1 - 27.2)	697
16 or older	-	-	94	-	-	51	-	-	42
Grade									
7° Primary	17.6	(12.9 - 22.4)	402	11.9	(6.9 - 16.9)	178	22.9	(17.6 - 28.3)	223
8° Primary	19.2	(16.0 - 22.5)	574	11.3	(7.5 - 15.2)	279	27.4	(23.1 - 31.8)	294
1° Secondary	17.6	(13.8 - 21.3)	545	10.4	(7.2 - 13.5)	235	25.2	(20.4 - 30.1)	310

Notes:

576 students did not provide usable data for Q72.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q73. Percentage of students whose main reason for not practicing physical activity out of school was they had no time

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.8	(7.6 - 9.9)	1,507	5.1	(3.0 - 7.3)	684	12.1	(10.7 - 13.6)	818
Age									
12 or younger	4.7	(2.8 - 6.6)	143	-	-	54	-	-	89
13-15	9.2	(7.8 - 10.7)	1,270	5.5	(3.4 - 7.7)	578	12.9	(11.1 - 14.7)	689
16 or older	-	-	89	-	-	50	-	-	39
Grade									
7° Primary	8.5	(6.0 - 11.0)	392	5.2	(2.1 - 8.3)	173	11.5	(8.6 - 14.4)	218
8° Primary	7.5	(5.5 - 9.4)	566	3.1	(0.9 - 5.3)	273	11.5	(8.6 - 14.5)	292
1° Secondary	10.1	(7.4 - 12.8)	536	7.2	(2.7 - 11.7)	233	13.3	(10.5 - 16.1)	303

Notes:

604 students did not provide usable data for Q73.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q74. Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities during a typical or usual day

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	43.9	(41.3 - 46.6)	2,083	38.4	(34.7 - 42.1)	966	49.7	(46.5 - 52.9)	1,112
Age									
12 or younger	36.1	(28.2 - 44.0)	203	-	-	88	39.9	(27.8 - 52.1)	115
13-15	45.6	(42.8 - 48.5)	1,745	40.0	(35.7 - 44.3)	800	51.3	(48.2 - 54.3)	942
16 or older	39.2	(32.4 - 46.0)	129	-	-	75	-	-	54
Grade									
7° Primary	35.5	(30.0 - 40.9)	539	30.9	(26.4 - 35.3)	257	40.1	(32.1 - 48.1)	281
8° Primary	46.0	(42.6 - 49.4)	783	40.6	(35.0 - 46.2)	379	51.4	(47.0 - 55.8)	403
1° Secondary	50.6	(45.0 - 56.1)	744	44.1	(37.8 - 50.5)	324	57.4	(51.4 - 63.4)	420

Notes:

28 students did not provide usable data for Q74.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q75. Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	37.0	(29.7 - 44.3)	2,094	36.0	(27.5 - 44.4)	969	38.1	(30.6 - 45.5)	1,119
Age									
12 or younger	35.5	(25.7 - 45.3)	205	-	-	88	35.7	(26.5 - 45.0)	117
13-15	36.8	(29.6 - 44.0)	1,751	35.3	(27.2 - 43.4)	803	38.2	(30.8 - 45.6)	945
16 or older	41.4	(28.2 - 54.5)	132	-	-	75	-	-	56
Grade									
7° Primary	32.5	(24.1 - 40.9)	543	34.1	(23.1 - 45.1)	256	30.6	(22.9 - 38.3)	286
8° Primary	27.6	(20.6 - 34.5)	784	26.6	(19.6 - 33.7)	381	28.6	(19.9 - 37.3)	402
1° Secondary	51.4	(41.5 - 61.3)	749	47.4	(36.4 - 58.5)	326	55.6	(44.1 - 67.2)	423

Notes:

17 students did not provide usable data for Q75.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q76. Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	68.8	(62.8 - 74.8)	2,079	72.2	(65.5 - 78.9)	961	65.4	(58.8 - 72.0)	1,113
Age									
12 or younger	79.4	(71.6 - 87.1)	202	-	-	86	77.3	(68.6 - 86.0)	116
13-15	67.8	(61.8 - 73.8)	1,742	72.0	(65.4 - 78.6)	799	63.5	(56.5 - 70.5)	940
16 or older	63.7	(51.5 - 75.9)	129	-	-	73	-	-	56
Grade									
7° Primary	79.5	(72.9 - 86.1)	537	82.2	(73.5 - 90.9)	255	76.6	(68.9 - 84.3)	281
8° Primary	73.5	(67.1 - 79.9)	780	76.3	(69.4 - 83.2)	378	70.5	(62.2 - 78.9)	401
1° Secondary	53.6	(45.6 - 61.6)	745	57.9	(48.5 - 67.2)	322	49.1	(38.1 - 60.2)	423

Notes:

32 students did not provide usable data for Q76.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

M7. Percentage of students who walked or bicycled to and from school for a total of 150 minutes or more during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	83.4	(81.0 - 85.9)	2,074	85.1	(82.4 - 87.9)	958	81.8	(78.6 - 85.1)	1,111
Age									
12 or younger	88.5	(82.7 - 94.3)	202	-	-	86	87.2	(80.9 - 93.5)	116
13-15	82.7	(80.0 - 85.4)	1,737	84.5	(80.9 - 88.1)	796	80.8	(77.2 - 84.5)	938
16 or older	83.3	(78.4 - 88.2)	129	-	-	73	-	-	56
Grade									
7° Primary	86.7	(83.1 - 90.3)	534	89.7	(85.8 - 93.7)	252	83.6	(78.9 - 88.3)	281
8° Primary	82.2	(80.1 - 84.2)	778	84.1	(80.6 - 87.6)	378	80.4	(76.3 - 84.5)	399
1° Secondary	81.6	(75.8 - 87.4)	745	81.6	(74.9 - 88.3)	322	81.6	(74.0 - 89.2)	423

Notes:

37 students were excluded from this analysis or did not provide usable data for M7.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q77. Percentage of students who practiced physical activity out of school, like running, riding a bicycle, rolling, playing football, volleyball, basketball, jumping, skipping, dancing, or any other for 30 minutes or more

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	31.5	(29.2 - 33.7)	2,069	42.2	(38.4 - 46.0)	955	20.3	(17.5 - 23.1)	1,109
Age									
12 or younger	34.3	(29.1 - 39.5)	203	-	-	87	21.2	(12.9 - 29.5)	116
13-15	31.2	(28.4 - 34.0)	1,732	41.9	(37.4 - 46.3)	792	20.3	(17.4 - 23.3)	937
16 or older	28.7	(22.9 - 34.5)	129	-	-	74	-	-	55
Grade									
7° Primary	33.4	(29.1 - 37.8)	538	43.5	(37.2 - 49.8)	254	23.2	(16.1 - 30.3)	283
8° Primary	34.2	(29.1 - 39.2)	772	44.9	(37.2 - 52.6)	373	23.3	(17.9 - 28.6)	398
1° Secondary	26.6	(22.1 - 31.1)	742	38.2	(31.6 - 44.8)	322	14.5	(10.0 - 18.9)	420

Notes:

42 students did not provide usable data for Q77.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q78. Percentage of students who thought about TV programmes they saw yesterday (such as TV serial, Mekano, Rojo, news, movies, cartoons, or others) and estimated they watched TV for one hour or more

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	59.4	(56.8 - 62.0)	2,093	53.6	(48.9 - 58.3)	969	65.5	(63.2 - 67.7)	1,119
Age									
12 or younger	57.1	(52.1 - 62.1)	203	-	-	86	66.0	(56.7 - 75.3)	117
13-15	60.3	(57.2 - 63.5)	1,753	55.3	(50.1 - 60.4)	805	65.6	(62.7 - 68.6)	945
16 or older	52.6	(47.5 - 57.6)	132	-	-	75	-	-	56
Grade									
7° Primary	57.5	(53.7 - 61.2)	545	50.8	(44.1 - 57.5)	258	64.5	(59.3 - 69.8)	286
8° Primary	62.5	(58.6 - 66.4)	784	58.6	(52.4 - 64.8)	381	66.4	(61.7 - 71.2)	402
1° Secondary	58.2	(53.1 - 63.3)	747	51.6	(47.0 - 56.2)	324	65.2	(59.2 - 71.2)	423

Notes:

18 students did not provide usable data for Q78.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q79. Percentage of students who spent one hour or more listening to music, playing cards, playing chess or similar games, painting, drawing, or playing Nintendo yesterday

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	31.3	(28.7 - 33.9)	2,082	31.8	(28.4 - 35.3)	964	30.7	(28.0 - 33.4)	1,113
Age									
12 or younger	22.9	(18.2 - 27.6)	202	-	-	86	23.6	(16.3 - 30.8)	116
13-15	32.3	(29.3 - 35.2)	1,744	33.0	(29.1 - 37.0)	800	31.4	(28.5 - 34.4)	941
16 or older	34.2	(20.1 - 48.2)	130	-	-	75	-	-	55
Grade									
7° Primary	28.6	(25.4 - 31.8)	540	27.2	(23.6 - 30.8)	256	30.2	(24.9 - 35.5)	283
8° Primary	31.7	(28.3 - 35.2)	780	33.6	(29.1 - 38.1)	377	29.6	(24.7 - 34.5)	402
1° Secondary	33.5	(28.3 - 38.6)	746	34.9	(27.7 - 42.1)	326	31.9	(26.3 - 37.5)	420

Notes:

29 students did not provide usable data for Q79.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q80. Percentage of students who spent one hour or more at the computer

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.4	(7.2 - 11.6)	2,078	9.6	(7.0 - 12.1)	959	9.0	(6.2 - 11.8)	1,114
Age									
12 or younger	10.4	(3.9 - 16.8)	202	-	-	86	11.4	(3.4 - 19.4)	116
13-15	9.6	(7.3 - 12.0)	1,741	10.3	(7.5 - 13.1)	796	8.8	(6.2 - 11.5)	942
16 or older	4.5	(1.6 - 7.4)	129	-	-	74	-	-	55
Grade									
7° Primary	9.5	(6.8 - 12.1)	542	8.9	(5.7 - 12.2)	257	10.0	(5.9 - 14.1)	284
8° Primary	9.5	(6.0 - 13.0)	776	10.1	(5.2 - 15.0)	374	8.6	(5.4 - 11.8)	401
1° Secondary	9.0	(5.5 - 12.5)	744	9.8	(5.4 - 14.3)	323	8.1	(4.5 - 11.7)	421

Notes:

33 students did not provide usable data for Q80.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q81. Percentage of students who missed classes or school without permission on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	23.0	(18.7 - 27.3)	2,094	26.4	(22.6 - 30.2)	969	19.2	(13.9 - 24.5)	1,120
Age									
12 or younger	16.0	(9.1 - 23.0)	204	-	-	87	11.1	(2.6 - 19.5)	117
13-15	21.9	(18.3 - 25.4)	1,753	24.9	(21.6 - 28.2)	804	18.7	(13.9 - 23.6)	946
16 or older	46.3	(37.7 - 55.0)	132	-	-	75	-	-	56
Grade									
7° Primary	22.4	(16.4 - 28.4)	545	26.0	(20.3 - 31.7)	258	18.8	(11.0 - 26.5)	286
8° Primary	23.8	(20.1 - 27.5)	784	26.6	(22.2 - 31.0)	380	20.6	(16.2 - 25.1)	403
1° Secondary	22.4	(14.4 - 30.3)	748	26.7	(19.8 - 33.7)	325	17.7	(8.3 - 27.2)	423

Notes:

17 students did not provide usable data for Q81.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q82. Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	42.0	(37.6 - 46.3)	2,079	38.0	(32.6 - 43.3)	969	46.3	(41.4 - 51.1)	1,106
Age									
12 or younger	38.0	(31.0 - 45.1)	201	-	-	88	45.2	(37.2 - 53.3)	113
13-15	43.4	(39.0 - 47.7)	1,742	39.8	(34.7 - 44.9)	803	47.1	(41.6 - 52.6)	936
16 or older	32.8	(25.2 - 40.4)	131	-	-	75	-	-	56
Grade									
7° Primary	38.6	(32.3 - 44.9)	544	34.3	(25.9 - 42.6)	261	43.4	(37.8 - 48.9)	282
8° Primary	41.3	(35.7 - 46.9)	776	39.3	(33.3 - 45.2)	376	43.5	(35.6 - 51.4)	399
1° Secondary	46.1	(39.6 - 52.5)	743	40.6	(34.0 - 47.1)	326	52.0	(44.0 - 60.0)	417

Notes:

32 students did not provide usable data for Q82.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q83. Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	43.5	(39.5 - 47.5)	2,067	45.6	(40.2 - 51.0)	957	41.4	(37.4 - 45.4)	1,107
Age									
12 or younger	56.0	(47.5 - 64.5)	200	-	-	87	55.5	(41.6 - 69.4)	113
13-15	43.1	(40.3 - 45.9)	1,732	46.3	(42.0 - 50.7)	792	39.8	(37.1 - 42.5)	937
16 or older	26.5	(16.2 - 36.9)	131	-	-	75	-	-	56
Grade									
7° Primary	48.7	(43.2 - 54.2)	538	51.7	(43.3 - 60.2)	255	45.7	(38.6 - 52.8)	282
8° Primary	45.8	(42.8 - 48.7)	771	45.5	(40.4 - 50.7)	374	45.8	(42.6 - 49.1)	396
1° Secondary	36.5	(30.4 - 42.7)	744	39.8	(31.4 - 48.2)	323	33.1	(28.0 - 38.2)	421

Notes:

44 students did not provide usable data for Q83.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q84. Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	45.4	(42.3 - 48.4)	2,080	45.6	(40.7 - 50.5)	961	45.2	(42.3 - 48.1)	1,114
Age									
12 or younger	51.7	(44.3 - 59.1)	201	-	-	86	55.6	(45.6 - 65.7)	115
13-15	45.3	(42.1 - 48.4)	1,743	46.4	(41.6 - 51.3)	798	44.1	(41.2 - 46.9)	942
16 or older	36.0	(30.6 - 41.5)	131	-	-	74	-	-	56
Grade									
7° Primary	46.5	(42.0 - 51.1)	540	46.1	(38.8 - 53.5)	257	47.1	(41.6 - 52.6)	282
8° Primary	47.2	(43.3 - 51.1)	777	50.1	(44.4 - 55.8)	375	44.4	(40.2 - 48.6)	401
1° Secondary	42.7	(37.3 - 48.0)	746	40.7	(34.1 - 47.2)	323	44.8	(39.6 - 49.9)	423

Notes:

31 students did not provide usable data for Q84.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q85. Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	56.7	(52.9 - 60.6)	2,072	55.9	(51.9 - 59.9)	957	57.7	(52.8 - 62.5)	1,111
Age									
12 or younger	68.6	(62.1 - 75.0)	201	-	-	84	68.6	(59.4 - 77.8)	117
13-15	56.1	(52.6 - 59.6)	1,737	55.5	(51.5 - 59.5)	796	56.8	(52.2 - 61.4)	938
16 or older	43.5	(35.0 - 51.9)	129	-	-	74	-	-	55
Grade									
7° Primary	57.7	(52.8 - 62.7)	536	56.5	(49.3 - 63.6)	252	59.2	(54.1 - 64.4)	283
8° Primary	56.7	(53.3 - 60.1)	779	56.8	(52.4 - 61.2)	377	56.8	(51.2 - 62.3)	401
1° Secondary	56.0	(49.6 - 62.4)	742	54.5	(46.2 - 62.9)	323	57.6	(50.5 - 64.7)	419

Notes:

39 students did not provide usable data for Q85.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q86. Percentage of students who participated or attended activities about healthy nutrition or eating healthy snacks, like lectures, workshops, competitions, murals, or healthy kiosks during the current school year

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	37.9	(33.5 - 42.3)	2,003	39.6	(33.8 - 45.4)	913	36.2	(31.8 - 40.5)	1,088
Age									
12 or younger	51.7	(41.5 - 61.8)	195	-	-	85	49.4	(39.2 - 59.7)	110
13-15	36.8	(31.9 - 41.7)	1,679	38.9	(32.9 - 45.0)	754	34.6	(29.8 - 39.4)	923
16 or older	26.1	(15.5 - 36.7)	125	-	-	71	-	-	54
Grade									
7° Primary	46.1	(36.9 - 55.3)	509	48.4	(36.6 - 60.2)	241	43.7	(35.1 - 52.3)	268
8° Primary	41.0	(35.8 - 46.3)	754	44.0	(37.7 - 50.3)	357	37.9	(30.4 - 45.5)	396
1° Secondary	27.0	(21.0 - 33.0)	726	27.1	(19.3 - 35.0)	310	26.8	(22.0 - 31.7)	416

Notes:

108 students did not provide usable data for Q86.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q87. Percentage of students who participated or attended activities about self care, self image, personal relationships or drug use prevention during the current school year

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	30.3	(23.4 - 37.2)	2,048	29.7	(22.5 - 37.0)	941	30.9	(23.6 - 38.3)	1,103
Age									
12 or younger	44.3	(34.5 - 54.2)	196	-	-	82	42.4	(30.1 - 54.6)	114
13-15	29.4	(23.1 - 35.7)	1,720	28.7	(22.4 - 35.0)	782	30.2	(23.1 - 37.3)	935
16 or older	16.6	(7.9 - 25.2)	128	-	-	74	-	-	53
Grade									
7° Primary	41.5	(33.6 - 49.4)	526	41.3	(32.4 - 50.1)	246	41.9	(32.2 - 51.6)	279
8° Primary	31.7	(24.5 - 38.9)	769	30.1	(22.8 - 37.5)	369	33.4	(23.5 - 43.2)	399
1° Secondary	18.0	(13.6 - 22.4)	737	18.3	(12.1 - 24.6)	320	17.6	(13.7 - 21.4)	417

Notes:

63 students did not provide usable data for Q87.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q88. Percentage of students who do not belong to any organization

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	53.6	(49.7 - 57.5)	2,064	52.5	(47.9 - 57.0)	954	54.8	(49.8 - 59.9)	1,105
Age									
12 or younger	48.0	(39.5 - 56.4)	201	-	-	86	52.2	(44.5 - 59.8)	115
13-15	54.1	(50.0 - 58.2)	1,728	53.6	(49.4 - 57.8)	791	54.5	(48.6 - 60.5)	934
16 or older	58.1	(48.7 - 67.6)	130	-	-	74	-	-	55
Grade									
7° Primary	53.3	(47.9 - 58.8)	534	52.3	(44.8 - 59.8)	255	54.2	(46.3 - 62.1)	278
8° Primary	53.0	(47.6 - 58.4)	770	51.8	(46.2 - 57.3)	371	54.2	(46.5 - 61.8)	398
1° Secondary	54.3	(48.5 - 60.2)	743	52.9	(46.6 - 59.1)	322	55.8	(48.5 - 63.1)	421

Notes:

47 students did not provide usable data for Q88.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q89. Percentage of students whose mother most often takes them to the doctor when they feel sick

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	79.3	(77.2 - 81.3)	2,039	78.2	(75.3 - 81.1)	940	80.6	(79.1 - 82.1)	1,095
Age									
12 or younger	83.3	(77.1 - 89.6)	201	-	-	85	87.0	(81.0 - 93.0)	116
13-15	80.1	(77.8 - 82.5)	1,708	79.7	(77.1 - 82.2)	781	80.8	(78.0 - 83.6)	924
16 or older	61.8	(57.1 - 66.5)	125	-	-	71	-	-	54
Grade									
7° Primary	78.9	(74.7 - 83.1)	531	77.0	(69.0 - 84.9)	252	81.2	(77.8 - 84.7)	278
8° Primary	78.3	(75.4 - 81.2)	772	76.8	(73.5 - 80.0)	373	79.8	(76.2 - 83.4)	398
1° Secondary	80.9	(76.1 - 85.6)	721	81.3	(75.9 - 86.7)	309	80.4	(74.7 - 86.1)	412

Notes:

72 students did not provide usable data for Q89.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q90. Percentage of students who missed school because of being sick four or more days during the past 3 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	22.8	(19.9 - 25.7)	2,079	20.7	(17.7 - 23.8)	965	24.7	(21.1 - 28.4)	1,110
Age									
12 or younger	22.2	(15.9 - 28.4)	204	-	-	87	25.7	(14.5 - 36.9)	117
13-15	23.1	(20.1 - 26.2)	1,740	21.8	(18.2 - 25.5)	800	24.4	(20.8 - 28.0)	937
16 or older	18.5	(11.9 - 25.0)	130	-	-	75	-	-	55
Grade									
7° Primary	24.9	(20.4 - 29.3)	539	23.4	(19.7 - 27.1)	256	26.1	(18.6 - 33.7)	282
8° Primary	23.3	(19.3 - 27.4)	781	20.1	(14.7 - 25.5)	379	26.7	(21.3 - 32.2)	401
1° Secondary	19.7	(17.9 - 21.6)	743	18.5	(14.7 - 22.3)	324	21.1	(18.4 - 23.7)	419

Notes:

32 students did not provide usable data for Q90.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

Chile (Metropolitan Region) Survey
Summary Table - Weighted Data

Q91. Percentage of students who needed health professional assistance by a doctor, nurse, midwife, dentist, psychologist, or psychiatrist one or more times during the past 3 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	52.3	(48.8 - 55.9)	2,046	46.9	(43.3 - 50.4)	946	57.9	(52.7 - 63.0)	1,095
Age									
12 or younger	54.6	(46.7 - 62.5)	199	-	-	86	58.9	(43.4 - 74.3)	113
13-15	51.7	(47.6 - 55.9)	1,718	45.7	(40.9 - 50.4)	787	57.9	(53.5 - 62.3)	928
16 or older	54.5	(48.0 - 60.9)	124	-	-	70	-	-	53
Grade									
7° Primary	55.7	(50.9 - 60.4)	526	50.9	(43.2 - 58.7)	249	60.4	(52.3 - 68.4)	276
8° Primary	49.0	(43.1 - 55.0)	769	44.5	(39.0 - 49.9)	373	53.6	(45.2 - 62.1)	395
1° Secondary	52.4	(48.5 - 56.4)	734	45.5	(40.6 - 50.4)	318	59.7	(57.2 - 62.3)	416

Notes:

65 students did not provide usable data for Q91.

N = Number of students.

- = Fewer than 100 students.