

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

M1. Percentage of students who were \geq 85th percentile but $<$ 95th percentile for body mass index, by age and sex

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	16.6	(14.6 - 18.5)	1,473	16.5	(14.4 - 18.6)	752	16.7	(13.7 - 19.7)	721
Age									
12 or younger	21.8	(15.9 - 27.7)	209	24.3	(16.9 - 31.8)	101	19.5	(11.6 - 27.4)	108
13-15	15.5	(13.5 - 17.6)	1,158	15.0	(11.9 - 18.1)	570	16.0	(13.0 - 19.1)	588
16 or older	16.2	(12.7 - 19.7)	106	-	-	81	-	-	25
Grade									
7° Primary	17.6	(14.7 - 20.4)	427	17.7	(13.5 - 21.8)	215	17.5	(12.4 - 22.6)	212
8° Primary	17.3	(13.0 - 21.5)	435	16.2	(11.9 - 20.4)	212	18.4	(12.9 - 23.9)	223
1° Secondary	15.0	(12.0 - 18.0)	594	15.9	(10.3 - 21.4)	316	14.1	(11.7 - 16.6)	278

Notes:

498 students did not provide usable data for M1.

N = Number of students.

- = Fewer than 100 students.

Students who were at or above the 85th percentile but below the 95th percentile for body mass index by age and sex based on reference data from Cole, Bellizzi, Flegal, and Dietz, *British Medical Journal*, May, 2000.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

M2. Percentage of students who were \geq 95th percentile for body mass index, by age and sex

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	2.2	(1.6 - 2.8)	1,473	2.6	(1.7 - 3.5)	752	1.9	(0.8 - 2.9)	721
Age									
12 or younger	2.6	(0.5 - 4.7)	209	4.2	(0.9 - 7.5)	101	1.2	(0.0 - 3.8)	108
13-15	1.9	(1.0 - 2.7)	1,158	2.3	(1.2 - 3.3)	570	1.5	(0.2 - 2.7)	588
16 or older	5.5	(2.5 - 8.6)	106	-	-	81	-	-	25
Grade									
7° Primary	2.6	(1.5 - 3.8)	427	4.2	(1.9 - 6.5)	215	1.1	(0.0 - 2.7)	212
8° Primary	1.8	(0.5 - 3.1)	435	1.4	(0.0 - 3.0)	212	2.2	(0.1 - 4.4)	223
1° Secondary	2.3	(0.7 - 3.9)	594	2.2	(1.1 - 3.3)	316	2.4	(0.0 - 5.3)	278

Notes:

498 students did not provide usable data for M2.

N = Number of students.

- = Fewer than 100 students.

Students who were at or above the 95th percentile for body mass index by age and sex based on reference data from Cole, Bellizzi, Flegal, and Dietz, *British Medical Journal*, May, 2000.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q6. Percentage of students who went hungry most of the time or always during the past 30 days because there was not enough food in their home

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	1.5	(0.9 - 2.1)	1,966	1.4	(0.5 - 2.3)	1,016	1.6	(0.8 - 2.3)	940
Age									
12 or younger	1.4	(0.2 - 2.6)	292	1.3	(0.0 - 3.1)	154	1.5	(0.0 - 3.3)	137
13-15	1.1	(0.5 - 1.6)	1,518	0.5	(0.0 - 1.0)	754	1.6	(0.8 - 2.3)	761
16 or older	5.3	(1.1 - 9.4)	144	7.6	(1.8 - 13.4)	104	-	-	40
Grade									
7° Primary	1.8	(0.5 - 3.1)	590	1.0	(0.0 - 2.0)	311	2.7	(0.4 - 5.0)	277
8° Primary	0.9	(0.0 - 1.7)	611	0.7	(0.0 - 1.6)	298	1.1	(0.0 - 2.3)	311
1° Secondary	1.8	(0.4 - 3.1)	737	2.3	(0.2 - 4.4)	395	1.0	(0.0 - 2.3)	340

Notes:

5 students did not provide usable data for Q6.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q7. Percentage of students who usually ate fruit, such as apples, oranges, or bananas one or more times per day during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	72.5	(69.7 - 75.4)	1,959	70.4	(67.1 - 73.7)	1,015	74.9	(71.1 - 78.6)	934
Age									
12 or younger	77.7	(71.4 - 84.0)	292	77.8	(71.8 - 83.8)	154	77.4	(68.3 - 86.6)	137
13-15	73.6	(70.8 - 76.4)	1,511	71.3	(67.2 - 75.5)	753	75.8	(72.4 - 79.2)	755
16 or older	50.8	(45.0 - 56.6)	144	50.3	(43.2 - 57.3)	104	-	-	40
Grade									
7° Primary	75.4	(70.4 - 80.4)	589	75.6	(72.0 - 79.1)	311	75.4	(66.9 - 84.0)	276
8° Primary	74.7	(70.4 - 79.0)	608	70.4	(63.6 - 77.1)	297	78.9	(75.1 - 82.7)	309
1° Secondary	67.3	(62.5 - 72.0)	734	65.0	(59.5 - 70.6)	395	69.7	(64.3 - 75.1)	337

Notes:

12 students did not provide usable data for Q7.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q8. Percentage of students who usually ate vegetables, such as tomatoes, lettuces, celery, carrots, or broccoli one or more times per day during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	83.1	(81.1 - 85.1)	1,947	79.5	(77.2 - 81.9)	1,002	86.7	(84.1 - 89.3)	936
Age									
12 or younger	86.5	(82.9 - 90.1)	292	86.1	(81.0 - 91.2)	155	86.8	(82.3 - 91.4)	136
13-15	83.2	(81.3 - 85.0)	1,502	78.7	(75.7 - 81.7)	742	87.4	(84.6 - 90.1)	758
16 or older	73.7	(64.2 - 83.2)	141	74.2	(62.8 - 85.5)	101	-	-	40
Grade									
7° Primary	85.5	(82.7 - 88.3)	587	84.1	(80.6 - 87.6)	310	87.0	(83.4 - 90.6)	275
8° Primary	82.8	(80.3 - 85.4)	606	77.0	(73.4 - 80.6)	293	88.4	(83.4 - 93.4)	311
1° Secondary	81.0	(76.4 - 85.6)	728	76.8	(71.7 - 82.0)	389	85.1	(80.4 - 89.8)	338

Notes:

24 students did not provide usable data for Q8.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

M4. Percentage of students who ate five or more fruits and vegetables per day during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	21.8	(19.3 - 24.2)	1,938	21.4	(18.1 - 24.7)	1,000	22.0	(18.9 - 25.1)	929
Age									
12 or younger	23.4	(17.8 - 29.0)	290	25.8	(18.3 - 33.3)	154	20.9	(15.3 - 26.6)	135
13-15	21.9	(19.1 - 24.7)	1,495	20.9	(17.3 - 24.4)	741	22.8	(18.7 - 26.9)	752
16 or older	16.5	(11.5 - 21.5)	141	18.1	(11.5 - 24.8)	101	-	-	40
Grade									
7° Primary	24.5	(22.0 - 27.1)	584	23.8	(19.2 - 28.5)	309	25.5	(22.6 - 28.4)	273
8° Primary	22.1	(17.7 - 26.5)	603	21.3	(16.5 - 26.1)	292	22.7	(15.3 - 30.1)	309
1° Secondary	18.1	(14.8 - 21.4)	725	18.2	(13.7 - 22.8)	389	18.0	(13.4 - 22.5)	335

Notes:

33 students did not provide usable data for M4.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q9. Percentage of students who drank milk or yogurt all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	28.6	(24.1 - 33.0)	1,962	28.0	(22.6 - 33.3)	1,012	29.3	(25.0 - 33.5)	940
Age									
12 or younger	33.1	(25.4 - 40.9)	291	31.9	(25.4 - 38.3)	152	34.7	(23.0 - 46.4)	138
13-15	29.3	(24.4 - 34.3)	1,516	29.4	(23.3 - 35.6)	753	29.1	(24.4 - 33.7)	760
16 or older	11.5	(6.4 - 16.7)	143	10.5	(5.8 - 15.3)	103	-	-	40
Grade									
7° Primary	31.9	(25.4 - 38.4)	589	31.0	(23.8 - 38.1)	309	33.1	(24.3 - 42.0)	278
8° Primary	32.0	(25.1 - 38.8)	611	34.4	(25.7 - 43.1)	298	29.0	(22.2 - 35.9)	311
1° Secondary	21.6	(13.8 - 29.4)	734	18.1	(10.3 - 25.9)	393	25.3	(17.6 - 33.0)	339

Notes:

9 students did not provide usable data for Q9.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q10. Percentage of students who ate fruits, such as apples, oranges, bananas, pears, kiwis, or any others all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	18.2	(15.8 - 20.6)	1,957	16.2	(13.2 - 19.2)	1,010	20.3	(17.6 - 23.1)	936
Age									
12 or younger	19.1	(13.9 - 24.3)	291	13.3	(8.9 - 17.7)	153	24.8	(17.6 - 32.0)	137
13-15	18.6	(16.1 - 21.0)	1,510	17.2	(13.5 - 21.0)	749	19.9	(17.3 - 22.5)	758
16 or older	13.2	(11.0 - 15.4)	143	13.9	(11.3 - 16.4)	104	-	-	39
Grade									
7° Primary	18.9	(14.9 - 22.9)	589	15.6	(11.1 - 20.2)	309	22.4	(16.9 - 27.8)	277
8° Primary	20.9	(16.4 - 25.4)	608	21.2	(15.5 - 27.0)	296	20.7	(15.9 - 25.6)	310
1° Secondary	14.7	(10.4 - 19.0)	733	11.6	(7.9 - 15.3)	393	18.0	(12.9 - 23.2)	338

Notes:

14 students did not provide usable data for Q10.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q11. Percentage of students who ate vegetables, such as lettuces, celery, tomatoes, cucumber, broccoli, cabbage, or any others all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	29.8	(24.7 - 35.0)	1,963	25.0	(20.6 - 29.4)	1,015	35.0	(28.6 - 41.5)	938
Age									
12 or younger	34.1	(29.6 - 38.6)	292	25.5	(19.9 - 31.1)	155	43.6	(35.8 - 51.5)	136
13-15	30.1	(24.5 - 35.6)	1,515	25.3	(19.7 - 30.9)	752	34.5	(28.2 - 40.8)	760
16 or older	19.7	(16.0 - 23.4)	144	22.5	(18.5 - 26.6)	104	-	-	40
Grade									
7° Primary	33.4	(27.1 - 39.8)	590	27.7	(22.1 - 33.3)	312	39.9	(31.1 - 48.7)	276
8° Primary	32.2	(24.4 - 39.9)	609	29.0	(19.3 - 38.6)	297	34.9	(27.9 - 41.9)	310
1° Secondary	24.2	(16.7 - 31.6)	736	18.1	(14.0 - 22.1)	394	30.6	(19.4 - 41.8)	340

Notes:

8 students did not provide usable data for Q11.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q12. Percentage of students who ate chips, hot dogs, "sopaipillas", or other snacks all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.1	(5.2 - 7.1)	1,967	6.6	(5.0 - 8.2)	1,015	5.7	(4.5 - 6.8)	941
Age									
12 or younger	3.9	(1.0 - 6.7)	293	3.4	(0.0 - 7.3)	154	4.4	(1.4 - 7.3)	138
13-15	6.6	(5.7 - 7.5)	1,516	7.4	(5.6 - 9.1)	752	5.9	(4.6 - 7.3)	761
16 or older	6.9	(3.1 - 10.8)	145	7.1	(2.3 - 11.9)	105	-	-	40
Grade									
7° Primary	5.3	(2.9 - 7.7)	591	6.0	(2.7 - 9.3)	310	4.6	(2.6 - 6.6)	278
8° Primary	6.6	(4.8 - 8.5)	610	6.0	(3.9 - 8.2)	297	7.2	(4.6 - 9.8)	311
1° Secondary	6.3	(5.1 - 7.4)	738	7.1	(5.3 - 8.9)	396	5.4	(2.9 - 8.0)	340

Notes:

4 students did not provide usable data for Q12.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q13. Percentage of students who ate Doblones, Negritas, Superocho, Tuyo, Prestigio, biscuits, or chocolates all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.4	(10.3 - 12.6)	1,964	10.7	(9.2 - 12.2)	1,012	12.3	(10.7 - 13.8)	940
Age									
12 or younger	9.3	(6.6 - 12.1)	292	8.5	(5.4 - 11.7)	154	10.3	(5.5 - 15.0)	137
13-15	11.7	(10.3 - 13.1)	1,513	11.1	(9.6 - 12.5)	749	12.4	(10.2 - 14.6)	761
16 or older	13.5	(7.9 - 19.1)	145	11.8	(6.2 - 17.4)	105	-	-	40
Grade									
7° Primary	8.6	(6.6 - 10.5)	590	8.9	(6.0 - 11.9)	310	8.2	(6.0 - 10.5)	277
8° Primary	12.7	(9.4 - 16.0)	609	10.5	(7.3 - 13.8)	296	15.0	(9.8 - 20.1)	311
1° Secondary	12.8	(9.5 - 16.2)	737	11.6	(9.9 - 13.4)	395	14.1	(8.1 - 20.2)	340

Notes:

7 students did not provide usable data for Q13.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q14. Percentage of students who drank juices or soft drinks with sugar all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	27.2	(24.4 - 30.0)	1,953	28.0	(25.5 - 30.5)	1,009	26.2	(22.2 - 30.2)	932
Age									
12 or younger	26.7	(22.0 - 31.4)	290	31.1	(24.5 - 37.7)	154	22.1	(16.4 - 27.8)	135
13-15	27.8	(25.1 - 30.5)	1,506	28.8	(26.7 - 30.9)	748	26.7	(22.5 - 30.9)	755
16 or older	22.8	(16.4 - 29.1)	143	17.7	(11.0 - 24.3)	103	-	-	40
Grade									
7° Primary	27.1	(22.6 - 31.6)	587	29.7	(25.3 - 34.1)	311	24.5	(18.2 - 30.8)	273
8° Primary	30.8	(27.9 - 33.7)	608	30.0	(25.8 - 34.2)	297	31.5	(27.8 - 35.1)	309
1° Secondary	23.6	(19.9 - 27.4)	730	24.3	(18.3 - 30.2)	390	22.8	(17.0 - 28.6)	338

Notes:

18 students did not provide usable data for Q14.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q15. Percentage of students who ate breakfast all 7 days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	65.3	(62.5 - 68.1)	1,966	69.8	(66.0 - 73.6)	1,015	61.0	(57.0 - 65.1)	939
Age									
12 or younger	72.0	(65.2 - 78.8)	294	76.3	(68.7 - 83.9)	155	67.1	(56.1 - 78.1)	138
13-15	65.0	(61.5 - 68.4)	1,514	70.2	(66.9 - 73.6)	752	60.2	(54.9 - 65.4)	759
16 or older	55.7	(50.5 - 61.0)	144	55.3	(49.3 - 61.3)	104	-	-	40
Grade									
7° Primary	73.1	(68.5 - 77.8)	590	76.6	(71.0 - 82.3)	310	69.7	(62.9 - 76.6)	277
8° Primary	65.9	(61.8 - 70.0)	610	71.3	(66.4 - 76.2)	297	60.9	(54.6 - 67.3)	311
1° Secondary	56.6	(51.0 - 62.2)	738	61.6	(57.5 - 65.6)	396	51.8	(41.3 - 62.2)	340

Notes:

5 students did not provide usable data for Q15.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q16. Percentage of students who ate too much and felt guilty about it one or more times during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	54.2	(51.3 - 57.1)	1,956	49.8	(45.8 - 53.8)	1,012	58.9	(56.0 - 61.8)	932
Age									
12 or younger	58.1	(53.9 - 62.3)	291	57.4	(49.7 - 65.1)	155	58.5	(50.4 - 66.6)	135
13-15	53.9	(50.7 - 57.1)	1,506	48.4	(44.4 - 52.4)	748	59.2	(55.4 - 63.0)	755
16 or older	49.0	(44.3 - 53.8)	145	47.4	(41.2 - 53.6)	105	-	-	40
Grade									
7° Primary	54.1	(50.1 - 58.1)	585	52.2	(46.1 - 58.3)	310	56.0	(49.6 - 62.4)	272
8° Primary	56.6	(52.4 - 60.8)	608	51.0	(44.9 - 57.0)	296	62.4	(58.3 - 66.4)	310
1° Secondary	52.1	(49.0 - 55.2)	735	46.4	(41.3 - 51.6)	395	58.2	(54.4 - 62.0)	338

Notes:

15 students did not provide usable data for Q16.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q17. Percentage of students who started a diet to look better one or more times during the past 3 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	43.7	(40.3 - 47.1)	1,954	29.3	(26.6 - 32.1)	1,011	58.6	(54.7 - 62.4)	932
Age									
12 or younger	45.0	(35.8 - 54.2)	291	32.8	(24.1 - 41.6)	155	57.9	(47.8 - 68.0)	135
13-15	44.4	(40.9 - 47.9)	1,505	29.6	(27.1 - 32.1)	747	58.5	(53.5 - 63.6)	755
16 or older	32.8	(26.2 - 39.3)	145	21.1	(17.3 - 24.8)	105	-	-	40
Grade									
7° Primary	44.8	(39.2 - 50.4)	587	32.7	(27.3 - 38.2)	312	58.0	(52.2 - 63.8)	272
8° Primary	46.2	(43.7 - 48.8)	604	30.4	(26.9 - 33.9)	293	61.9	(56.3 - 67.5)	309
1° Secondary	40.4	(32.3 - 48.5)	735	24.5	(21.5 - 27.5)	394	56.7	(46.2 - 67.2)	339

Notes:

17 students did not provide usable data for Q17.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q18. Percentage of students who did not clean or brush their teeth during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	1.6	(1.0 - 2.2)	1,965	2.0	(0.9 - 3.1)	1,015	1.0	(0.3 - 1.6)	938
Age									
12 or younger	2.7	(0.8 - 4.6)	294	3.1	(0.4 - 5.9)	155	2.3	(0.0 - 4.9)	138
13-15	1.1	(0.6 - 1.6)	1,513	1.5	(0.4 - 2.6)	751	0.7	(0.1 - 1.4)	759
16 or older	1.8	(0.0 - 4.1)	144	2.6	(0.0 - 5.8)	105	-	-	39
Grade									
7° Primary	2.1	(0.9 - 3.4)	592	2.5	(0.6 - 4.4)	311	1.8	(0.2 - 3.4)	278
8° Primary	0.9	(0.4 - 1.4)	610	1.0	(0.0 - 2.1)	297	0.7	(0.0 - 1.8)	311
1° Secondary	1.5	(0.4 - 2.5)	734	2.5	(1.0 - 4.0)	395	0.3	(0.0 - 1.0)	337

Notes:

6 students did not provide usable data for Q18.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q19. Percentage of students who never or rarely used tooth paste to brush their teeth during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	3.1	(2.4 - 3.9)	1,958	3.7	(2.5 - 5.0)	1,013	2.5	(1.7 - 3.3)	934
Age									
12 or younger	4.9	(2.3 - 7.4)	293	6.7	(2.7 - 10.7)	154	2.9	(0.0 - 5.8)	138
13-15	2.6	(1.8 - 3.3)	1,509	2.9	(2.1 - 3.8)	752	2.2	(1.1 - 3.3)	754
16 or older	4.6	(0.2 - 9.1)	143	3.7	(0.0 - 8.0)	103	-	-	40
Grade									
7° Primary	5.0	(3.1 - 6.8)	591	7.0	(4.3 - 9.7)	311	2.9	(1.2 - 4.6)	277
8° Primary	2.3	(1.3 - 3.4)	604	1.0	(0.0 - 2.0)	296	3.7	(2.0 - 5.4)	306
1° Secondary	1.9	(0.7 - 3.1)	735	3.1	(1.0 - 5.2)	394	0.6	(0.0 - 1.4)	339

Notes:

13 students did not provide usable data for Q19.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q20. Percentage of students who never or rarely used dental floss when they cleaned their teeth during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	69.2	(66.0 - 72.4)	1,938	70.2	(66.9 - 73.5)	1,006	68.1	(63.5 - 72.8)	921
Age									
12 or younger	70.6	(65.6 - 75.6)	291	68.7	(62.8 - 74.5)	154	72.4	(66.1 - 78.8)	136
13-15	68.5	(64.9 - 72.2)	1,489	70.1	(66.2 - 73.9)	743	67.2	(62.2 - 72.2)	743
16 or older	72.4	(60.7 - 84.0)	145	73.7	(62.3 - 85.1)	105	-	-	40
Grade									
7° Primary	66.1	(60.1 - 72.2)	586	64.9	(60.5 - 69.4)	309	67.1	(57.9 - 76.4)	274
8° Primary	68.6	(65.3 - 71.9)	598	73.7	(69.5 - 77.9)	292	63.9	(58.6 - 69.3)	304
1° Secondary	73.3	(70.5 - 76.0)	726	73.1	(70.0 - 76.2)	393	73.6	(68.1 - 79.1)	331

Notes:

33 students did not provide usable data for Q20.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q21. Percentage of students who never or rarely washed their hands before eating during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	2.8	(2.1 - 3.6)	1,967	2.7	(1.4 - 3.9)	1,017	2.9	(1.7 - 4.0)	938
Age									
12 or younger	2.7	(1.1 - 4.2)	294	1.9	(0.0 - 4.0)	155	3.5	(0.8 - 6.2)	138
13-15	2.8	(1.9 - 3.8)	1,515	2.6	(1.3 - 3.9)	753	2.9	(1.5 - 4.3)	759
16 or older	3.1	(0.1 - 6.2)	144	4.5	(0.0 - 9.0)	105	-	-	39
Grade									
7° Primary	2.8	(1.2 - 4.4)	593	2.9	(0.6 - 5.1)	312	2.8	(0.9 - 4.6)	278
8° Primary	3.2	(1.7 - 4.6)	610	2.3	(0.2 - 4.4)	298	4.1	(1.3 - 6.9)	310
1° Secondary	2.4	(2.0 - 2.9)	735	2.9	(1.4 - 4.4)	395	1.6	(0.4 - 2.9)	338

Notes:

4 students did not provide usable data for Q21.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q22. Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	1.3	(0.7 - 1.9)	1,960	1.2	(0.6 - 1.8)	1,010	1.3	(0.6 - 2.0)	938
Age									
12 or younger	2.0	(1.0 - 3.0)	291	1.3	(0.0 - 3.0)	153	2.8	(1.1 - 4.4)	137
13-15	1.1	(0.4 - 1.8)	1,510	1.3	(0.3 - 2.3)	748	0.8	(0.1 - 1.5)	759
16 or older	1.6	(0.0 - 3.2)	145	0.0	(0.0 - 0.0)	105	-	-	40
Grade									
7° Primary	2.1	(1.2 - 3.0)	589	1.8	(0.3 - 3.3)	310	2.4	(1.7 - 3.0)	276
8° Primary	0.5	(0.0 - 1.0)	606	0.7	(0.0 - 1.6)	294	0.3	(0.0 - 0.9)	310
1° Secondary	1.3	(0.3 - 2.3)	736	1.1	(0.0 - 2.1)	394	1.3	(0.0 - 2.8)	340

Notes:

11 students did not provide usable data for Q22.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q23. Percentage of students who never or rarely used soap when washing their hands during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.7	(3.4 - 5.9)	1,938	5.7	(4.2 - 7.2)	1,003	3.5	(2.1 - 4.9)	925
Age									
12 or younger	3.8	(0.3 - 7.3)	291	4.8	(0.0 - 10.0)	154	2.9	(0.4 - 5.4)	136
13-15	4.6	(3.6 - 5.5)	1,494	5.6	(4.0 - 7.2)	743	3.5	(2.3 - 4.6)	749
16 or older	8.4	(3.5 - 13.2)	140	8.7	(3.1 - 14.3)	102	-	-	38
Grade									
7° Primary	4.1	(1.8 - 6.4)	584	5.2	(2.3 - 8.2)	309	2.8	(0.6 - 5.1)	273
8° Primary	4.2	(3.2 - 5.2)	600	5.4	(3.2 - 7.7)	293	2.9	(1.3 - 4.6)	306
1° Secondary	5.9	(3.8 - 8.0)	726	6.7	(4.1 - 9.4)	389	4.7	(2.5 - 6.8)	335

Notes:

33 students did not provide usable data for Q23.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q24. Percentage of students who never or rarely find toilet paper in the school toilets

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	90.4	(83.7 - 97.2)	1,960	90.0	(83.7 - 96.3)	1,011	91.1	(83.8 - 98.4)	938
Age									
12 or younger	89.1	(82.9 - 95.2)	292	87.5	(82.3 - 92.7)	153	90.6	(82.1 - 99.1)	138
13-15	90.2	(82.5 - 97.9)	1,511	89.6	(81.5 - 97.6)	749	90.9	(83.3 - 98.6)	759
16 or older	97.5	(95.1 - 99.9)	144	97.3	(95.0 - 99.6)	105	-	-	39
Grade									
7° Primary	90.0	(85.2 - 94.8)	590	89.3	(85.4 - 93.1)	309	91.0	(84.3 - 97.8)	278
8° Primary	87.7	(72.5 -100.0)	610	86.9	(71.2 -100.0)	297	88.7	(73.6 -100.0)	311
1° Secondary	93.8	(88.6 - 98.9)	732	93.8	(89.4 - 98.2)	393	93.7	(87.3 -100.0)	337

Notes:

11 students did not provide usable data for Q24.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q25. Percentage of students who never or rarely find soap in the school toilets

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	90.9	(82.2 - 99.6)	1,964	92.0	(84.8 - 99.2)	1,017	89.8	(79.2 -100.0)	935
Age									
12 or younger	91.6	(83.4 - 99.7)	294	90.2	(81.8 - 98.6)	155	92.9	(84.5 -100.0)	138
13-15	90.2	(80.2 -100.0)	1,511	91.7	(83.3 -100.0)	753	88.7	(76.6 -100.0)	755
16 or older	97.4	(94.5 -100.0)	145	97.1	(93.2 -100.0)	105	-	-	40
Grade									
7° Primary	92.3	(86.3 - 98.3)	593	92.1	(87.4 - 96.7)	312	92.4	(84.6 -100.0)	278
8° Primary	90.4	(75.6 -100.0)	608	90.3	(74.8 -100.0)	298	90.5	(76.0 -100.0)	308
1° Secondary	90.4	(76.1 -100.0)	734	93.6	(85.1 -100.0)	395	87.0	(66.8 -100.0)	337

Notes:

7 students did not provide usable data for Q25.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q27. Percentage of students who were physically attacked at school during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	13.9	(11.5 - 16.4)	1,940	17.8	(14.7 - 21.0)	997	9.8	(7.0 - 12.5)	932
Age									
12 or younger	16.9	(12.2 - 21.5)	290	22.4	(14.6 - 30.3)	152	10.3	(6.8 - 13.9)	137
13-15	13.5	(10.5 - 16.5)	1,496	17.6	(13.9 - 21.4)	740	9.5	(6.6 - 12.4)	753
16 or older	10.0	(5.9 - 14.1)	141	10.2	(4.6 - 15.7)	101	-	-	40
Grade									
7° Primary	17.8	(13.9 - 21.8)	583	23.7	(17.0 - 30.3)	306	11.0	(8.4 - 13.6)	274
8° Primary	10.9	(6.9 - 14.8)	598	11.9	(7.7 - 16.1)	289	9.6	(3.8 - 15.3)	307
1° Secondary	12.9	(7.9 - 17.8)	731	17.3	(10.5 - 24.2)	390	8.4	(4.5 - 12.2)	339

Notes:

31 students did not provide usable data for Q27.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q28. Percentage of students who were in a physical fight one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	36.1	(33.0 - 39.2)	1,958	50.7	(47.0 - 54.3)	1,012	20.7	(17.8 - 23.7)	934
Age									
12 or younger	41.3	(33.4 - 49.2)	291	56.6	(48.6 - 64.7)	153	24.4	(15.1 - 33.8)	137
13-15	34.0	(30.6 - 37.3)	1,509	49.0	(44.4 - 53.7)	750	19.2	(16.2 - 22.2)	756
16 or older	47.3	(40.0 - 54.6)	144	51.8	(45.4 - 58.2)	105	-	-	39
Grade									
7° Primary	42.6	(38.3 - 46.9)	588	59.5	(56.5 - 62.6)	309	24.0	(17.7 - 30.4)	276
8° Primary	37.1	(33.9 - 40.4)	607	51.3	(43.9 - 58.7)	296	22.5	(18.3 - 26.8)	309
1° Secondary	27.6	(21.0 - 34.2)	734	39.4	(35.5 - 43.4)	395	15.1	(9.9 - 20.4)	337

Notes:

13 students did not provide usable data for Q28.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q29. Percentage of students who were seriously injured one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	36.5	(32.1 - 40.8)	1,756	43.1	(37.6 - 48.6)	888	29.5	(25.0 - 34.1)	857
Age									
12 or younger	33.9	(25.6 - 42.2)	264	42.1	(33.7 - 50.5)	135	25.8	(16.4 - 35.2)	128
13-15	37.0	(32.6 - 41.5)	1,356	43.9	(38.1 - 49.6)	663	30.4	(25.9 - 35.0)	691
16 or older	34.7	(19.6 - 49.8)	124	-	-	87	-	-	37
Grade									
7° Primary	35.1	(29.2 - 40.9)	517	44.2	(39.7 - 48.8)	265	25.3	(17.3 - 33.4)	249
8° Primary	42.9	(38.5 - 47.4)	551	48.7	(40.3 - 57.0)	266	36.9	(31.2 - 42.6)	283
1° Secondary	30.7	(26.3 - 35.2)	662	35.3	(29.8 - 40.8)	347	26.1	(20.5 - 31.6)	314

Notes:

215 students did not provide usable data for Q29.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q30. Of students who were seriously injured during the past 12 months, the percentage whose most serious injury happened to them while they were playing or training for a sport

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	12.6	(10.4 - 14.8)	632	13.0	(10.3 - 15.8)	375	11.8	(9.0 - 14.7)	251
Age									
12 or younger	-	-	89	-	-	55	-	-	34
13-15	11.9	(9.8 - 13.9)	491	12.5	(10.2 - 14.7)	284	11.1	(7.3 - 14.9)	206
16 or older	-	-	45	-	-	34	-	-	11
Grade									
7° Primary	14.4	(7.1 - 21.6)	182	13.7	(6.2 - 21.1)	116	-	-	64
8° Primary	12.3	(10.3 - 14.3)	235	11.6	(8.9 - 14.3)	130	13.4	(8.5 - 18.2)	104
1° Secondary	10.8	(6.5 - 15.1)	202	13.2	(6.1 - 20.4)	122	-	-	79

Notes:

1339 students were excluded from this analysis or did not provide usable data for Q30.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q31. Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of a fall

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	3.7	(1.7 - 5.7)	629	3.3	(1.3 - 5.3)	373	4.1	(1.3 - 6.9)	249
Age									
12 or younger	-	-	89	-	-	55	-	-	34
13-15	3.4	(1.4 - 5.5)	490	3.3	(1.2 - 5.5)	284	3.6	(0.3 - 6.8)	204
16 or older	-	-	44	-	-	33	-	-	11
Grade									
7° Primary	3.1	(0.0 - 6.7)	180	2.4	(0.0 - 6.2)	115	-	-	63
8° Primary	5.7	(2.9 - 8.6)	235	5.0	(0.5 - 9.4)	129	6.8	(2.4 - 11.2)	104
1° Secondary	1.3	(0.4 - 2.2)	201	2.3	(0.8 - 3.7)	122	-	-	78

Notes:

1342 students were excluded from this analysis or did not provide usable data for Q31.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q32. Of students who were seriously injured during the past 12 months, the percentage whose most serious injury was the result of them hurting themselves by accident

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	68.0	(64.2 - 71.8)	612	67.9	(63.4 - 72.4)	365	69.0	(61.7 - 76.3)	241
Age									
12 or younger	-	-	88	-	-	55	-	-	33
13-15	67.4	(62.4 - 72.4)	475	67.2	(60.4 - 74.0)	277	67.5	(59.4 - 75.6)	197
16 or older	-	-	43	-	-	32	-	-	11
Grade									
7° Primary	64.3	(57.9 - 70.8)	178	61.1	(53.6 - 68.6)	115	-	-	61
8° Primary	71.3	(65.4 - 77.3)	226	70.5	(63.0 - 77.9)	125	72.1	(64.3 - 79.9)	100
1° Secondary	69.0	(64.0 - 73.9)	195	75.2	(72.8 - 77.5)	118	-	-	76

Notes:

1359 students were excluded from this analysis or did not provide usable data for Q32.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q33. Of students who were seriously injured during the past 12 months, the percentage who had a broken bone or dislocated joint as their most serious injury

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	42.9	(39.6 - 46.2)	635	43.9	(39.0 - 48.7)	378	40.7	(37.6 - 43.8)	250
Age									
12 or younger	-	-	91	-	-	57	-	-	34
13-15	43.2	(41.0 - 45.5)	493	44.6	(40.2 - 49.0)	285	41.3	(37.4 - 45.2)	206
16 or older	-	-	44	-	-	34	-	-	10
Grade									
7° Primary	42.0	(35.8 - 48.2)	184	47.0	(39.2 - 54.8)	119	-	-	63
8° Primary	42.4	(37.2 - 47.5)	235	39.3	(34.0 - 44.6)	129	46.1	(36.5 - 55.7)	104
1° Secondary	45.1	(39.3 - 50.9)	203	47.1	(39.9 - 54.2)	123	-	-	79

Notes:

1336 students were excluded from this analysis or did not provide usable data for Q33.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q34. Percentage of students who had a most serious injury which made them lose, loosen, or break a tooth during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	3.7	(2.7 - 4.7)	1,816	4.2	(2.9 - 5.6)	909	3.0	(1.7 - 4.2)	898
Age									
12 or younger	3.5	(1.4 - 5.6)	273	1.3	(0.0 - 3.3)	137	5.6	(2.4 - 8.9)	135
13-15	3.4	(2.1 - 4.7)	1,399	4.5	(2.8 - 6.2)	674	2.3	(1.0 - 3.6)	723
16 or older	5.5	(3.5 - 7.5)	132	-	-	94	-	-	38
Grade									
7° Primary	4.1	(2.5 - 5.6)	541	3.7	(1.7 - 5.6)	271	4.5	(2.1 - 6.8)	268
8° Primary	2.8	(1.1 - 4.6)	572	3.5	(1.1 - 6.0)	272	1.8	(0.6 - 3.0)	298
1° Secondary	4.2	(2.2 - 6.2)	679	5.4	(2.7 - 8.1)	358	2.7	(0.9 - 4.6)	320

Notes:

155 students did not provide usable data for Q34.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q35. Percentage of students who had the most serious injury at school during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.1	(7.8 - 10.5)	1,802	10.3	(8.9 - 11.6)	900	7.9	(6.1 - 9.7)	893
Age									
12 or younger	8.8	(5.2 - 12.5)	271	9.9	(5.3 - 14.5)	135	7.9	(3.2 - 12.5)	135
13-15	9.2	(7.4 - 11.0)	1,392	10.6	(8.6 - 12.6)	672	7.8	(5.7 - 9.9)	718
16 or older	9.2	(4.6 - 13.7)	127	-	-	89	-	-	38
Grade									
7° Primary	9.8	(7.6 - 11.9)	535	12.1	(8.9 - 15.4)	268	7.5	(4.4 - 10.5)	265
8° Primary	10.0	(7.0 - 12.9)	570	10.6	(7.2 - 13.9)	270	9.2	(5.8 - 12.6)	298
1° Secondary	7.4	(6.1 - 8.8)	673	8.4	(5.9 - 10.9)	354	6.5	(3.9 - 9.2)	318

Notes:

169 students did not provide usable data for Q35.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q36. Percentage of students who poisoned themselves with medicines, quimical products, or insecticides during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.8	(7.3 - 10.3)	1,951	8.1	(6.4 - 9.8)	1,005	9.5	(7.4 - 11.6)	935
Age									
12 or younger	9.5	(5.9 - 13.0)	292	7.6	(3.2 - 11.9)	154	11.6	(6.6 - 16.6)	137
13-15	8.4	(7.4 - 9.5)	1,505	8.0	(6.6 - 9.3)	745	8.8	(7.0 - 10.5)	757
16 or older	10.3	(4.4 - 16.2)	142	9.0	(1.6 - 16.4)	102	-	-	40
Grade									
7° Primary	9.1	(6.4 - 11.9)	587	7.3	(4.8 - 9.9)	309	11.2	(7.5 - 14.9)	275
8° Primary	8.2	(6.7 - 9.6)	605	8.4	(5.7 - 11.1)	293	7.7	(5.2 - 10.1)	310
1° Secondary	9.1	(6.5 - 11.6)	731	8.8	(6.0 - 11.5)	391	9.4	(4.7 - 14.1)	338

Notes:

20 students did not provide usable data for Q36.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q37. Percentage of students who were bullied on one or more days during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	50.4	(46.5 - 54.4)	1,825	53.8	(50.2 - 57.5)	927	47.1	(42.2 - 52.1)	889
Age									
12 or younger	54.1	(49.5 - 58.7)	266	56.4	(47.8 - 65.0)	134	51.5	(43.7 - 59.2)	131
13-15	49.8	(45.1 - 54.4)	1,416	53.6	(48.8 - 58.3)	696	46.3	(40.2 - 52.4)	719
16 or older	47.9	(38.0 - 57.7)	130	-	-	93	-	-	37
Grade									
7° Primary	54.4	(49.1 - 59.7)	538	56.6	(50.1 - 63.0)	275	52.0	(45.0 - 58.9)	260
8° Primary	51.9	(46.9 - 56.8)	566	54.4	(47.6 - 61.3)	273	49.5	(43.8 - 55.3)	292
1° Secondary	44.7	(35.9 - 53.5)	696	49.5	(40.9 - 58.1)	369	39.7	(29.8 - 49.5)	326

Notes:

146 students did not provide usable data for Q37.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q38. Of students who were bullied during the past 30 days, the percentage who were bullied most often by being hit, kicked, pushed, shoved around, or locked indoors

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.4	(3.9 - 8.9)	886	9.3	(5.2 - 13.4)	483	2.9	(0.8 - 5.0)	399
Age									
12 or younger	6.2	(2.9 - 9.6)	141	-	-	75	-	-	65
13-15	5.0	(2.8 - 7.2)	675	6.9	(3.0 - 10.8)	358	2.9	(0.7 - 5.1)	317
16 or older	-	-	62	-	-	47	-	-	15
Grade									
7° Primary	7.4	(3.5 - 11.3)	287	10.9	(5.9 - 15.9)	153	3.5	(0.0 - 7.6)	132
8° Primary	5.3	(0.8 - 9.8)	282	8.1	(1.0 - 15.2)	143	2.3	(0.0 - 5.0)	139
1° Secondary	6.1	(3.7 - 8.5)	303	8.7	(4.1 - 13.3)	179	2.8	(0.0 - 5.6)	123

Notes:

1085 students were excluded from this analysis or did not provide usable data for Q38.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q39. Percentage of students who had a member of their family punish them physically never or rarely during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	92.0	(90.3 - 93.7)	1,959	92.7	(90.0 - 95.4)	1,010	91.5	(89.4 - 93.5)	937
Age									
12 or younger	88.3	(83.7 - 92.9)	292	86.6	(82.1 - 91.2)	153	89.9	(83.8 - 96.0)	138
13-15	92.8	(90.3 - 95.2)	1,512	93.9	(90.2 - 97.7)	749	91.8	(89.2 - 94.4)	760
16 or older	93.9	(90.1 - 97.6)	141	93.9	(89.7 - 98.0)	104	-	-	37
Grade									
7° Primary	91.0	(88.1 - 94.0)	587	91.7	(89.4 - 94.1)	307	90.2	(85.5 - 94.9)	277
8° Primary	92.2	(89.3 - 95.2)	609	91.7	(86.1 - 97.4)	296	92.7	(90.1 - 95.4)	311
1° Secondary	93.7	(90.8 - 96.6)	734	95.7	(93.2 - 98.2)	395	91.8	(87.5 - 96.2)	337

Notes:

12 students did not provide usable data for Q39.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q40. Percentage of students who felt lonely most of the time or always during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	14.6	(13.0 - 16.2)	1,955	9.0	(6.6 - 11.4)	1,013	20.5	(17.8 - 23.2)	930
Age									
12 or younger	14.3	(10.8 - 17.8)	292	11.0	(5.8 - 16.2)	154	17.9	(11.0 - 24.9)	137
13-15	14.1	(12.3 - 15.8)	1,505	7.7	(5.7 - 9.8)	750	20.1	(17.0 - 23.2)	752
16 or older	21.1	(16.4 - 25.8)	144	15.3	(8.7 - 21.9)	105	-	-	39
Grade									
7° Primary	13.1	(10.1 - 16.1)	588	8.7	(4.2 - 13.3)	311	18.1	(13.6 - 22.6)	274
8° Primary	12.9	(11.2 - 14.6)	604	7.2	(4.0 - 10.4)	296	18.5	(14.9 - 22.0)	306
1° Secondary	17.3	(13.9 - 20.7)	734	10.0	(5.4 - 14.6)	394	24.9	(19.2 - 30.6)	338

Notes:

16 students did not provide usable data for Q40.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q41. Percentage of students who most of the time or always felt so worried about something that they could not sleep at night during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.6	(6.7 - 10.5)	1,963	5.3	(3.8 - 6.9)	1,013	11.8	(9.1 - 14.5)	938
Age									
12 or younger	4.8	(1.8 - 7.9)	291	3.2	(0.5 - 6.0)	153	6.6	(2.1 - 11.1)	137
13-15	8.8	(6.9 - 10.7)	1,513	5.6	(3.9 - 7.4)	751	11.7	(9.2 - 14.3)	759
16 or older	13.1	(8.1 - 18.1)	145	6.3	(3.5 - 9.0)	105	-	-	40
Grade									
7° Primary	6.3	(3.7 - 8.8)	589	4.2	(1.2 - 7.1)	310	8.6	(5.2 - 12.0)	276
8° Primary	7.7	(5.5 - 9.8)	610	3.8	(1.9 - 5.8)	298	11.3	(7.3 - 15.2)	310
1° Secondary	12.0	(8.7 - 15.2)	735	8.1	(5.4 - 10.8)	393	16.0	(11.1 - 20.9)	340

Notes:

8 students did not provide usable data for Q41.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q42. Percentage of students who felt sad or hopeless almost every day for two weeks or more in a row that they stopped doing their usual activities during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	28.8	(25.3 - 32.2)	1,966	23.2	(21.2 - 25.2)	1,016	34.2	(28.4 - 40.1)	938
Age									
12 or younger	21.4	(15.8 - 26.9)	294	14.7	(9.8 - 19.6)	155	28.6	(19.2 - 38.1)	138
13-15	29.1	(26.0 - 32.2)	1,513	23.9	(21.6 - 26.2)	752	33.9	(28.6 - 39.3)	758
16 or older	39.6	(33.5 - 45.8)	145	31.7	(25.7 - 37.8)	105	-	-	40
Grade									
7° Primary	25.6	(21.0 - 30.1)	592	20.1	(16.2 - 24.0)	312	31.1	(23.4 - 38.7)	277
8° Primary	26.9	(23.8 - 30.1)	609	23.4	(21.1 - 25.7)	298	30.3	(25.3 - 35.4)	309
1° Secondary	33.7	(28.9 - 38.5)	736	25.6	(21.5 - 29.7)	394	41.7	(31.2 - 52.2)	340

Notes:

5 students did not provide usable data for Q42.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q43. Percentage of students who seriously considered attempting suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	19.7	(17.5 - 22.0)	1,957	12.7	(9.8 - 15.5)	1,008	26.8	(23.7 - 29.9)	937
Age									
12 or younger	20.1	(16.2 - 24.0)	294	15.6	(10.6 - 20.6)	155	25.1	(18.9 - 31.2)	138
13-15	19.5	(17.0 - 22.0)	1,507	11.6	(7.7 - 15.6)	747	26.9	(23.7 - 30.1)	757
16 or older	20.4	(13.2 - 27.7)	142	14.9	(7.5 - 22.3)	102	-	-	40
Grade									
7° Primary	17.3	(13.8 - 20.9)	589	11.1	(7.6 - 14.6)	310	24.0	(19.0 - 29.0)	276
8° Primary	18.8	(16.0 - 21.5)	609	10.5	(4.4 - 16.6)	297	26.9	(23.6 - 30.2)	310
1° Secondary	22.1	(18.1 - 26.1)	730	14.8	(10.2 - 19.4)	389	29.1	(22.4 - 35.8)	339

Notes:

14 students did not provide usable data for Q43.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q44. Percentage of students who made a plan about how they would attempt suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	16.5	(14.5 - 18.5)	1,925	10.5	(8.4 - 12.5)	992	22.4	(19.2 - 25.6)	921
Age									
12 or younger	16.4	(10.9 - 21.9)	289	11.6	(7.7 - 15.5)	152	21.6	(11.5 - 31.7)	136
13-15	16.3	(13.6 - 18.9)	1,483	9.9	(6.8 - 13.1)	735	22.1	(18.3 - 26.0)	745
16 or older	17.3	(13.3 - 21.4)	139	12.1	(7.0 - 17.2)	101	-	-	38
Grade									
7° Primary	14.9	(12.2 - 17.5)	580	9.8	(6.7 - 12.9)	304	20.1	(15.7 - 24.5)	273
8° Primary	15.3	(11.5 - 19.2)	597	8.9	(3.7 - 14.0)	291	21.5	(17.7 - 25.4)	304
1° Secondary	19.1	(15.0 - 23.3)	720	11.9	(8.2 - 15.7)	386	26.1	(18.7 - 33.6)	332

Notes:

46 students did not provide usable data for Q44.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q45. Percentage of students who have no close friends

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	7.0	(6.0 - 8.1)	1,959	7.5	(5.8 - 9.1)	1,009	6.5	(5.0 - 8.0)	938
Age									
12 or younger	6.8	(4.6 - 9.0)	294	6.3	(3.4 - 9.3)	155	7.3	(2.8 - 11.8)	138
13-15	6.8	(5.5 - 8.1)	1,511	7.3	(5.5 - 9.1)	749	6.3	(4.8 - 7.8)	759
16 or older	9.1	(4.8 - 13.5)	141	10.1	(3.9 - 16.2)	101	-	-	40
Grade									
7° Primary	8.4	(6.3 - 10.4)	590	8.6	(4.9 - 12.2)	310	8.2	(5.4 - 11.0)	277
8° Primary	5.0	(3.3 - 6.8)	609	4.1	(2.1 - 6.0)	297	6.1	(3.6 - 8.6)	310
1° Secondary	7.4	(5.7 - 9.2)	731	9.7	(7.5 - 11.8)	390	5.2	(2.1 - 8.3)	339

Notes:

12 students did not provide usable data for Q45.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q46. Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried their first cigarette at age 9 or younger

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	15.3	(11.7 - 18.8)	430	17.9	(13.5 - 22.2)	239	11.9	(6.4 - 17.3)	186
Age									
12 or younger	-	-	26	-	-	14	-	-	12
13-15	13.9	(10.7 - 17.1)	326	17.0	(11.4 - 22.7)	170	10.0	(4.9 - 15.1)	155
16 or older	-	-	70	-	-	53	-	-	17
Grade									
7° Primary	-	-	67	-	-	38	-	-	29
8° Primary	16.6	(10.2 - 23.1)	126	-	-	66	-	-	59
1° Secondary	13.6	(9.0 - 18.1)	231	16.6	(11.6 - 21.6)	133	-	-	97

Notes:

1541 students did not provide usable data for Q46.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q47. Percentage of students who smoked cigarettes on one or more days during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	23.2	(18.3 - 28.1)	1,838	25.1	(19.0 - 31.1)	944	21.1	(16.1 - 26.0)	883
Age									
12 or younger	9.8	(5.3 - 14.4)	282	10.4	(5.4 - 15.4)	148	9.3	(2.3 - 16.3)	133
13-15	23.0	(18.7 - 27.4)	1,415	24.2	(18.7 - 29.6)	701	21.9	(17.4 - 26.4)	712
16 or older	56.7	(49.9 - 63.4)	127	-	-	91	-	-	36
Grade									
7° Primary	12.7	(8.7 - 16.7)	562	14.2	(8.1 - 20.4)	292	11.2	(7.0 - 15.4)	267
8° Primary	22.8	(17.4 - 28.3)	571	24.5	(17.9 - 31.2)	279	20.9	(15.8 - 26.0)	290
1° Secondary	35.0	(29.3 - 40.6)	680	37.8	(30.8 - 44.8)	362	31.9	(26.9 - 37.0)	317

Notes:

133 students did not provide usable data for Q47.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q48. Percentage of students who used any other form of tobacco, such as chewing tobacco, snuff, cigars, or pipes on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.6	(3.0 - 6.2)	1,965	5.4	(3.0 - 7.8)	1,014	3.7	(2.4 - 5.0)	939
Age									
12 or younger	3.6	(1.6 - 5.5)	294	4.4	(2.2 - 6.6)	155	2.7	(0.0 - 6.0)	138
13-15	4.1	(2.7 - 5.5)	1,513	4.4	(2.0 - 6.9)	751	3.7	(2.1 - 5.2)	759
16 or older	12.3	(5.6 - 19.0)	145	13.9	(7.9 - 19.8)	105	-	-	40
Grade									
7° Primary	4.0	(2.3 - 5.7)	593	4.8	(2.9 - 6.7)	312	3.2	(0.9 - 5.5)	278
8° Primary	4.2	(1.6 - 6.9)	609	5.1	(0.1 - 10.0)	297	3.5	(1.2 - 5.7)	310
1° Secondary	5.8	(3.1 - 8.5)	736	6.6	(3.0 - 10.3)	394	4.6	(2.2 - 7.0)	340

Notes:

6 students did not provide usable data for Q48.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

M5. Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more days during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	23.8	(18.8 - 28.8)	1,835	25.4	(19.2 - 31.6)	942	21.9	(17.0 - 26.7)	882
Age									
12 or younger	10.5	(5.7 - 15.2)	282	11.7	(6.1 - 17.3)	148	9.3	(2.3 - 16.3)	133
13-15	23.6	(19.4 - 27.8)	1,413	24.4	(19.0 - 29.8)	700	22.7	(18.6 - 26.9)	711
16 or older	57.7	(49.4 - 66.1)	127	-	-	91	-	-	36
Grade									
7° Primary	13.6	(9.3 - 17.8)	562	15.2	(8.9 - 21.6)	292	12.0	(7.4 - 16.6)	267
8° Primary	23.5	(17.8 - 29.1)	570	24.5	(17.9 - 31.2)	279	22.2	(16.7 - 27.6)	289
1° Secondary	35.3	(29.1 - 41.4)	679	38.0	(30.5 - 45.5)	361	32.4	(27.0 - 37.7)	317

Notes:

136 students were excluded from this analysis or did not provide usable data for M5.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q49. Of students who smoked cigarettes on one or more of the past 30 days, the percentage who tried to stop smoking cigarettes during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	68.0	(62.2 - 73.9)	520	67.1	(59.1 - 75.0)	280	69.6	(62.3 - 77.0)	234
Age									
12 or younger	-	-	38	-	-	22	-	-	16
13-15	67.5	(62.2 - 72.9)	400	66.8	(60.0 - 73.5)	200	68.5	(61.7 - 75.2)	198
16 or older	-	-	75	-	-	56	-	-	19
Grade									
7° Primary	-	-	90	-	-	50	-	-	40
8° Primary	66.5	(57.7 - 75.3)	149	-	-	74	-	-	73
1° Secondary	69.3	(60.7 - 77.9)	272	65.7	(51.8 - 79.6)	152	73.9	(65.9 - 81.8)	119

Notes:

1451 students were excluded from this analysis or did not provide usable data for Q49.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q50. Percentage of students who reported people smoking in their presence on one or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	76.5	(74.4 - 78.7)	1,952	77.7	(74.2 - 81.1)	1,007	75.5	(72.5 - 78.4)	934
Age									
12 or younger	70.9	(64.8 - 77.0)	292	69.6	(61.9 - 77.4)	153	72.1	(65.8 - 78.4)	138
13-15	76.5	(74.4 - 78.6)	1,504	78.0	(73.9 - 82.1)	746	75.1	(71.7 - 78.4)	755
16 or older	91.0	(87.6 - 94.5)	143	89.5	(83.6 - 95.4)	104	-	-	39
Grade									
7° Primary	74.2	(70.5 - 77.9)	588	74.1	(69.2 - 79.0)	308	74.0	(68.7 - 79.3)	277
8° Primary	77.3	(75.4 - 79.1)	607	79.9	(74.3 - 85.4)	294	74.6	(69.4 - 79.9)	311
1° Secondary	79.1	(75.9 - 82.3)	730	80.2	(75.0 - 85.3)	393	78.4	(75.3 - 81.6)	335

Notes:

19 students did not provide usable data for Q50.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q51. Percentage of students who have a parent or guardian who uses any form of tobacco

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	43.1	(39.5 - 46.8)	1,965	41.4	(35.9 - 46.9)	1,015	44.7	(40.8 - 48.6)	938
Age									
12 or younger	46.8	(40.0 - 53.6)	294	44.9	(34.2 - 55.5)	155	48.4	(40.5 - 56.4)	138
13-15	42.0	(38.3 - 45.7)	1,512	40.1	(34.3 - 45.8)	751	43.8	(40.1 - 47.4)	758
16 or older	46.0	(37.0 - 55.0)	145	45.4	(36.7 - 54.0)	105	-	-	40
Grade									
7° Primary	44.9	(40.4 - 49.4)	592	42.2	(32.9 - 51.4)	311	48.0	(43.2 - 52.8)	278
8° Primary	43.0	(35.4 - 50.5)	609	42.2	(34.7 - 49.8)	296	43.4	(32.9 - 53.9)	311
1° Secondary	42.0	(37.4 - 46.6)	736	40.4	(33.9 - 46.9)	396	43.7	(38.9 - 48.4)	338

Notes:

6 students did not provide usable data for Q51.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q52. Percentage of students who have adults smoke at their school

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	60.2	(50.2 - 70.1)	1,445	58.0	(47.4 - 68.5)	768	62.7	(52.4 - 73.1)	667
Age									
12 or younger	60.4	(49.9 - 70.9)	219	60.5	(49.5 - 71.5)	120	-	-	98
13-15	58.3	(47.5 - 69.0)	1,093	55.4	(43.2 - 67.5)	555	61.0	(50.4 - 71.6)	536
16 or older	77.7	(64.6 - 90.7)	120	-	-	89	-	-	31
Grade									
7° Primary	54.2	(43.0 - 65.3)	443	53.5	(40.6 - 66.5)	231	55.1	(43.6 - 66.6)	209
8° Primary	56.9	(44.5 - 69.2)	428	53.4	(38.0 - 68.9)	216	60.3	(49.5 - 71.1)	211
1° Secondary	69.5	(59.1 - 79.8)	553	65.7	(53.4 - 78.0)	312	73.6	(62.9 - 84.2)	239

Notes:

526 students did not provide usable data for Q52.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q53. Percentage of students who had someone smoke in their classroom during the past week

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.9	(4.5 - 13.2)	1,942	10.0	(5.3 - 14.8)	1,000	7.5	(2.9 - 12.1)	930
Age									
12 or younger	2.9	(1.2 - 4.6)	293	2.4	(0.0 - 5.0)	154	3.4	(1.1 - 5.8)	138
13-15	8.8	(4.4 - 13.2)	1,494	9.6	(4.9 - 14.4)	741	7.8	(2.9 - 12.6)	750
16 or older	22.3	(9.3 - 35.2)	141	24.7	(14.6 - 34.8)	101	-	-	40
Grade									
7° Primary	2.7	(1.4 - 4.0)	587	2.7	(0.7 - 4.7)	308	2.7	(1.1 - 4.3)	276
8° Primary	2.8	(1.6 - 4.1)	603	3.5	(1.9 - 5.1)	293	1.8	(0.0 - 3.7)	308
1° Secondary	21.4	(12.8 - 30.0)	724	24.2	(16.7 - 31.8)	387	18.3	(7.3 - 29.2)	335

Notes:

29 students did not provide usable data for Q53.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q54. Percentage of students who drank alcohol on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	25.5	(21.4 - 29.6)	1,856	26.1	(20.3 - 31.8)	943	25.0	(20.5 - 29.5)	904
Age									
12 or younger	13.0	(7.1 - 18.8)	272	11.8	(6.6 - 17.0)	140	14.2	(4.8 - 23.6)	131
13-15	25.4	(22.2 - 28.6)	1,436	24.8	(19.8 - 29.7)	703	25.9	(22.1 - 29.8)	732
16 or older	55.7	(46.2 - 65.2)	136	-	-	96	-	-	40
Grade									
7° Primary	16.5	(12.2 - 20.8)	551	16.0	(10.6 - 21.4)	285	17.1	(10.7 - 23.6)	263
8° Primary	24.8	(20.3 - 29.3)	582	25.3	(18.1 - 32.4)	280	24.1	(20.3 - 27.9)	301
1° Secondary	35.4	(31.1 - 39.7)	698	37.3	(30.4 - 44.1)	369	33.5	(28.1 - 38.9)	329

Notes:

115 students did not provide usable data for Q54.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q55. Percentage of students who drank one or more drinks per day on the days they drank alcohol during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	13.0	(9.6 - 16.4)	1,857	15.1	(10.9 - 19.3)	941	11.0	(7.1 - 14.8)	906
Age									
12 or younger	6.3	(2.6 - 9.9)	275	7.1	(3.5 - 10.8)	143	5.4	(0.0 - 11.2)	131
13-15	12.4	(9.7 - 15.1)	1,435	13.1	(9.7 - 16.6)	699	11.6	(7.9 - 15.3)	734
16 or older	36.2	(27.3 - 45.2)	134	-	-	95	-	-	39
Grade									
7° Primary	8.2	(5.4 - 11.0)	552	10.3	(6.6 - 14.1)	287	6.0	(2.4 - 9.6)	262
8° Primary	10.5	(7.6 - 13.4)	580	11.1	(6.5 - 15.7)	277	9.7	(6.6 - 12.8)	302
1° Secondary	20.0	(15.9 - 24.1)	700	23.6	(17.2 - 29.9)	368	16.5	(12.3 - 20.6)	331

Notes:

114 students did not provide usable data for Q55.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q56. Percentage of students who usually got the alcohol they drank by buying it in a store, shop, or from a street vendor during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	5.5	(3.6 - 7.4)	1,825	6.7	(4.0 - 9.4)	922	4.2	(2.0 - 6.5)	894
Age									
12 or younger	1.6	(0.0 - 3.4)	269	2.2	(0.0 - 5.4)	140	0.9	(0.0 - 2.7)	128
13-15	5.0	(3.4 - 6.7)	1,416	5.6	(3.5 - 7.8)	687	4.3	(1.8 - 6.9)	728
16 or older	20.8	(11.9 - 29.7)	130	-	-	92	-	-	38
Grade									
7° Primary	2.9	(1.2 - 4.6)	544	3.5	(0.9 - 6.2)	281	2.3	(0.0 - 5.0)	260
8° Primary	3.9	(2.2 - 5.6)	574	5.0	(1.9 - 8.1)	272	2.5	(1.0 - 4.1)	301
1° Secondary	9.6	(7.4 - 11.9)	683	11.6	(8.9 - 14.2)	361	7.7	(4.0 - 11.4)	322

Notes:

146 students did not provide usable data for Q56.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q57. Percentage of students who drank so much alcohol that they were really drunk one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	22.5	(17.1 - 27.9)	1,962	25.7	(19.4 - 32.0)	1,013	18.9	(13.8 - 24.1)	937
Age									
12 or younger	9.3	(4.9 - 13.6)	293	11.3	(6.7 - 15.8)	154	7.2	(0.7 - 13.7)	138
13-15	21.9	(17.3 - 26.4)	1,512	23.1	(18.1 - 28.1)	751	20.3	(15.6 - 25.1)	758
16 or older	60.6	(57.2 - 63.9)	143	70.5	(59.7 - 81.2)	104	-	-	39
Grade									
7° Primary	13.2	(8.8 - 17.6)	592	15.3	(11.1 - 19.5)	311	11.1	(5.8 - 16.5)	278
8° Primary	19.4	(14.3 - 24.4)	608	21.7	(14.8 - 28.6)	296	16.5	(11.0 - 22.0)	310
1° Secondary	34.9	(27.2 - 42.6)	734	39.7	(30.5 - 48.9)	394	29.8	(23.0 - 36.6)	338

Notes:

9 students did not provide usable data for Q57.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q58. Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.1	(7.8 - 14.4)	1,964	12.6	(9.0 - 16.3)	1,015	9.3	(5.9 - 12.7)	937
Age									
12 or younger	5.7	(1.7 - 9.7)	293	7.6	(2.4 - 12.8)	154	3.7	(0.0 - 8.7)	138
13-15	10.3	(7.4 - 13.3)	1,512	10.8	(7.4 - 14.3)	752	9.6	(6.4 - 12.8)	757
16 or older	30.3	(23.0 - 37.6)	145	33.7	(26.4 - 41.0)	105	-	-	40
Grade									
7° Primary	8.3	(4.9 - 11.6)	591	10.4	(5.7 - 15.1)	311	6.0	(3.0 - 9.0)	277
8° Primary	8.2	(4.3 - 12.1)	609	8.9	(4.4 - 13.3)	297	7.2	(2.9 - 11.6)	310
1° Secondary	16.9	(11.7 - 22.1)	736	18.5	(13.1 - 24.0)	395	14.7	(9.9 - 19.6)	339

Notes:

7 students did not provide usable data for Q58.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q59. Percentage of students who used drugs, such as marijuana or cocaine one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	8.0	(5.3 - 10.6)	1,944	10.1	(6.4 - 13.8)	1,003	5.6	(3.4 - 7.8)	929
Age									
12 or younger	2.8	(0.5 - 5.0)	290	4.0	(1.0 - 7.1)	152	1.4	(0.0 - 3.4)	137
13-15	7.2	(5.2 - 9.1)	1,496	7.8	(5.3 - 10.3)	743	6.3	(4.1 - 8.6)	750
16 or older	27.8	(21.0 - 34.5)	144	36.5	(30.1 - 42.9)	104	-	-	40
Grade									
7° Primary	3.6	(1.3 - 5.9)	585	4.9	(1.7 - 8.1)	307	2.2	(0.5 - 4.0)	275
8° Primary	6.8	(4.9 - 8.7)	604	8.2	(5.3 - 11.1)	294	5.1	(2.7 - 7.4)	308
1° Secondary	13.2	(8.9 - 17.5)	727	16.9	(10.6 - 23.2)	390	9.1	(5.5 - 12.7)	335

Notes:

27 students did not provide usable data for Q59.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q60. Percentage of students who took tranquilizers, such as diazepam, clonazepam, lorazepam, or bromazepam during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	11.4	(9.4 - 13.4)	1,962	8.9	(6.5 - 11.3)	1,011	13.5	(10.8 - 16.1)	939
Age									
12 or younger	8.6	(5.5 - 11.7)	293	6.6	(3.8 - 9.4)	154	10.8	(4.0 - 17.6)	138
13-15	11.7	(9.6 - 13.7)	1,510	8.6	(6.1 - 11.0)	748	14.2	(11.6 - 16.9)	759
16 or older	11.8	(5.6 - 18.1)	145	12.7	(5.0 - 20.4)	105	-	-	40
Grade									
7° Primary	12.1	(9.2 - 15.0)	592	10.0	(6.0 - 14.1)	311	14.1	(8.1 - 20.1)	278
8° Primary	8.8	(7.1 - 10.4)	608	5.3	(3.3 - 7.2)	295	11.6	(9.6 - 13.6)	311
1° Secondary	13.1	(10.0 - 16.2)	734	11.2	(7.3 - 15.2)	393	14.5	(10.3 - 18.6)	339

Notes:

9 students did not provide usable data for Q60.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q61. Percentage of students who took Ritalin (medicine for hyperactive children) during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.1	(2.8 - 5.4)	1,959	5.2	(3.2 - 7.2)	1,011	3.0	(1.7 - 4.4)	936
Age									
12 or younger	4.2	(2.0 - 6.4)	293	7.4	(2.8 - 12.0)	154	0.8	(0.0 - 2.5)	138
13-15	3.5	(2.5 - 4.4)	1,510	3.9	(2.1 - 5.7)	750	3.0	(1.9 - 4.2)	757
16 or older	10.5	(5.3 - 15.6)	142	9.9	(4.0 - 15.7)	103	-	-	39
Grade									
7° Primary	4.9	(3.3 - 6.5)	590	6.7	(3.8 - 9.6)	311	3.0	(1.0 - 5.1)	276
8° Primary	1.8	(1.1 - 2.5)	607	1.3	(0.1 - 2.6)	295	2.2	(1.1 - 3.4)	310
1° Secondary	5.4	(3.2 - 7.6)	734	6.8	(3.5 - 10.1)	393	4.0	(2.1 - 5.8)	339

Notes:

12 students did not provide usable data for Q61.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q62. Percentage of students who have ever had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	14.3	(10.5 - 18.1)	1,692	20.7	(16.0 - 25.5)	840	7.8	(4.9 - 10.7)	841
Age									
12 or younger	4.5	(1.1 - 7.8)	253	7.9	(2.4 - 13.5)	132	0.8	(0.0 - 2.3)	120
13-15	13.0	(10.0 - 16.0)	1,315	18.9	(15.1 - 22.8)	624	7.5	(4.7 - 10.4)	688
16 or older	52.5	(44.0 - 61.1)	112	-	-	80	-	-	32
Grade									
7° Primary	8.1	(4.1 - 12.1)	501	13.7	(7.0 - 20.3)	253	2.7	(0.0 - 5.3)	245
8° Primary	11.3	(8.1 - 14.5)	537	18.1	(11.9 - 24.4)	252	4.7	(2.2 - 7.1)	283
1° Secondary	23.2	(16.2 - 30.3)	631	30.7	(24.6 - 36.9)	325	15.9	(9.5 - 22.4)	305

Notes:

279 students did not provide usable data for Q62.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q63. Percentage of students who had sexual intercourse for the first time before age 13

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.5	(4.8 - 8.2)	1,703	11.9	(9.5 - 14.3)	843	1.3	(0.1 - 2.5)	848
Age									
12 or younger	4.5	(1.4 - 7.5)	252	7.3	(2.5 - 12.1)	131	1.5	(0.0 - 3.6)	120
13-15	6.2	(4.4 - 7.9)	1,324	11.9	(9.5 - 14.3)	627	1.0	(0.0 - 2.1)	694
16 or older	14.2	(10.8 - 17.7)	113	-	-	81	-	-	32
Grade									
7° Primary	6.2	(3.0 - 9.5)	496	11.0	(6.0 - 16.1)	249	1.5	(0.0 - 3.4)	244
8° Primary	6.1	(3.6 - 8.6)	541	11.9	(7.6 - 16.3)	254	0.7	(0.0 - 1.6)	285
1° Secondary	6.8	(4.5 - 9.1)	642	12.0	(8.5 - 15.4)	329	1.7	(0.0 - 4.0)	311

Notes:

268 students did not provide usable data for Q63.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q64. Percentage of students who used a condom the first time they had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.8	(3.5 - 6.1)	1,965	7.3	(5.3 - 9.3)	1,015	2.1	(0.7 - 3.5)	938
Age									
12 or younger	2.6	(0.7 - 4.4)	294	4.2	(0.9 - 7.6)	155	0.8	(0.0 - 2.2)	138
13-15	4.4	(3.2 - 5.7)	1,514	6.5	(4.7 - 8.2)	752	2.3	(0.8 - 3.9)	759
16 or older	14.3	(11.0 - 17.6)	144	19.5	(15.1 - 23.9)	104	-	-	40
Grade									
7° Primary	3.6	(1.6 - 5.6)	591	6.3	(2.8 - 9.9)	311	0.7	(0.0 - 1.6)	277
8° Primary	3.4	(1.9 - 4.9)	610	4.2	(1.4 - 7.0)	297	2.3	(0.2 - 4.4)	311
1° Secondary	7.2	(4.4 - 10.0)	737	11.3	(7.8 - 14.9)	396	3.1	(0.8 - 5.3)	339

Notes:

6 students did not provide usable data for Q64.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q65. Percentage of students who have had sexual intercourse with two or more people during their life time

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.6	(4.3 - 8.9)	1,739	10.6	(6.8 - 14.4)	869	2.7	(1.7 - 3.6)	858
Age									
12 or younger	1.0	(0.4 - 1.7)	260	2.0	(0.7 - 3.3)	139	0.0	(0.0 - 0.0)	120
13-15	5.7	(3.9 - 7.4)	1,351	9.0	(5.9 - 12.2)	643	2.6	(1.7 - 3.5)	705
16 or older	32.0	(25.6 - 38.4)	115	-	-	83	-	-	32
Grade									
7° Primary	3.6	(1.7 - 5.5)	512	6.1	(2.7 - 9.4)	262	1.2	(0.3 - 2.0)	247
8° Primary	4.7	(2.3 - 7.1)	557	7.3	(3.3 - 11.4)	264	1.8	(0.4 - 3.2)	291
1° Secondary	11.6	(7.6 - 15.7)	646	18.6	(13.5 - 23.6)	333	5.2	(3.1 - 7.2)	311

Notes:

232 students did not provide usable data for Q65.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q66. Percentage of students who had sexual intercourse during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.0	(6.1 - 11.8)	1,813	11.7	(7.8 - 15.5)	917	5.9	(3.9 - 8.0)	884
Age									
12 or younger	2.4	(0.2 - 4.6)	271	3.9	(0.7 - 7.2)	144	0.7	(0.0 - 2.2)	126
13-15	8.0	(5.5 - 10.5)	1,407	10.3	(6.7 - 13.9)	683	5.7	(3.5 - 8.0)	721
16 or older	34.4	(24.9 - 43.9)	121	-	-	86	-	-	35
Grade									
7° Primary	3.9	(2.5 - 5.3)	541	6.6	(4.2 - 9.0)	280	1.1	(0.0 - 2.4)	258
8° Primary	6.5	(3.1 - 10.0)	574	9.4	(2.1 - 16.6)	276	3.5	(1.3 - 5.7)	296
1° Secondary	16.3	(11.3 - 21.3)	673	19.4	(13.9 - 24.9)	350	13.1	(9.1 - 17.1)	321

Notes:

158 students did not provide usable data for Q66.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q67. Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	50.4	(44.7 - 56.0)	164	52.6	(46.7 - 58.5)	107	-	-	53
Age									
12 or younger	-	-	7	-	-	6	-	-	1
13-15	51.5	(40.6 - 62.4)	114	-	-	70	-	-	42
16 or older	-	-	38	-	-	29	-	-	9
Grade									
7° Primary	-	-	21	-	-	18	-	-	3
8° Primary	-	-	35	-	-	24	-	-	10
1° Secondary	46.6	(39.0 - 54.1)	103	-	-	63	-	-	39

Notes:

1807 students were excluded from this analysis or did not provide usable data for Q67.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q68. Percentage of students who think they can avoid AIDS by having just a unique healthy partner and wearing condom

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	70.9	(66.6 - 75.2)	1,951	67.8	(62.7 - 73.0)	1,007	74.3	(69.7 - 78.9)	932
Age									
12 or younger	68.7	(61.0 - 76.4)	291	62.4	(50.3 - 74.5)	152	75.8	(64.4 - 87.2)	138
13-15	72.2	(67.7 - 76.7)	1,502	69.5	(64.6 - 74.5)	746	74.8	(69.8 - 79.9)	753
16 or older	61.8	(53.1 - 70.5)	145	63.4	(51.9 - 75.0)	105	-	-	40
Grade									
7° Primary	68.3	(60.9 - 75.7)	586	63.5	(53.1 - 73.9)	306	73.5	(64.5 - 82.4)	277
8° Primary	73.9	(68.6 - 79.1)	606	71.3	(64.7 - 77.9)	296	76.2	(69.6 - 82.9)	308
1° Secondary	71.5	(63.9 - 79.1)	731	69.7	(61.5 - 78.0)	393	73.7	(64.6 - 82.8)	336

Notes:

20 students did not provide usable data for Q68.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q69. Percentage of students who practiced physical activity out of school on one or more days during the past 7 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	79.9	(76.9 - 83.0)	1,956	85.3	(81.9 - 88.7)	1,010	74.5	(70.1 - 78.9)	934
Age									
12 or younger	81.3	(74.5 - 88.2)	294	83.5	(74.2 - 92.7)	155	78.9	(70.6 - 87.3)	138
13-15	80.2	(77.6 - 82.9)	1,507	86.1	(82.8 - 89.5)	748	74.6	(70.7 - 78.6)	756
16 or older	73.3	(59.8 - 86.7)	141	81.3	(69.0 - 93.5)	103	-	-	38
Grade									
7° Primary	80.8	(75.1 - 86.5)	587	84.2	(77.7 - 90.7)	307	76.9	(70.3 - 83.5)	277
8° Primary	83.9	(81.1 - 86.8)	609	89.0	(85.5 - 92.5)	296	79.1	(74.6 - 83.6)	311
1° Secondary	75.2	(69.5 - 80.9)	733	82.8	(76.2 - 89.5)	395	67.3	(60.2 - 74.4)	336

Notes:

15 students did not provide usable data for Q69.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q70. Percentage of students who were physically active all seven days for a total of at least 60 minutes per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.4	(7.7 - 11.0)	1,950	13.2	(10.8 - 15.6)	1,005	5.3	(3.6 - 7.1)	933
Age									
12 or younger	11.3	(9.8 - 12.9)	291	16.5	(13.5 - 19.6)	154	5.8	(2.3 - 9.3)	136
13-15	8.9	(6.9 - 10.8)	1,503	12.4	(9.6 - 15.3)	745	5.4	(3.1 - 7.7)	755
16 or older	8.1	(4.7 - 11.6)	142	10.7	(6.0 - 15.5)	102	-	-	40
Grade									
7° Primary	11.0	(9.4 - 12.6)	587	16.3	(12.2 - 20.3)	309	5.3	(2.8 - 7.8)	275
8° Primary	9.6	(7.4 - 11.9)	606	13.2	(8.6 - 17.8)	295	5.8	(3.8 - 7.7)	309
1° Secondary	7.2	(4.5 - 9.9)	729	9.1	(6.5 - 11.8)	389	5.0	(2.2 - 7.8)	338

Notes:

21 students did not provide usable data for Q70.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q71. Percentage of students who were physically active seven days for a total of at least 60 minutes per day during a typical or usual week

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.8	(8.2 - 11.4)	1,961	13.8	(11.5 - 16.2)	1,013	5.7	(4.5 - 6.9)	936
Age									
12 or younger	12.1	(9.0 - 15.2)	293	16.5	(12.2 - 20.7)	155	7.4	(3.1 - 11.7)	137
13-15	9.5	(7.5 - 11.4)	1,509	13.6	(10.9 - 16.2)	749	5.6	(4.2 - 6.9)	757
16 or older	8.4	(4.0 - 12.7)	145	11.0	(5.4 - 16.6)	105	-	-	40
Grade									
7° Primary	12.2	(9.5 - 14.8)	589	17.5	(12.7 - 22.2)	311	6.5	(3.4 - 9.5)	275
8° Primary	10.3	(8.2 - 12.4)	610	14.2	(11.0 - 17.4)	297	6.4	(3.9 - 8.9)	311
1° Secondary	6.8	(4.1 - 9.5)	734	9.1	(6.0 - 12.2)	393	4.4	(1.9 - 6.9)	339

Notes:

10 students did not provide usable data for Q71.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

M6. Percentage of students who participated in an insufficient amount of physical activity

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	84.6	(82.4 - 86.9)	1,945	77.5	(74.2 - 80.8)	1,002	92.2	(90.5 - 93.9)	931
Age									
12 or younger	82.0	(78.5 - 85.5)	291	74.5	(70.2 - 78.8)	154	90.0	(84.6 - 95.5)	136
13-15	85.1	(82.4 - 87.8)	1,498	77.7	(74.0 - 81.4)	742	92.3	(90.1 - 94.5)	753
16 or older	87.3	(83.4 - 91.3)	142	82.7	(77.1 - 88.2)	102	-	-	40
Grade									
7° Primary	82.8	(80.4 - 85.3)	586	75.3	(69.8 - 80.8)	309	91.2	(88.7 - 93.6)	274
8° Primary	82.9	(80.2 - 85.6)	605	75.0	(70.4 - 79.7)	294	90.9	(88.2 - 93.7)	309
1° Secondary	88.5	(85.2 - 91.7)	726	83.1	(79.4 - 86.9)	387	94.1	(91.8 - 96.4)	337

Notes:

26 students did not provide usable data for M6.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q72. Percentage of students who spent most of their time doing physical activity at home

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	18.4	(16.2 - 20.6)	1,416	12.0	(8.8 - 15.1)	716	24.7	(21.9 - 27.4)	696
Age									
12 or younger	19.2	(12.9 - 25.5)	214	9.1	(2.3 - 16.0)	102	28.2	(21.8 - 34.6)	111
13-15	18.6	(15.9 - 21.4)	1,098	12.4	(8.5 - 16.3)	540	24.4	(21.5 - 27.3)	557
16 or older	-	-	99	-	-	72	-	-	27
Grade									
7° Primary	18.8	(13.8 - 23.9)	429	12.3	(6.2 - 18.4)	217	25.4	(20.0 - 30.9)	211
8° Primary	16.7	(12.9 - 20.5)	443	9.3	(5.2 - 13.4)	211	23.5	(17.2 - 29.8)	231
1° Secondary	19.4	(16.8 - 22.0)	523	14.4	(10.8 - 17.9)	279	24.5	(19.9 - 29.1)	244

Notes:

555 students did not provide usable data for Q72.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q73. Percentage of students whose main reason for not practicing physical activity out of school was they had no time

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.9	(5.4 - 8.5)	1,406	5.2	(3.6 - 6.7)	711	8.6	(5.9 - 11.3)	691
Age									
12 or younger	4.1	(1.8 - 6.4)	218	3.6	(0.0 - 8.1)	106	4.6	(1.6 - 7.5)	111
13-15	7.1	(5.6 - 8.7)	1,091	5.0	(3.4 - 6.5)	536	9.2	(6.4 - 12.0)	554
16 or older	-	-	93	-	-	67	-	-	26
Grade									
7° Primary	4.8	(2.9 - 6.8)	429	3.9	(1.9 - 5.8)	217	5.8	(3.2 - 8.5)	211
8° Primary	6.5	(4.5 - 8.5)	444	3.7	(0.7 - 6.7)	213	9.3	(4.8 - 13.8)	230
1° Secondary	9.4	(6.6 - 12.1)	512	7.8	(5.5 - 10.1)	272	10.9	(7.2 - 14.5)	240

Notes:

565 students did not provide usable data for Q73.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q74. Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities during a typical or usual day

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	39.9	(35.6 - 44.1)	1,942	32.3	(28.8 - 35.7)	999	47.5	(41.9 - 53.0)	931
Age									
12 or younger	39.0	(31.3 - 46.6)	288	32.2	(24.7 - 39.7)	150	46.4	(36.2 - 56.6)	137
13-15	40.1	(35.8 - 44.5)	1,497	31.9	(27.7 - 36.0)	742	48.0	(42.1 - 53.9)	752
16 or older	37.4	(29.3 - 45.4)	143	36.0	(26.2 - 45.7)	103	-	-	40
Grade									
7° Primary	37.1	(30.3 - 43.9)	580	31.3	(25.9 - 36.7)	302	43.4	(34.2 - 52.5)	275
8° Primary	40.9	(36.3 - 45.4)	606	31.9	(25.7 - 38.1)	297	49.9	(43.5 - 56.3)	307
1° Secondary	41.8	(35.5 - 48.1)	728	33.3	(27.6 - 39.0)	388	50.1	(43.7 - 56.5)	338

Notes:

29 students did not provide usable data for Q74.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q75. Percentage of students who did not walk or ride a bicycle to and from school during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	28.5	(22.2 - 34.8)	1,963	27.0	(20.6 - 33.4)	1,012	29.8	(22.0 - 37.6)	939
Age									
12 or younger	28.9	(20.6 - 37.2)	292	30.1	(23.0 - 37.3)	154	27.1	(15.0 - 39.1)	137
13-15	28.4	(22.5 - 34.4)	1,512	26.2	(20.5 - 32.0)	749	30.5	(22.3 - 38.8)	760
16 or older	27.6	(13.9 - 41.3)	145	27.0	(11.6 - 42.4)	105	-	-	40
Grade									
7° Primary	29.6	(23.6 - 35.6)	587	28.5	(22.3 - 34.7)	307	30.3	(22.3 - 38.3)	277
8° Primary	24.3	(15.5 - 33.0)	611	23.8	(14.6 - 32.9)	298	24.9	(14.1 - 35.7)	311
1° Secondary	31.8	(24.0 - 39.6)	737	29.5	(22.8 - 36.2)	395	34.1	(21.8 - 46.4)	340

Notes:

8 students did not provide usable data for Q75.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q76. Percentage of students who usually take 29 minutes or less to get to and from school each day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	70.7	(65.6 - 75.8)	1,936	72.7	(66.8 - 78.6)	1,000	68.5	(63.0 - 74.1)	924
Age									
12 or younger	79.4	(71.6 - 87.1)	290	82.5	(74.5 - 90.4)	152	75.9	(66.6 - 85.3)	137
13-15	69.5	(64.4 - 74.5)	1,491	71.8	(65.2 - 78.5)	742	67.2	(62.1 - 72.3)	746
16 or older	62.2	(55.5 - 68.9)	141	60.9	(53.4 - 68.4)	102	-	-	39
Grade									
7° Primary	76.1	(68.9 - 83.2)	583	78.4	(71.8 - 84.9)	305	73.4	(65.2 - 81.5)	275
8° Primary	72.7	(64.7 - 80.8)	600	73.8	(65.4 - 82.3)	296	71.8	(63.9 - 79.7)	302
1° Secondary	62.8	(59.1 - 66.5)	725	65.5	(57.5 - 73.5)	387	60.1	(56.5 - 63.6)	336

Notes:

35 students did not provide usable data for Q76.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

M7. Percentage of students who walked or bicycled to and from school for a total of 150 minutes or more during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	78.6	(75.7 - 81.4)	1,931	80.1	(75.7 - 84.4)	996	77.0	(73.8 - 80.2)	923
Age									
12 or younger	84.7	(81.0 - 88.5)	288	91.2	(87.4 - 95.0)	151	77.8	(71.0 - 84.7)	136
13-15	78.2	(75.4 - 81.0)	1,488	78.7	(74.2 - 83.2)	739	77.8	(74.4 - 81.2)	746
16 or older	67.6	(57.6 - 77.7)	141	69.8	(59.7 - 80.0)	102	-	-	39
Grade									
7° Primary	84.8	(81.1 - 88.6)	579	87.2	(82.7 - 91.6)	302	82.2	(77.2 - 87.2)	274
8° Primary	77.6	(73.5 - 81.6)	600	78.1	(72.7 - 83.5)	296	77.2	(71.3 - 83.1)	302
1° Secondary	72.7	(67.7 - 77.7)	724	74.6	(68.8 - 80.4)	386	70.6	(64.1 - 77.1)	336

Notes:

40 students were excluded from this analysis or did not provide usable data for M7.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q77. Percentage of students who practiced physical activity out of school, like running, riding a bicycle, rolling, playing football, volleyball, basketball, jumping, skipping, dancing, or any other for 30 minutes or more

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	35.0	(32.3 - 37.7)	1,926	45.8	(43.2 - 48.5)	990	24.0	(20.1 - 27.9)	925
Age									
12 or younger	39.5	(33.4 - 45.6)	290	50.2	(38.7 - 61.6)	152	27.8	(19.1 - 36.4)	137
13-15	34.1	(31.4 - 36.9)	1,483	45.3	(43.1 - 47.5)	734	23.6	(19.3 - 27.8)	747
16 or older	32.6	(24.6 - 40.6)	139	40.5	(31.9 - 49.2)	100	-	-	39
Grade									
7° Primary	38.4	(33.6 - 43.3)	583	46.9	(39.9 - 54.0)	304	29.1	(23.4 - 34.8)	276
8° Primary	36.4	(32.6 - 40.1)	598	46.7	(42.6 - 50.9)	294	26.1	(20.1 - 32.0)	302
1° Secondary	29.6	(24.0 - 35.1)	717	43.1	(38.6 - 47.7)	380	16.0	(12.0 - 20.1)	336

Notes:

45 students did not provide usable data for Q77.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q78. Percentage of students who thought about TV programmes they saw yesterday (such as TV serial, Mekano, Rojo, news, movies, cartoons, or others) and estimated they watched TV for one hour or more

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	57.1	(53.1 - 61.0)	1,956	50.8	(46.6 - 55.0)	1,010	63.5	(58.9 - 68.1)	934
Age									
12 or younger	59.5	(54.7 - 64.3)	291	49.6	(41.2 - 58.0)	153	69.8	(61.2 - 78.4)	137
13-15	57.3	(52.3 - 62.3)	1,508	52.2	(46.9 - 57.5)	750	62.3	(56.8 - 67.8)	755
16 or older	48.8	(42.3 - 55.3)	143	43.9	(34.1 - 53.7)	103	-	-	40
Grade									
7° Primary	59.8	(55.2 - 64.4)	585	53.1	(48.5 - 57.7)	307	66.9	(61.5 - 72.3)	275
8° Primary	58.9	(51.5 - 66.3)	609	54.1	(46.1 - 62.0)	297	63.8	(53.8 - 73.7)	310
1° Secondary	52.7	(47.9 - 57.6)	734	45.5	(39.0 - 51.9)	394	60.3	(51.7 - 68.8)	338

Notes:

15 students did not provide usable data for Q78.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q79. Percentage of students who spent one hour or more listening to music, playing cards, playing chess or similar games, painting, drawing, or playing Nintendo yesterday

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	27.2	(24.6 - 29.7)	1,956	24.4	(21.2 - 27.7)	1,009	30.0	(26.4 - 33.6)	935
Age									
12 or younger	23.2	(19.1 - 27.2)	290	20.9	(12.8 - 29.0)	153	25.8	(19.3 - 32.3)	136
13-15	27.1	(24.2 - 30.0)	1,511	23.9	(20.8 - 27.0)	748	30.1	(26.0 - 34.1)	760
16 or older	36.9	(26.5 - 47.3)	142	34.4	(25.4 - 43.5)	104	-	-	38
Grade									
7° Primary	24.8	(21.8 - 27.9)	586	21.3	(14.9 - 27.6)	307	28.6	(23.5 - 33.6)	276
8° Primary	30.1	(25.3 - 34.9)	609	25.2	(20.8 - 29.5)	297	35.0	(29.3 - 40.6)	310
1° Secondary	26.6	(22.8 - 30.5)	733	27.4	(21.7 - 33.1)	393	26.0	(21.1 - 31.0)	338

Notes:

15 students did not provide usable data for Q79.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q80. Percentage of students who spent one hour or more at the computer

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	9.1	(7.5 - 10.7)	1,944	10.5	(8.4 - 12.6)	1,000	7.8	(5.8 - 9.7)	932
Age									
12 or younger	11.0	(7.5 - 14.5)	287	13.2	(6.8 - 19.5)	151	8.7	(5.1 - 12.3)	135
13-15	8.5	(6.7 - 10.3)	1,500	9.5	(7.2 - 11.9)	742	7.5	(5.7 - 9.3)	755
16 or older	10.4	(4.9 - 16.0)	143	11.9	(3.8 - 20.0)	103	-	-	40
Grade									
7° Primary	9.7	(7.8 - 11.6)	576	10.4	(6.6 - 14.1)	300	9.0	(5.3 - 12.8)	273
8° Primary	9.8	(6.4 - 13.1)	609	11.8	(7.5 - 16.1)	296	7.8	(4.6 - 11.0)	311
1° Secondary	7.7	(4.8 - 10.6)	732	9.3	(5.3 - 13.3)	393	6.1	(3.2 - 8.9)	337

Notes:

27 students did not provide usable data for Q80.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q81. Percentage of students who missed classes or school without permission on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	19.5	(15.6 - 23.4)	1,961	23.0	(18.3 - 27.7)	1,013	15.9	(11.8 - 19.9)	936
Age									
12 or younger	17.9	(11.0 - 24.7)	292	21.3	(12.9 - 29.7)	154	14.3	(7.4 - 21.2)	137
13-15	17.9	(14.7 - 21.0)	1,511	20.8	(16.4 - 25.3)	750	15.1	(11.4 - 18.8)	758
16 or older	39.4	(26.2 - 52.6)	145	42.0	(24.6 - 59.3)	105	-	-	40
Grade									
7° Primary	17.8	(12.7 - 22.8)	587	20.5	(14.1 - 26.9)	308	14.7	(9.0 - 20.4)	276
8° Primary	16.3	(12.6 - 19.9)	609	19.4	(14.0 - 24.8)	297	13.3	(9.6 - 17.0)	310
1° Secondary	23.9	(17.3 - 30.5)	737	28.3	(21.1 - 35.5)	396	19.3	(12.3 - 26.2)	339

Notes:

10 students did not provide usable data for Q81.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q82. Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	45.7	(41.8 - 49.7)	1,950	40.7	(36.8 - 44.5)	1,007	51.2	(46.8 - 55.6)	931
Age									
12 or younger	46.2	(37.5 - 54.8)	288	40.2	(29.7 - 50.8)	153	52.3	(43.9 - 60.7)	134
13-15	46.8	(42.9 - 50.8)	1,504	42.3	(38.0 - 46.6)	746	51.4	(46.7 - 56.1)	755
16 or older	34.8	(26.5 - 43.2)	144	29.9	(19.6 - 40.1)	104	-	-	40
Grade									
7° Primary	44.7	(36.9 - 52.5)	581	38.9	(30.1 - 47.6)	305	51.1	(43.7 - 58.5)	273
8° Primary	47.2	(43.4 - 51.0)	609	45.7	(42.5 - 48.9)	296	49.0	(42.6 - 55.4)	311
1° Secondary	45.1	(36.1 - 54.2)	732	37.4	(28.9 - 45.9)	394	53.2	(45.7 - 60.6)	336

Notes:

21 students did not provide usable data for Q82.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q83. Percentage of students whose parents or guardians checked to see if their homework was done most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	49.8	(46.6 - 52.9)	1,939	50.1	(46.2 - 53.9)	999	49.6	(46.6 - 52.6)	930
Age									
12 or younger	63.2	(56.7 - 69.7)	291	69.1	(60.0 - 78.1)	153	56.6	(46.6 - 66.7)	137
13-15	47.9	(45.0 - 50.9)	1,497	47.6	(44.0 - 51.3)	742	48.4	(44.5 - 52.3)	753
16 or older	39.1	(30.6 - 47.6)	139	36.0	(25.5 - 46.6)	100	-	-	39
Grade									
7° Primary	57.3	(52.8 - 61.7)	581	60.6	(55.3 - 66.0)	304	53.9	(47.2 - 60.6)	274
8° Primary	50.8	(45.6 - 56.1)	609	47.2	(41.2 - 53.2)	297	54.8	(48.6 - 60.9)	310
1° Secondary	40.7	(36.6 - 44.8)	721	41.4	(36.0 - 46.7)	386	40.0	(34.2 - 45.8)	335

Notes:

32 students did not provide usable data for Q83.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL -BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q84. Percentage of students whose parents or guardians understood their problems and worries most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	49.4	(46.4 - 52.4)	1,958	48.4	(45.4 - 51.4)	1,009	50.4	(46.0 - 54.8)	937
Age									
12 or younger	58.0	(50.2 - 65.8)	291	59.6	(51.9 - 67.3)	153	56.6	(45.2 - 68.0)	137
13-15	48.5	(45.6 - 51.3)	1,508	47.3	(43.7 - 50.9)	747	49.6	(45.3 - 53.9)	758
16 or older	38.6	(30.5 - 46.7)	145	37.6	(28.0 - 47.2)	105	-	-	40
Grade									
7° Primary	54.8	(48.7 - 60.9)	584	54.1	(49.0 - 59.2)	306	55.8	(46.8 - 64.7)	275
8° Primary	47.7	(43.8 - 51.5)	609	45.9	(39.6 - 52.2)	296	49.4	(45.3 - 53.5)	311
1° Secondary	45.3	(40.9 - 49.7)	737	44.6	(41.4 - 47.7)	395	46.0	(37.9 - 54.1)	340

Notes:

13 students did not provide usable data for Q84.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q85. Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	59.4	(54.2 - 64.7)	1,939	58.7	(54.1 - 63.2)	999	60.1	(53.0 - 67.2)	929
Age									
12 or younger	66.4	(56.9 - 75.9)	290	65.8	(55.2 - 76.3)	152	66.9	(53.7 - 80.0)	137
13-15	59.3	(54.7 - 63.9)	1,494	58.8	(54.7 - 62.9)	739	59.9	(53.4 - 66.4)	752
16 or older	44.4	(31.6 - 57.1)	142	47.4	(33.4 - 61.4)	104	-	-	38
Grade									
7° Primary	65.8	(57.6 - 73.9)	579	64.0	(55.5 - 72.5)	304	67.5	(55.9 - 79.0)	273
8° Primary	58.8	(55.3 - 62.2)	602	58.1	(55.7 - 60.5)	291	59.5	(54.3 - 64.6)	309
1° Secondary	54.1	(47.5 - 60.8)	730	54.2	(48.3 - 60.0)	392	54.1	(45.4 - 62.9)	336

Notes:

32 students did not provide usable data for Q85.

N = Number of students.

- = Fewer than 100 students.

This question is part of the GSHS core questionnaire.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q86. Percentage of students who participated or attended activities about healthy nutrition or eating healthy snacks, like lectures, workshops, competitions, murals, or healthy kiosks during the current school year

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	43.0	(38.6 - 47.4)	1,869	44.9	(40.4 - 49.5)	948	41.0	(35.6 - 46.4)	912
Age									
12 or younger	51.8	(46.5 - 57.2)	282	53.8	(47.9 - 59.6)	146	50.2	(42.0 - 58.4)	135
13-15	41.0	(35.7 - 46.4)	1,444	42.4	(36.5 - 48.2)	706	39.7	(33.5 - 45.9)	736
16 or older	42.8	(34.7 - 51.0)	132	-	-	92	-	-	40
Grade									
7° Primary	50.4	(46.0 - 54.7)	565	53.2	(47.9 - 58.5)	291	47.7	(40.1 - 55.3)	272
8° Primary	42.0	(31.4 - 52.7)	580	44.8	(33.3 - 56.4)	278	39.4	(28.7 - 50.2)	301
1° Secondary	36.0	(32.5 - 39.4)	699	36.2	(31.1 - 41.2)	368	35.4	(28.9 - 41.8)	329

Notes:

102 students did not provide usable data for Q86.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q87. Percentage of students who participated or attended activities about self care, self image, personal relationships or drug use prevention during the current school year

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	33.3	(30.1 - 36.4)	1,911	32.6	(30.0 - 35.2)	976	34.0	(29.2 - 38.8)	924
Age									
12 or younger	35.8	(27.7 - 43.8)	283	36.6	(27.7 - 45.6)	148	35.1	(24.6 - 45.6)	134
13-15	33.1	(29.9 - 36.4)	1,476	32.5	(29.9 - 35.1)	724	33.8	(28.8 - 38.7)	749
16 or older	29.0	(22.1 - 35.9)	141	26.4	(17.7 - 35.0)	101	-	-	40
Grade									
7° Primary	35.0	(29.6 - 40.4)	571	34.4	(28.7 - 40.0)	296	35.9	(28.9 - 42.9)	273
8° Primary	36.9	(31.0 - 42.9)	594	35.8	(29.8 - 41.9)	286	37.9	(29.9 - 45.9)	306
1° Secondary	28.3	(25.7 - 31.0)	719	27.6	(23.7 - 31.4)	382	28.9	(25.5 - 32.3)	335

Notes:

60 students did not provide usable data for Q87.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q88. Percentage of students who do not belong to any organization

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	48.9	(45.2 - 52.5)	1,923	45.6	(40.3 - 51.0)	999	52.3	(47.4 - 57.2)	912
Age									
12 or younger	44.6	(36.5 - 52.6)	285	43.2	(34.3 - 52.0)	152	46.4	(34.3 - 58.5)	132
13-15	48.9	(45.2 - 52.6)	1,481	45.2	(39.3 - 51.1)	739	52.7	(47.1 - 58.3)	739
16 or older	56.8	(50.1 - 63.5)	144	52.9	(40.9 - 65.0)	104	-	-	40
Grade									
7° Primary	47.5	(41.3 - 53.8)	574	47.4	(41.2 - 53.6)	301	47.8	(39.0 - 56.6)	270
8° Primary	43.8	(39.4 - 48.2)	593	40.2	(31.6 - 48.9)	292	47.7	(40.9 - 54.5)	299
1° Secondary	54.8	(48.8 - 60.8)	729	49.1	(38.8 - 59.4)	394	60.7	(54.1 - 67.4)	333

Notes:

48 students did not provide usable data for Q88.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q89. Percentage of students whose mother most often takes them to the doctor when they feel sick

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	78.8	(75.3 - 82.3)	1,876	75.8	(71.9 - 79.8)	966	82.0	(77.9 - 86.0)	898
Age									
12 or younger	85.2	(79.3 - 91.1)	280	82.7	(73.2 - 92.1)	147	87.8	(81.6 - 94.0)	132
13-15	78.5	(75.7 - 81.2)	1,443	75.0	(71.3 - 78.6)	716	82.0	(78.8 - 85.2)	724
16 or older	69.0	(59.8 - 78.1)	139	-	-	99	-	-	40
Grade									
7° Primary	82.6	(78.5 - 86.7)	564	80.2	(72.8 - 87.5)	294	85.3	(81.2 - 89.4)	267
8° Primary	77.3	(72.5 - 82.1)	572	73.4	(65.2 - 81.7)	280	81.4	(75.6 - 87.1)	290
1° Secondary	76.0	(70.8 - 81.2)	713	73.1	(67.5 - 78.6)	380	79.5	(72.0 - 87.0)	331

Notes:

95 students did not provide usable data for Q89.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q90. Percentage of students who missed school because of being sick four or more days during the past 3 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	19.6	(17.3 - 21.8)	1,954	19.3	(16.2 - 22.5)	1,007	19.8	(17.2 - 22.5)	935
Age									
12 or younger	18.6	(13.3 - 23.8)	291	21.8	(14.3 - 29.4)	155	15.1	(8.6 - 21.6)	135
13-15	18.8	(16.3 - 21.4)	1,506	17.6	(14.5 - 20.8)	745	20.1	(16.8 - 23.3)	758
16 or older	29.1	(24.8 - 33.3)	143	28.0	(21.6 - 34.4)	103	-	-	40
Grade									
7° Primary	20.0	(14.8 - 25.2)	587	21.6	(14.8 - 28.5)	308	18.4	(13.1 - 23.8)	276
8° Primary	18.1	(15.5 - 20.7)	605	17.2	(13.5 - 21.0)	294	19.0	(14.5 - 23.6)	309
1° Secondary	21.1	(18.3 - 23.8)	735	19.7	(16.5 - 22.8)	393	22.4	(17.6 - 27.2)	340

Notes:

17 students did not provide usable data for Q90.

N = Number of students.

- = Fewer than 100 students.

2004 GLOBAL SCHOOL-BASED STUDENT HEALTH SURVEY RESULTS

**Chile (Region VIII) Survey
Summary Table - Weighted Data**

Q91. Percentage of students who needed health professional assistance by a doctor, nurse, midwife, dentist, psychologist, or psychiatrist one or more times during the past 3 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	51.5	(49.1 - 53.9)	1,920	46.4	(43.0 - 49.7)	992	56.8	(54.2 - 59.4)	916
Age									
12 or younger	48.4	(44.2 - 52.7)	286	49.3	(42.0 - 56.6)	154	47.8	(44.2 - 51.5)	131
13-15	51.8	(48.9 - 54.7)	1,478	45.3	(41.0 - 49.5)	732	57.9	(54.9 - 61.0)	743
16 or older	54.2	(43.7 - 64.6)	142	48.4	(38.0 - 58.7)	102	-	-	40
Grade									
7° Primary	49.0	(43.3 - 54.7)	578	46.9	(39.5 - 54.3)	304	51.4	(46.5 - 56.3)	271
8° Primary	52.4	(49.3 - 55.5)	591	47.5	(42.5 - 52.5)	289	57.1	(53.7 - 60.5)	300
1° Secondary	53.3	(48.8 - 57.7)	724	44.6	(39.2 - 49.9)	387	62.2	(55.7 - 68.7)	335

Notes:

51 students did not provide usable data for Q91.

N = Number of students.

- = Fewer than 100 students.